



13:14

IN MEMORIAM FLORIAN CAJORI







2426 9,9.49881 0,05-0119 . 9.999735-1,801030 33-0984 35-0248 0686057 686614 = # PP - 16 11 X ; 0 031=18 (11-8-5

Eaton and Bradbury's Mathematical Series.

AN

ELEMENTARY

GEOMETRY

AND

TRIGONOMETRY.

BY

WILLIAM F. BRADBURY, A. M.,

HOPKINS MASTER IN THE CAMBRIDGE HIGH SCHOOL; AUTHOR OF A TREATISE ON TRIGONOMETRY AND SURVEYING, AND OF AN ELEMENTARY ALGEBRA.

BOSTON:
PUBLISHED BY THOMPSON, BROWN, & CO.,
23 HAWLEY STREET.

EATON AND BRADBURY'S

Mathematical Series.

USED. WITH UNEXAMPLED SUCCESS IN THE BEST SCHOOLS AND ACADEMIES OF THE COUNTRY.

EATON'S PRIMARY ARITHMETIC.

EATON'S ELEMENTS OF ARITHMETIC.

BRADBURY'S EATON'S PRACTICAL ARITHMETIC.

EATON'S INTELLECTUAL ARITHMETIC. EATON'S COMMON SCHOOL ARITHMETIC. EATON'S HIGH SCHOOL ARITHMETIC.

BRADBURY'S ELEMENTARY ALGEBRA.
BRADBURY'S ELEMENTARY GEOMETRY.
BRADBURY'S ELEMENTARY TRIGONOMETRY.
BRADBURY'S GEOMETRY AND TRIGONOMETRY, in one volume.

Bradbury's Elementary Geometry. University Edition.
Plane, Solid, and Spherical.

BRADBURY'S TRIGONOMETRY AND SURVEYING.

KEYS OF SOLUTIONS TO PRACTICAL, COMMON SCHOOL, AND HIGH SCHOOL ARITHMETICS, TO ELEMENTARY ALGEBRA, GEOMETRY AND TRIGONOMETRY, AND TRIGONOMETRY AND SURVEYING, for the use of Teachers.

COPYRIGHT, 1872.
By WILLIAM F. BRADBURY.

CAJORI

University Press: John Wilson & Son, Cambridge.

PREFACE.

A LARGE number of the Theorems usually presented in text-books of Geometry are unimportant in themselves and in no way connected with the subsequent Propositions. By spending too much time on things of little importance, the pupil is frequently unable to advance to those of the highest practical value. In this work, although no important Theorem has been omitted, not one has been introduced that is not necessary to the demonstration of the last Theorem of the five Books, namely, that in relation to the volume of a sphere. Thus the whole constitutes a single Theorem, without an unnecessary link in the chain of reasoning.

These five Books, including Ratio and Proportion, are presented in eighty-one Propositions, covering only seventy pages. This brevity has been attained by omitting all unconnected propositions, and adopting those definitions and demonstrations that lead by the shortest path to the desired end. At the close of each Book are Practical Questions, serving partly as a review, partly as practical applications of the principles of the Book, and partly as suggestions to the teacher. As those who have not had experience in discovering methods of demonstration have but little real acquaintance with Geometry, there have been added to each Book, for those who have the time and the ability, Theorems for original demonstration. These Exercises, with different methods of proving propositions already demon-

strated, include those that are usually inserted, but whose demonstration in this work has been omitted. In some of these Exercises references are given to the necessary propositions; in some suggestions are made; and in a few cases the figure is constructed as the proof will require.

A sixth Book of Problems of Construction is added, which is followed by Problems for the pupil to solve. This Book, or any part of it, if thought best, can be taken immediately after completing Book III.

The Trigonometry is accompanied by the necessary Tables and their explanation, and presents in only fifty-two pages all the essential principles of Plane Trigonometry given by both the Geometrical and Analytical methods, and so arranged that either can be studied independently of the other. In fourteen more pages is given the application of these principles to the measurement of heights and distances and the determination of areas.

W. F. B.

CAMBRIDGE, MASS., April, 1872.

CONTENTS.


GEOMETRY.

INTRODUCTORY DEFINITION	s .		•			•				•		,		•	PAGE 1
	E	300	ЭK	2	ı.										
Angles, Lines, Polygons Exercises			•		•			•		•		•		•	$\frac{3}{22}$
RATIO AND PROPORTION .					.•	•				•		•		•	25
	В	00	K]	II.										
RELATIONS OF POLYGONS. Exercises			•		•			•		•	•	•	,	•	31 45
	ВС	0	K	I	II.										
THE CIRCLE Exercises			•		•			•	•	•		,	•	•	49 61
	В	oc	K	I	v.										
GEOMETRY OF SPACE. Planes and their Angles Exercises			,		•		•,	•		•	•				64 68
	В	00	K		v.										
POLYEDRONS. Prisms, Cylinders Pyramids, Cones The Sphere Exercises								,		•					69 75 82 86
	В	00	K	7	ı.										
PROBLEMS OF CONSTRUCTION Exercises	N .		•		٠.	•		•		•		•		•	89 106

PLANE TRIGONOMETRY.

CHAPTER I.

LOGARITHMS.	
Nature of Logarithms	. 1
Explanation of Table of Logarithms	3
	7, 8
Involution and Evolution by Logarithms	8, 9
involution and Evolution by Logarithms	0, 9
CHAPTER II.	
TRIGONOMETRIC FUNCTIONS. GEOMETRICAL METHOD.	
Definitions of Sine, Tangent, &c	11
Values of certain Sines, Tangents, &c.	13
Algebraic Signs of the Sines, Tangents, &c.	14
Explanation of Table of Sines, Tangents, &c.	- 14
Explanation of Table of Silies, Tangents, &c	. 14
CHAPTER III.	
CHAPIER III.	
SOLUTION OF PLANE TRIANGLES. GEOMETRICAL METHOD.	
Right-Angled Triangles	17
Oblique-Angled Triangles	22
Oblique-Migica Triangles	24
1	
CHAPTER IV.	
TRIGONOMETRIC FUNCTIONS. ANALYTICAL METHOD.	
Definitions of Sine, Tangent, &c.	29
Values of Sines, Tangents, &c	32
Algebraic Signs of the Sines, Tangents, &c.	38
Algebraic Signs of the Sines, Tangents, &c	90
•	
CHAPTER V.	
SOLUTION OF PLANE TRIANGLES. ANALYTICAL METHOD.	
Right-Angled Triangles	41
Oblique-Angled Triangles	46
Conque-Angled Thangles	40
CHAPTER VI.	
PRACTICAL APPLICATIONS.	
Heights and Distances	53
Determination of Areas	60
Miscellaneous Examples	64



PLANE GEOMETRY.

INTRODUCTORY DEFINITIONS.

- 1. Mathematics is the science of quantity.
- 2. Quantity is that which can be measured; as distance, time, weight.
- 3. Geometry is that branch of mathematics which treats of the properties of extension.
- 4. Extension has one or more of the three dimensions, length, breadth, or thickness.
 - 5. A Point has position, but not magnitude.
 - 6. A Line has length, without breadth or thickness.
- 7 A Straight Line is one whose direction is the same throughout; as A B.

A straight line has two directions exactly opposite, of which either may be assumed as its direction.

The word line, used alone in this book, means a straight line.

- 8. Corollary. Two points of a line determine its position.
- . 9. A Curved Line is one whose direction is constantly changing; as CD.
 - 10. A Surface has length and breadth, but no thickness.

- any two of its points is wholly in the surface.
- A Solid new length, breadth, and thickness.
 - 13. Scholium. The boundaries of solids are surfaces; of surfaces, lines; the ends of lines are points.
 - 14. A Theorem is something to be proved.
 - 15. A Problem is something to be done.
 - 16. A Proposition is either a theorem or a problem.
 - 17. A Corollary is an inference from a proposition or statement.
 - 18. A Scholium is a remark appended to a proposition.
 - 19. An Hypothesis is a supposition in the statement of a proposition, or in the course of a demonstration.
 - 20. An Axiom is a self-evident truth.

AXIOMS.

- 1. If equals are added to equals, the sums are equal.
- 2. If equals are subtracted from equals, the remainders are equal.
 - 3. If equals are multiplied by equals, the products are equal.
 - 4. If equals are divided by equals, the quotients are equal.
 - 5. Like powers and like roots of equals are equal.
 - 6. The whole of a magnitude is greater than any of its parts.
- 7. The whole of a magnitude is equal to the sum of all its parts.
- 8. Magnitudes respectively equal to the same magnitude are equal to each other.
 - 9. A straight line is the shortest distance between two points.

BOOK I.

ANGLES, LINES, POLYGONS.

ANGLES.


DEFINITIONS.

1. An Angle is the difference in direction of two lines.

If the lines meet, the point of meeting, B, is called the *vertex*; and the lines AB, BC, B the sides of the angle.

If there is but one angle, it can be designated by the letter at its vertex, as the angle B; but when a number of angles have the same vertex, each angle is designated by three letters, the middle letter showing the vertex, and the other two with the middle letter the sides; as the angle ABC.

2. If a straight line meets another so as to make the adjacent angles equal, each of these angles is a right angle; and the two lines are perpendicular to each other. Thus, A CD and D CB, being equal, are right angles, and AB and BC are perpendicular to each other.



- 3. An Acute Angle is less than a right angle; as E C B.
- 4. An Obtuse Angle is greater than a right A______B angle; as A C E.


Acute and obtuse angles are called oblique angles.

- 5. The Complement of an angle is a right angle minus the given angle. Thus (Fig. in Art. 7), the complement of A CD is A CF A CD = D CF.
- 6. The Supplement of an angle is two right angles minus the given angle. Thus (Fig. Art. 7), the supplement of A CD is (A CF + FCB) A CD = D CB.

THEOREM I.

7. The sum of all the angles formed at a point on one side of a straight line, in the same plane, is equal to two right angles.

Let DC and EC meet the straight line AB at the point C; then ACD + DCE + ECB = two right angles.




At C erect the perpendicular, CF; then it is evident that

$$A C D + D C E + E C B = A C D + D C F + F C E + E C B$$

= $A C F + F C B$ = two right angles.


8. Corollary 1. If only two angles are formed, each is the supplement of the other. For by the theorem,



A CD + D CB = two right angles; therefore A CD = two right angles -DCB, or DCB = two right angles -ACD.

9. Corollary 2. The sum of all the angles formed in a plane about a point is equal to four right angles.

Let the angles ABD, DBE, EBF, FBG, GBA, be formed in the same plane about the point B. Produce AB; then the sum of the angles above the line AC is equal to two right angles; and also, the sum of the angles below the line AC is equal




BOOK I. 5

to two right angles $(7)^*$; therefore the sum of all the angles at the point B is equal to four right angles.

THEOREM II.

10. If at a point in a straight line two other straight lines upon opposite sides of it make the sum of the adjacent angles equal to two right angles, these two lines form a straight line.

Let the straight line DB meet the two lines, AB, BC, so as to make ABD + DBC = two right angles: then AB and BC form a straight line.



For if AB and BC do not form a straight line, draw BE so that AB and BE shall form a straight line; then

$$ABD + DBE =$$
two right angles (7);

but by hypothesis,

$$ABD + DBC =$$
 two right angles;

therefore

$$DBE = DBC$$

the part equal to the whole, which is absurd (Axiom 6); therefore AB and BC form a straight line.

THEOREM III.

11. If two straight lines cut each other, the opposite, or vertical, angles are equal.

Let the two lines, AB, CD, cut each other at E; then AEC = DEB.

For A E D is the supplement of both A = E D and D E B (8); therefore

 $A E C \Longrightarrow D E B$ In the same way it may be proved that

$$A E D = C E B$$

^{*} The figures alone refer to an article in the same Book; in referring to an article in another Book the number of the Book is prefixed.

THEOREM IV.

12. Two angles whose sides have the same or opposite directions are equal.


1st. Let BA and BC, including the angle B, have respectively the same direction as ED and EF, including the angle E; then angle B =angle E.

For since BA has the same direction as ED, and BC the same as EF, the difference of direction of BA and BC must be the same as the difference of direction of ED and EF; that is,



angle B =angle E. 2d. Let BA and BC, including the angle B, have respectively opposite directions to EF and ED, including the angle E; then angle B = angle E.

Produce DE and EE so as to form the angle GEH; then (11)



$$GEH = DEF$$

GEH = ABC by the first part of this and proposition; therefore angle $\mathcal{B} =$ angle \mathcal{E} .


PARALLEL LINES.

- 13. Definition. Parallel Lines are such as have the same direction; as AB and CD.
- 14. Corollary. Parallel lines can never meet. For, since parallel lines have the same direction, if they coincided at one point, they would coincide throughout and form one and the same straight line.

Conversely, straight lines in the same plane that never meet, however far produced, are parallel. For if they never meet they cannot be approaching in either direction, that is, they must have the same direction.

Two lines parallel to a third are parallel to 15. Axiom. each other.

16. Definition. When parallel lines are cut by a third, the angles without the parallels are called external; those within, internal; thus, AGE, EGB, CHF, FHD are external angles; AGH, BGH, GHC, GHD are internal angles. Two internal angles on the same side of the



7

secant, or cutting line, are called internal angles on the same side; as AGH and GHC, or BGH and GHD. Two internal angles on opposite sides of the secant, and not adjacent, are called alternate internal angles; as AGH and GHD, or BGH and GHC.

Two angles, one external, one internal, on the same side of the secant, and not adjacent, are called opposite external and internal angles; as EGA and GHC, or EGB and GHD.

THEOREM V.

17. If a straight line cut two parallel lines,


1st. The opposite external and internal angles are equal.

2d. The alternate internal angles are equal.

3d. The internal angles on the same side are supplements of each other.

Let EF cut the two parallels ABand CD; then

1st. The opposite external and internal angles, EGA and GHC, or EGB and GHD, are equal, since their sides have respectively the same directions (12).



2d. The alternate internal angles, AGH and GHD, or BGH and GHC, are equal, since their sides have opposite directions (12).

3d. The internal angles on the same side, AGH and GHC, or BGH and GHD, are supplements of each other; for AGH is the supplement of AGE (8), which has just been proved equal to GHC. In the same way it may be proved that BGH and GHD are supplements of each other.

THEOREM VI.

CONVERSE OF THEOREM V.


18. If a straight line cut two other straight lines in the same plane, these two lines are parallel,

1st. If the opposite external and internal angles are equal.

2d. If the alternate internal angles are equal.

3d. If the internal angles on the same side are supplements of each other.

Let EF cut the two lines AB and CD so as to make EGB = GHD, or AGH = GHD, or BGH and GHD supplements of each other; then AB is parallel to CD.



For, if through the point G a line is drawn parallel to CD, it will make the opposite external and internal angles equal, and the alternate internal angles equal, and the internal angles on the same side supplements of each other (17); therefore it must coincide with AB; that is, AB is parallel to CD.

PLANE FIGURES.

DEFINITIONS.

19. A Plane Figure is a portion of a plane bounded by lines either straight or curved.

When the bounding lines are straight, the figure is a polygon, and the sum of the bounding lines is the perimeter.

- 20. An Equilateral Polygon is one whose sides are equal each to each.
- 21. An Equiangular Polygon is one whose angles are equal each to each.
- 22. Polygons whose sides are respectively equal are mutually equilateral.
- 23. Polygons whose angles are respectively equal are mutually equiangular.

Two equal sides, or two equal angles, one in each polygon, similarly situated, are called *homologous* sides, or angles.

- 24. Equal Polygons are those which, being applied to each other, exactly coincide.
- 25. Of Polygons, the simplest has three sides, and is called a triangle; one of four sides is called a quadrilateral; one of five, a pentagon; one of six, a hexagon; one of eight, an octagon; one of ten, a decagon.

TRIANGLES.

26. A Scalene Triangle is one which has no two of its sides equal; as A B C.



27. An Isosceles Triangle is one which has two of its sides equal; as D E F.




28. An Equilateral Triangle is one whose sides are all equal; as IGH.



29. A Right Triangle is one which has a right angle; as JKL.

The side opposite the right angle is called the hypothenuse.



30. An Obtuse-angled Triangle is one which has an obtuse angle; as MNO.



31. An Acute-angled Triangle is one whose angles are all acute; as D E F.

Acute and obtuse-angled triangles are called *oblique-angled* triangles.

32. The side upon which any polygon is supposed to stand is generally called its base; but in an isosceles triangle, as DEF, in which DE = EF, the third side DF is always considered the base.

THEOREM VII.

33. The sum of the angles of a triangle is equal to two right angles.

Let A B C be a triangle; the sum of its three angles, A, B, C, is equal to two right angles.

 $A \longrightarrow B$

Produce A C, and draw C D parallel to A B; then D C E = A, being external internal angles (17);

BCD = B, being alternate internal angles (17); hence

$$DCE + BCD + BCA = A + B + BCA$$
but
$$DCE + BCD + BCA = \text{two right angles (7)};$$
therefore
$$A + B + BCA = \text{two right angles.}$$


34. Cor. 1. If two angles of a triangle are known, the third can be found by subtracting their sum from two right angles.

- 35. Cor. 2. If two triangles have two angles of the one respectively equal to two angles of the other, the remaining angles are equal.
- **36.** Cor. 3. In a triangle there can be but one right angle, or one obtuse angle.
- .37. Cor. 4. In a right triangle the sum of the two acute angles is equal to a right angle.
- 38. Cor. 5. Each angle of an equiangular triangle is equal to one third of two right angles, or two thirds of one right angle.
- 39. Cor. 6. If any side of a triangle is produced, the exterior angle is equal to the sum of the two interior and opposite.

THEOREM VIII.

40. If two triangles have two sides and the included angle of the one respectively equal to two sides and the included angle of the other, the two triangles are equal in all respects.

In the triangles ABC, DEF, let the side AB equal DE, AC equal DF, and the angle A equal the angle D; then the triangle ABC is equal in all respects to the triangle DEF.




Place the side AB on its equal DE, with the point A on the point D, the point B will be on the point E, as AB is equal to DE; then, as the angle A is equal to the angle D, AC will take the direction DF, and as AC is equal to DF, the point C will be on the point F; and BC will coincide with EF. Therefore the two triangles coincide, and are equal in all respects.

THEOREM IX.

41. If two triangles have two angles and the included side of the one respectively equal to two angles and the included side of the other, the two triangles are equal in all respects.

In the triangles A B C and D E F, let the angle A equal the angle D, the angle C equal the angle F, and the side A C equal D F; then the triangle



A B C is equal in all respects to the triangle D E F.

Place the side A C on its equal D F, with the point A on the point D, the point C will be on the point F, as A C is equal to D F; then, as the angle A is equal to the angle D, A B will take the direction D E; and as the angle C is equal to the angle F, C D will take the direction F D; and the point D falling at once in each of the lines D D and D and D must be at their point of intersection D. Therefore the two triangles coincide, and are equal in all respects.

THEOREM X.

42. In an isosceles triangle the angles opposite the equal sides are equal.

In the isosceles triangle A B C let A B and B C be the equal sides; then the angle A is equal to the angle C.

 $A \longrightarrow D$

 \boldsymbol{B}

Bisect the angle ABC by the line BD; then the triangles ABD and

BCD are equal, since they have the two sides AB, BD, and the included angle ABD equal respectively to BC, BD, and the included angle DBC (40); therefore the angle A = C.

43. Cor. 1. From the equality of the triangles ABD and BCD, AD = DC, and the angle ADB = BDC; that is, the

line bisecting the angle opposite the base of an isosceles triangle bisects the base at right angles and also bisects the triangle; also the line drawn from the vertex perpendicular to the base of an isosceles triangle bisects the base, the vertical angle, and the triangle. And, conversely, the perpendicular bisecting the base of an isosceles triangle bisects the angle opposite, and also the triangle.


44. Cor. 2. An equilateral triangle is equiangular.

THEOREM XI.

45. If two angles of a triangle are equal, the sides opposite are also equal.

In the triangle ABC let the angle A equal the angle C; then AB is equal to BC.

Bisect the angle ABC by the line BD. Now by hypothesis the angle



A is equal to the angle C, and by construction the angle A B D is equal to the angle D B C; therefore (35) the angle A D B is equal to the angle B D C; and the two triangles A B D, D B C, having the side B D common and the angles including B D respectively equal, are equal (41) in all respects; therefore A B = B C.


46. Corollary. An equiangular triangle is equilateral.

THEOREM XII.

47. The greater side of a triangle is opposite the greater angle; and, conversely, the greater angle is opposite the greater side.


In the triangle ABC let B be greater than C; then the side AC is greater than AB.

At the point B make the angle CBD equal to the angle C;



then (45)
$$DB = DC$$

and $AC = AD + DC = AD + DB$
But (Axiom 9)



AD + DB > AB

therefore

A C > A B


Conversely. Let A C > A B; then the angle A B C > C. Cut off A D = A B and join B D; then as A D = A B, the angle A B D = A D B (42); and A D B > C (39); therefore A B D > C; but A B C > A B D; therefore A B C > C.

THEOREM XIII.

48. Two triangles mutually equilateral are equal in all respects.

Let the triangle ABC have AB, BC, CA respectively equal to AD, DC, CA of the triangle ADC; then ABC is equal in all respects to ADC.

Place the triangle ADC so that the base AC will co-




incide with its equal AC, but so that the vertex D will be on the side of AC, opposite to B. Join BD. Since by hypothesis AB = AD, ABD is an isosceles triangle; and the angle ABD = ADB (42); also, since BC = CD, BCD is an isosceles triangle; and the angle DBC = CDB; therefore the whole angle ABC = ADC; therefore the triangles ABC and ADC, having two sides and the included angle of the one equal to two sides and the included angle of the other, are equal (40).

49. Scholium. In equal triangles the equal angles are opposite the equal sides.

THEOREM XIV.

50. Two right triangles having the hypothenuse and a side of the one respectively equal to the hypothenuse and a side of the other are equal in all respects.

Let ABC have the hypothenuse AB and the side BC equal to the hypothenuse BD and the side BC of BDC; then are the two triangles equal in all respects.




Place the triangle BDC so that the side BC will coincide with its equal BC, then CD will be in the same straight line with AC (10). An isosceles triangle ABD is thus formed, and BC being perpendicular to the base divides the triangle into the two equal triangles ABC and BDC (43).

THEOREM XV.


- 51. If from a point without a straight line a perpendicular and oblique lines be drawn to this line,
 - 1st. The perpendicular is shorter than any oblique line.
- 2d. Any two oblique lines equally distant from the perpendicular are equal.
 - 3d. Of two oblique lines the more remote is the greater.

Let A be the given point, BC the given line, AD the perpendicular, and AE, AB, AC oblique lines.



1st. In the triangle ADE, the angle ADE being a right angle is greater than the angle AED; therefore AD < AE (47).

2d. If DE = DC; then the two triangles ADE and ADC, having two sides AD, DE, and the included angle ADE respectively equal to the two



sides AD, DC, and the included angle ADC, are equal (40), and AE is equal to AC.

- 3d. If D B > D E; then, as A D E is a right angle, A E D is acute; hence A E B is obtuse, and must therefore be greater than A B E (36); hence A B > A E (47).
- 52. Corollary. Two equal oblique lines are equally distant from the perpendicular.

THEOREM XVI.

53. If at the middle of a straight line a perpendicular is drawn,


1st. Any point in the perpendicular is equally distant from the extremities of the line.

2d. Any point without the perpendicular is unequally distant from the same extremities.

Let CD be the perpendicular at the middle of the line AB; then

1st. Let D be any point in the perpendicular; draw DA and DB. Since CA = CB, DA = DB (51).

2d. Let E be any point without the perpendicular; draw EA and EB, and from the point D, where EA cuts DC, draw DB. The an-




gle ABE > ABD = BAD; hence, in the triangle AEB since the angle ABE > BAE, EA > EB (47).

QUADRILATERALS.

DEFINITIONS.

54. A **Trapezium** is a quadrilateral which has no two of its sides parallel; as A B C D.



55. A **Trapezoid** is a quadrilateral which has only two of its sides parallel; as E F G H.



56. A Parallelogram is a quadrilateral whose opposite sides are parallel; as IJKL, or MNOP, or QRST, or UVWX.

57. A Rectangle is a right-angled parallel-ogram; as IJKL.



58. A **Square** is an equilateral rectangle; as M N O P.



59. A **Rhomboid** is an oblique-angled parallelogram; as QRST.



60. A **Rhombus** is an equilateral rhomboid; as U V W X.




61. A **Diagonal** is a line joining the vertices of two angles not adjacent; as DB.

. THEOREM XVII.

62. In a parallelogram the opposite sides are equal, and the opposite angles are equal.

Let A B C D be a parallelogram; then will A B = D C, B C = A D, the angle A = C, and B = D.



Draw the diagonal BD. As BC and A D are parallel, the alternate angles CBD and BDA are equal (17); and as AB and DC are parallel, the alternate angles ABD and BDC are equal; therefore the two triangles ABD and BDC, having the two angles equal, and the included side BD common, are equal (41); and the sides opposite the equal angles are equal, viz. : AB = DC and BC = AD; also the angle A = C, and the angle

$$ABC = ABD + DBC = BDC + BDA = ADC$$

- **63.** Cor. 1. The diagonal divides a parallelogram into two equal triangles.
 - 64. Cor. 2. Parallels included between parallels are equal.

THEOREM XVIII.

65. If two sides of a quadrilateral are equal and parallel, the figure is a parallelogram.

Let $A \ B \ C \ D$ be a quadrilateral having $B \ C$ equal and parallel to $A \ D$; then $A \ B \ C \ D$ is a parallelogram.




Draw the diagonal BD. As BC is A D parallel to AD, the alternate angles CBD and BDA are equal (17); therefore the two triangles CBD and BDA, having the two sides CB, BD, and the included angle CBD respectively equal to the two sides AD, DB, and the included angle ADB, are equal (40), and the alternate angles ABD and BDC are equal; therefore AB is parallel to DC (18), and ABCD is a parallelogram.

THEORÉM XIX.

66. The line joining the middle points of the two sides of a trapezoid which are not parallel is parallel to the two parallel sides, and equal to half their sum.

Let EF join the middle points of the sides AB and CD, which are not parallel, of the trapezoid ABCD; then

1st. EF is parallel to BC and AD. Through F draw GH parallel to BA, meeting AD produced in H. The angles GFC and DFH are equal (11); also the angles GCF and FDH (17);



and the side CF is equal to FD; therefore the triangles GFC and DFH are equal (41), and

$$GF = FH = \frac{1}{2}GH$$

But as ABGH is a parallelogram, GH = BA (62); therefore

$$FH = \frac{1}{2}BA = AE$$

therefore A E F H is a parallelogram (65), and E F is parallel to A D, and therefore also to B C.

2d.
$$E F = \frac{1}{2} (A D + B C)$$

For as A E F H and E B G F are parallelograms

$$EF = AH = AD + DH$$

and also

$$EF = BG = BC - GC$$

Now, as the two triangles GFC and DFH are equal, GC = DH; therefore, if we add the two equations, we shall have


$$2 EF = AD + BC$$

$$EF = \frac{1}{2} (AD + BC)$$

THEOREM XX.

67. The sum of the interior angles of a polygon is equal to twice as many right angles as it has sides minus two.

Let ABCDEF be the given polygon; the sum of all the interior angles A, B, C, D, E, F, is equal to twice as many right angles as the figure has sides minus two.



For if from any vertex A, diagonals AC, AD, AE, are drawn, the polygon will be

divided into as many triangles as it has sides minus two; and the sum of the angles of each triangle is equal to two right angles (33); therefore the sum of the angles of all the triangles, that is, the sum of the interior angles of the polygon, is equal to twice as many right angles as the polygon has sides minus two.

PRACTICAL QUESTIONS.

- 1. Do two lines that do not meet form an angle with each other? Two lines not in the same plane?
 - 2. Does the magnitude of an angle depend upon the length of its sides?
- 3. If a right angle is 90°, what is the complement of an angle of 27°? of 51°? of 91°? of 153°? What is the supplement of an angle of 13°? of 83°? of 97°? of 217°?
- 4. If three of four angles formed at a point on the same side of a straight line, in the same plane, contain respectively 15°, 27°, and 99°, how many degrees does the fourth angle contain?
- 5. If five of six angles formed in a plane about a point are respectively 11°, 53°, 74°, 19°, and 117°, how many degrees are there in the sixth angle?
- 6. On opposite sides of a line AB are two lines making with AB, at the point A, the first an angle of 29°, and the second an angle of 61°; how are these two lines related?

- 7. Can two polygons, each not equilateral, be mutually equilateral?
- 8. Can two polygons, each not equiangular, be mutually equiangular?
- 9. If two angles of a triangle are respectively 32° and 43°, how many degrees are there in the remaining angle?
- 10. If one acute angle of a right triangle is 24°, how many degrees are there in the other acute angle?
 - 11. How many degrees in each angle of an equiangular triangle?
- 12. How many degrees in each angle at the base of an isosceles triangle whose vertical angle is 14°?
- 13. How many degrees in each acute angle of a right-angled isosceles triangle?
- 14. If one of the angles at the base of an isosceles triangle is double the angle at the vertex, how many degrees in each?
- 15. If the angle at the vertex of an isosceles triangle is double one of the angles at the base, how many degrees in each?
- 16. Two triangles mutually equilateral are mutually equiangular (48).

 Are two triangles mutually equiangular also mutually equilateral?
 - 17. Is a square a parallelogram? Is a parallelogram a square?
 - 18. Is a rectangle a parallelogram? Is a parallelogram a rectangle?
- 19. How many sides equal to one another can there be in a trapezoid? How many in a trapezium?
- 20. How many degrees in each angle of an equiangular pentagon? an equiangular hexagon? octagon? decagon? dodecagon?
- 21. If the parallel sides of a trapezoid are respectively 8 feet and 13 feet in length, how long is the line joining the middle points of the other two sides?
- 22. If one of the angles of a parallelogram is 120°, how many degrees are there in each of the other angles?

EXERCISES.

The following Theorems, depending for their demonstration upon those already demonstrated, are introduced as exercises for the pupil. In some of them references are made to the propositions upon which the demonstration depends. They are not connected with the propositions in the following books, and can be omitted if thought best-

- **68.** Two angles whose sides have, one pair the same, the other opposite directions, are supplements of each other. (12.) (8.)
- **69.** Any side of a triangle is less than the sum, but greater than the difference, of the other two. (Axiom 9.)
- 70. The sum of the lines drawn from a point within a triangle to the extremities of one of the sides is less than the sum of the other two sides.

Produce one of the lines to the side of the triangle. (Axiom 9.)

71. The angle included by the lines drawn from a point within a triangle to the extremities of one of the sides is greater than the angle included by the other two sides.


Produce as in (70). (39.)

- 72. The angle at the base of an isosceles triangle being one fourth of the angle at the vertex, if a perpendicular is drawn to the base at its extreme point meeting the opposite side produced, the triangle formed by the perpendicular, the side produced, and the remaining side of the triangle, is equilateral.
- 73. If an isosceles and an equilateral triangle have the same base, and if the vertex of the inner triangle is equally distant from the vertex of the outer and the extremities of the base, then the angle at the base of the isosceles triangle is $\frac{1}{4}$ or $\frac{5}{2}$ of its vertical angle, according as it is the inner or the outer triangle.
- **74.** Prove Theorem VII. by first drawing a line through B parallel to A C.
- 75. Prove Theorem VII. by drawing a triangle upon the floor, walking over its perimeter, and turning at each vertex through an angle equal to the angle at that vertex.

76. Only one perpendicular to a straight line can be drawn from a point.

(Two cases. 1st. When the point is without the line. 2d. When the point is within the line.)

- 77. Two straight lines perpendicular to a third are parallel. (13.)
- 78. If a line joining two parallels is bisected, any other line drawn through the point of bisection and joining the parallels is bisected.
- 79. If two triangles have two sides of one respectively equal to two sides of the other, but the included angles unequal, the third side of the one having the included angle greater is greater than the third side of the other.




Place the triangles as in the figure; draw BE bisecting the angle CBD, and join C and E.

80. (Converse of 79.) If two triangles have two sides of one respectively equal to two sides of the other, but the third sides unequal, the included angle of the one having the third side greater is greater than the included angle of the other.

(Prove it by proving any other supposition absurd.)

- 81. Prove in Theorem XIII. the angles of the two triangles equal by reference to (80) then that the triangles are equal by (40) or (41).
- 82. (Converse of part of 62.) If the opposite sides of a quadrilateral are equal, the figure is a parallelogram.
- 83. (Converse of part of 62.) If the opposite angles of a quadrilateral are equal, the figure is a parallelogram.
- 84. (Converse of 63.) If a diagonal divides a quadrilateral into two equal triangles, is the figure necessarily a parallelogram?
 - 85. The diagonals of a parallelogram bisect each other.
- **86.** (Converse of 85.) If the diagonals of a quadrilateral bisect each other, the figure is a parallelogram.
 - 87. The diagonals of a rhombus bisect each other at right angles.

- 88. (Converse of 87.) If the diagonals of a quadrilateral bisect each other at right angles, the figure is a rhombus or a square.
 - 89. The diagonals of a rectangle are equal.
 - 90. The diagonals of a rhombus bisect the angles of the rhombus.
- 91. Straight lines bisecting the adjacent angles of a parallelogram are perpendicular to each other.
- **92.** From the vertices of a parallelogram measure equal distances upon the sides in order. The lines joining these points on the sides form a parallelogram.
- 93. Prove Theorem XX. by joining any point within to the vertices of the polygon.
- **94.** If the sides of a polygon, as ABCDEF, are produced, the sum of the angles a, b, c, d, e, f, is equal to four right angles.



- 95. If a pavement is to be laid with blocks of the same regular form, that is, blocks whose faces are equiangular and equilateral, prove that their upper faces must be equilateral triangles, squares, or hexagons. (67; 9.)
- 96. If two kinds of regular figures, with sides of the same length, are to be used at each angular point, show that the pavement can be laid only with blocks whose upper faces are,
 - 1st. Triangles and squares.
 - 2d. Triangles and hexagons.
 - 3d. Triangles and dodecagons.
 - 4th. Squares and octagons.

How many of each must there be at each angular point?

- 97. If three kinds of regular figures, with sides of the same length, are to be used at each angular point, show that the pavement can be laid only with blocks whose upper faces are,
 - 1st. Triangles, squares, and hexagons.
 - 2d. Squares, hexagons, and dodecagons.

How many of each must there be at each angular point?

RATIO AND PROPORTION.

DEFINITIONS.

(It is necessary to understand the elementary principles of ratio and proportion before entering upon the Books that are to follow. It is therefore introduced here, but not numbered as one of the Books of Geometry, as it belongs properly to Algebra. Reference to the propositions in ratio and proportion will be made by the abbreviation Pn., with the number of the article annexed.)

1. Ratio is the relation of one quantity to another of the same kind; or it is the quotient which arises from dividing one quantity by another of the same kind.

Ratio is indicated by writing the two quantities after one another with two dots between, or by expressing the division in the form of a fraction. Thus, the ratio of a to b is written, a:b, or $\frac{a}{b}$; read, a is to b, or a divided by b.

2. The Terms of a ratio are the quantities compared, whether simple or compound.

The first term of a ratio is called the antecedent, the other the consequent; the two terms together are called a couplet.

- **3.** An **Inverse** or **Reciprocal Ratio** of any two quantities is the ratio of their *reciprocals*. Thus, the *direct* ratio of a to b is a:b, that is, $\frac{a}{b}$; the *inverse* ratio of a to b is $\frac{1}{a}:\frac{1}{b}$, that is, $\frac{1}{a} \div \frac{1}{b} = \frac{b}{a}$, or b:a.
- 4. Proportion is an equality of ratios. Four quantities are in proportion when the ratio of the first to the second is equal to the ratio of the third to the fourth.

The equality of two ratios is indicated by the sign of equality (=), or by four dots (: :).

Thus, a:b=c:d, or a:b::c:d, or $\frac{a}{b}=\frac{c}{d}$; read a to b equals c to d, or a is to b as c is to d, or a divided by b equals c divided by d.

- 5. In a proportion the antecedents and consequents of the two ratios are respectively the antecedents and consequents of the proportion. The first and fourth terms are called the extremes, and the second and third the means.
- **6.** When three quantities are in proportion, e. g. a:b=b:c, the second is called a *mean proportional* between the other two; and the third, a *third proportional* to the first and second.
- 7. A proportion is transformed by **Alternation** when antecedent is compared with antecedent, and consequent with consequent.
- 8. A proportion is transformed by Inversion when the antecedents are made consequents, and the consequents antecedents.
- 9. A proportion is transformed by Composition when in each couplet the sum of the antecedent and consequent is compared with the antecedent or with the consequent.
- 10. A proportion is transformed by Division when in each couplet the difference of the antecedent and consequent is compared with the antecedent or with the consequent.
- 11. Axiom. Two ratios respectively equal to a third are equal to each other.

THEOREM I.

12. In a proportion the product of the extremes is equal to the product of the means.

Let a:b=c:dthat is $\frac{a}{b}=\frac{c}{d}$ Clearing of fractions ad=bc

13. Scholium. A proportion is an equation; and making the product of the extremes equal to the product of the means is merely clearing the equation of fractions.

THEOREM II.

14. If the product of two quantities is equal to the product of two others, the factors of either product may be made the extremes, and the factors of the other the means of a proportion.

Let a = b cDividing by b d $\frac{a}{b} = \frac{c}{d}$ that is a : b = c : d

THEOREM III.

15. If four quantities are in proportion, they will be in proportion by alternation.

Let	a:b=c:d
By (12)	a d = b c
By (14)	a:c=b:d

THEOREM IV.

16. If four quantities are in proportion, they will be in proportion by inversion.

Let		a:b=c:d
By (12)		ad = bc
By (14)	•	b:a==d:c

THEOREM V.

17. If four quantities are in proportion, they will be in proportion by composition.

Let	a:b=c:d
that is	$\frac{a}{b} = \frac{c}{d}$
Adding 1 to each member	$\frac{a}{b} + 1 = \frac{c}{d} + 1$
or	$\frac{a+b}{b} = \frac{c+d}{d}$
that is	a+b:b=c+d:d

THEOREM VI.

18. If four quantities are in proportion, they will be in proportion by division.

Let
$$a:b=c:d$$
 that is
$$\frac{a}{b}=\frac{c}{d}$$
 Subtracting 1 from each member
$$\frac{a}{b}-1=\frac{c}{d}-1$$
 or
$$\frac{a-b}{b}=\frac{c-d}{d}$$
 that is
$$a-b:b=c-d:d$$

19. Corollary. From (17) and (18), by means of (15) and (11),

If a:b=c:dthen a+b:a-b=c+d:c-d

THEOREM VII.

20. Equimultiples of two quantities have the same ratio as the quantities themselves.

For $\frac{a}{b} = \frac{m \, a}{m \, b}$ that is $a:b = m \, a:m \, b$

21. Corollary. It follows that either couplet of a proportion may be multiplied or divided by any quantity, and the resulting quantities will be in proportion. And since by (15), if a:b=ma:mb, a:ma=b:mb or ma:a=mb:b, it follows that both consequents, or both antecedents, may be multiplied or divided by any quantity, and the resulting quantities will be in proportion.

THEOREM VIII.

22. If four quantities are in proportion, like powers or like roots of these quantities will be in proportion.

Let a:b=c:d that is $\frac{a}{b}=\frac{c}{d}$ Hence $\frac{a^n}{b^n}=\frac{c^n}{d^n}$ that is $a^n:b^n=c^n:d^n$

Since n may be either integral or fractional, the theorem is proved.

THEOREM IX.

23. If any number of quantities are proportional, any antecedent is to its consequent as the sum of all the antecedents is to the sum of all the consequents.

Let
$$a:b=c:d=e:f$$
 Now
$$ab=ab \qquad \text{(A)}$$
 and by (12)
$$ad=bc \qquad \text{(B)}$$
 and also
$$af=be \qquad \text{(C)}$$
 Adding (\Lambda), (B), (C)
$$a(b+d+f)=b(a+c+e)$$
 Hence, by (14)
$$a:b=a+c+e:b+d+f$$

THEOREM X.

24. If there are two sets of quantities in proportion, their products, or quotients, term by term, will be in proportion.

Let	a:b=c:d	
and ,	e:f=g:h	
By (12)	a d = b c	(A)
and	eh = fg	(B)
Multiplying (A) by (B)	$\overline{a d e h = b c f g}$	(C)
Dividing (A) by (B)	$\frac{ad}{eh} = \frac{bc}{fg}$	(D)
From (C) by (14)	ae:bf=cg:dh	
and from (D)	$\frac{a}{e}: \frac{b}{f} = \frac{c}{q}: \frac{d}{h}$	

BOOK II.

RELATIONS OF POLYGONS.

DEFINITIONS.

- 1. The Area of a polygon is the measure of its surface. It is expressed in units, which represent the number of times the polygon contains the square unit that is taken as a standard.
 - 2. Equivalent Polygons are those which have the same area.
- 3. The Altitude of a triangle is the perpendicular distance from the opposite vertex to the base, or to the base produced; as BD.



4. The **Altitude** of a parallelogram is the perpendicular distance from the opposite side to the base; as *IK*.




5. The Altitude of a trapezoid is the perpendicular distance between its parallel sides; as PR.




THEOREM I.

6. Two polygons mutually equiangular and equilateral are equal.

Let ABCDEF and GHIKLM be two polygons having the sides AB,BC,CD,DE,EF, FA and the angles A,B,



C, D, E, F of the one respectively equal to the sides G II, H I, I K, K L, L M, M G, and the angles G, H, I, K, L, M of the other; then is the poly-



gon ABCDEF equal to the polygon GHIKLM.

For if the polygon ABCDEF is applied to the polygon GHIKLM so that AB shall be on GH with the point A on G, B will fall on H, as AB and GH are equal; and as the angle B is equal to the angle H, BC will take the direction HI; and as BC is equal to HI, the point C will fall on I; and so also the points D, E, F will fall on the points K, L, M; and the polygon ABCDEF will coincide with the polygon GHIKLM, and therefore be equal to it.

THEOREM II.

7. The area of a rectangle is equal to the product of its base and altitude.

Let A B C D be a rectangle; its area $= A D \times A B$.

Suppose AB and AD to be divided into any number of equal parts, AE, EF, AH, HI, &c., and through the points of division, lines EL, FM, HO, IP, &c. be drawn parallel to the sides of



the rectangle; then the rectangle will be divided into squares; these squares will be equal to each other (6). If one of the equal parts, AE, represents the linear unit, then one of the squares, AESH, represents the square unit; and there will be as many square units in the rectangle AELD as there are linear units in AD; and as many square units in the rectangle AELD multiplied by the number representing the number of linear units in AB; that

воок и. 33


is, the area of the rectangle is equal to the product of its base and altitude, that is $= AD \times AB$.

- 8. Scholium. If AD and AB have no common measure, the linear unit may be taken as small as we please, that is, so small that the remainders will be infinitesimal, and can be neglected.
- 9. Corollary. The area of a square is the square of one of its sides.

THEOREM III.

10. The area of a parallelogram is equal to the product of its base and altitude.

Let DF be the altitude of the parallelogram ABCD; then the area of $ABCD = AD \times DF$.




At A draw the perpendicular AE meet- A D ing CB produced in E; AEFD is a rectangle equivalent to the parallelogram ABCD. For the two triangles AEB and DFC, having the sides AE, AB equal respectively to the sides DF, DC (I. 64), and the included angle EAB equal to the included angle FDC (I. 12), are equal. Adding DFC to the common part ABFD gives the parallelogram ABCD; and adding its equal AEB to the common part ABFD, gives the rectangle AEFD; therefore the parallelogram ABCD is equivalent to the rectangle AEFD; therefore the area of the rectangle AEFD; therefore the area of the parallelogram ABCD is equivalent to the rectangle AEFD; therefore the area of the parallelogram ABCD.

THEOREM IV.

11. The area of a triangle is equal to half the product of its base and altitude.

Let BD be the altitude of the triangle ABC; then the area of $ABC = \frac{1}{2} AC \times BD$.

Draw CE parallel to AB, and BE parallel to AC, forming the parallelogram ABEC. The triangle ABC is one half the parallelogram ABEC (I. 63); the area of the parallelogram $AC \times BD$



(10); therefore the area of the triangle $= \frac{1}{2} A C \times B D$.

12. Cor. 1. Triangles are to each other as the products of their bases and altitudes. For if A and a represent the altitudes of two triangles T and t, and B and b their bases, their areas are $\frac{1}{2}A \times B$ and $\frac{1}{2}a \times b$; therefore

$$T: t = \frac{1}{2} A \times B: \frac{1}{2} a \times b$$
 or (Pn. 21)
$$T: t = A \times B: a \times b$$


13. Cor. 2. Triangles having equal bases are as their altitudes; those having equal altitudes as their bases. For in the proportion above, if B = b, or A = a, the equals can be cancelled from the second ratio (Pn. 21).

THEOREM V.

14. The area of a trapezoid is equal to half the product of its altitude and the sum of its parallel sides.

Let EF be the altitude of the trapezoid ABCD; then the area of ABCD $\equiv \frac{1}{2} EF \times (BC + AD)$.

Draw the diagonal BD; it will divide the trapezoid into two triangles, ABD, BCD, having the same altitude EF as the trapezoid.



By (11) the area of
$$BCD = \frac{1}{2}EF \times BC$$

and the area of $ABD = \frac{1}{2}EF \times AD$
Therefore the area of the trapezoid $= \frac{1}{2}EF \times (BC + AD)$.

15. Corollary. As (I. 66) the line joining the middle points of the sides AB and CD of the trapezoid $= \frac{1}{2} (BC + AD)$,

therefore the area of a trapezoid is equal to the product of its altitude and the line joining the middle points of the sides which are not parallel.

THEOREM VI.

16. A line drawn parallel to one side of a triangle divides the other sides proportionally.

In the triangle ABC let DE be drawn parallel to BC; then

$$AE:EC \Longrightarrow AD:DB$$

Draw DC and BE; the triangles ADE and EDC, having the same vertex D and their bases in the same straight line AC, have the same altitude; therefore (13)

$$ADE:EDC=AE:EC$$

And the triangles A D E and D E B, having the same vertex E and their bases in the same straight line A B, have the same altitude; therefore (13)

$$\overrightarrow{ADE}: \overrightarrow{DEB} = \overrightarrow{AD}: \overrightarrow{DB}$$

But the triangles EDC and DEB are equivalent (11), since they have the same base DE and the same altitude, viz., the perpendicular distance between the two parallels DE and BC. Therefore (Pn. 11) AE:EC=AD:DB

17. Corollary. As AE:EC=AD:DBby (Pn. 17) AE+EC:AE=AD+DB:ADthat is, AC:AE=AB:AD

THEOREM VII.



CONVERSE OF THEOREM VI.

18. A line dividing two sides of a triangle proportionally is parallel to the third side of the triangle.

In the triangle ABC if DE divides AB and AC so that AB:AD=AC:AE, then DE is parallel to BC.


or

For if D E is not parallel to B C, through D draw D F parallel to B C; then (17)

$$\overrightarrow{AB}: \overrightarrow{AD} = \overrightarrow{AC}: \overrightarrow{AF}$$

But by hypothesis

$$AB:AD=AC:AE$$



Now as the first three terms of these two proportions are the same, their fourth terms must be equal; that is, AF = AE, the part equal to the whole, which is absurd (Axiom 6); therefore DE is parallel to BC.

19. Definition. Similar Polygons are those which are mutually equiangular, and have their homologous sides, that is, the sides including the corresponding angles, proportional.

THEOREM VIII.

20. Two triangles mutually equiangular are similar.

In the two triangles ABC, DEF, let the angle A=D, B=E, and C=F; then the triangles are similar.

As the triangles are mutually equiangular, we have only to prove

the homologous sides proportional. Cut off AG and AH equal respectively to DE and DF, and join GH; the triangle AGH is equal to DEF (I. 40), and the angle AGH = E; but E = B; therefore AGH = B, and GH is parallel to BC (I. 18); and (17)

$$AB:AG \Longrightarrow AC:AH$$

 $AB:DE \Longrightarrow AC:DF$

In like manner it may be proved that

$$AB:DE = BC:EF = AC:DF$$

21. Cor. Two triangles whose homologous sides are equally inclined to each other are similar. For if one of the triangles is

turned through an angle equal to the angle of inclination of the sides, the sides of the triangles become respectively parallel; they are therefore mutually equiangular (I. 12) and similar (20).

THEOREM IX.

22. The altitudes of two similar triangles are proportional to the homologous sides.

Let BG and EH be the altitudes of the similar triangles ABC and DEF; then

$$BG: EH = AB: DE =$$

 $AC: DF = BC: EF$

For the two right triangles $A = G \cap G \cap H$ F A B G, D E H are mutually equiangular (I. 35), and similar (20); therefore


$$BG:EH = AB:DE = AC:DF = BC:EF$$

THEOREM X.

23. Two triangles having an angle of the one equal to an angle of the other, and the sides including these angles proportional, are similar.

In the triangles ABC, DEF let the angle A = D and

 $AB:DE \Longrightarrow AC:DF$ then the triangles ABC and DEF are similar.



Cut off AG and AH respectively equal to DE and DF, and join GH; the triangle AGH = DEF, and the angle AGH = E (I. 40).

By hypothesis
$$AB:DE=AC:DF$$

or $AB:AG=AC:AH$


that is, the sides AB, AC are divided proportionally by the

line GH; therefore GH is parallel to BC (18), and the angle AGH = B (I. 17); but the angle AGH = E; therefore B = E, and the two triangles are mutually equiangular and therefore similar (20).

THEOREM XI.

24. In a right triangle the perpendicular drawn from the vertex of the right angle to the hypothenuse divides the triangle into two triangles similar to the whole triangle and to each other.

In the right triangle ABC if BD is drawn from the vertex B of the right angle perpendicular to the hypothenuse AC, the two triangles ABD, BCD are similar to ABC and to each other.



The two right triangles A B D and A B C have the acute angle A common; they are therefore mutually equiangular (I. 35), and similar (20). The two right triangles A B C and B C D have the acute angle C common; therefore they are mutually equiangular and similar. The two triangles A B D and B C D, being each similar to A B C, are similar to each other.

25. Cor. 1. Since ABC and ABD are similar triangles

 $AC:AB \Longrightarrow AB:AD$

And since ABC and BCD are similar

AC:CB = CB:CD

that is, if in a right triangle a perpendicular is drawn from the vertex of the right angle to the hypothenuse, either side about the right angle is a mean proportional between the whole hypothenuse and the adjacent segment.

26. Cor. 2. As ABD and BCD are similar triangles

 $AD:DB \Longrightarrow DB:DC$

that is, in a right triangle the perpendicular from the vertex of the right angle to the hypothenuse is a mean proportional between the segments of the hypothenuse.

THEOREM XII.

27. The square described on the hypothenuse of a right triangle is equivalent to the sum of the squares described upon the other two sides.

 G^{ϵ}

Let ABC be a triangle rightangled at B; then

$$\overline{AC}^2 = \overline{AB}^2 + \overline{BC}^2$$

On the three sides construct squares, draw BD perpendicular to AC, and produce it to FE; DCEL is a rectangle whose area is (7)

$$C E \times C D = A C \times C D$$

The area of the square (9)

$$BIKC = \overline{BC^2}$$

But (25)
$$AC:BC = BC:CD$$

or $AC \times CD = \overline{BC}^2$

that is, the square BIKC is equivalent to the rectangle DCEL. In the same way the square AGHB can be proved equivalent to the rectangle ADLF: therefore the sum of the two rectangles, that is, the square ACEF is equivalent to the sum of the squares BIKC and AGHB; or

$$\overline{AC}^2 = \overline{AB}^2 + \overline{BC}^2$$

28. Corollary. Since

$$\overline{AC^2} = \overline{AB^2} + \overline{BC^2}$$

$$\overline{BC^2} = \overline{AC^2} - \overline{AB^2}$$

$$BC = \sqrt{AC^2 - \overline{AB^2}}$$

and


THEOREM XIII.

29. Similar triangles are to each other as the squares of their homologous sides.

Let ABC and DEF be two similar triangles; then

$$ABC:DEF = \overline{AC^2}:\overline{DF^2}$$

Draw BG and EH perpendicular respectively to AC and DF; then (22)



$$BG:EH = AC:DF$$

this multiplied by the proportion

$$\frac{1}{2}AC: \frac{1}{2}DF = AC: DF$$


gives $\frac{1}{2} A C \times B G : \frac{1}{2} D F \times E H = \overline{A C}^2 : \overline{D F}^2$ but $\frac{1}{2} A C \times B G$ is the area of A B C, and $\frac{1}{2} D F \times E H$ is the area of D E F (11); therefore

 $ABC:DEF = \overline{AC}^2: \overline{DF}^2.$

THEOREM XIV.

30. Similar polygons can be divided into the same number of similar triangles.

Let ABCDEF and GHIKLM be similar polygons; they can be divided into the same number of similar triangles.



From the homologous vertices A and G draw the diagonals AC, AD, AE, GI, GK, and GL; these diagonals divide the polygons as required. For, as the polygons are similar, the angle B = H, and AB : GH = BC : HI; therefore the triangles ABC and GHI are similar (23). As the triangles ABC and GHI are similar, the angle BCA = HIG; but the whole angle BCD = HIK; therefore the angle ACD = GIK; and as the triangles ABC and GHI are similar

BC:HI=AC:GI

But

BC:HI=CD:IK

Therefore

AC:GI=CD:IK


and ACD and GIK are similar (23). In like manner it can be proved that the other triangles are similar each to each.

THEOREM XV.

31. The perimeters of similar polygons are to each other as the homologous sides; and the polygons as the squares of the homologous sides.

Let ABCDEFGHIKLM be two similar polygons.

1st. Their perimeters are to each other as AB:GH



For as the polygons are similar

$$AB: GH = BC: HI = CD: IK$$
, &c.

Therefore (Pn. 23)

AB + BC + CD, &c. : GH + HI + IK, &c. = AB : GHthat is, the perimeters of ABCDEF and GHIKLM are as AB:GH.

2d.
$$ABCDEF: GHIKLM = \overline{AB^2}: \overline{GH^2}$$

From the homologous vertices A and G draw the diagonals A C, A D, A E, G I, G K, and G L; the polygons will be divided into the same number of similar triangles (30); therefore (29)

 $ABC:GHI = \overline{AC}^2:\overline{GI}^2$ $ACD:GIK = \overline{AU^2}:\overline{GI^2}$ and Therefore ABC:GHI = ACD:GIKACD:GIK = ADE:GKLIn like manner ADE:GKL = AEF:GLMand

Hence (Pn. 23)

ABC + ACD + ADE + AEF : GHI + GIK + GKL +GLM = ABC : GHI

 $ABC: GHI = \overline{AB^2}: \overline{GH^2}$ But


Therefore the sums of the triangles, that is, the polygons themselves, are to each other as the squares of the homologous sides.

32. Definition. A Regular Polygon is one that is both equiangular and equilateral.

THEOREM XVI.

33. Regular polygons of the same number of sides are similar.

Let ABCDEF and GHIKLM be two regular polygons of the same number of sides; they are similar.




They are mutually F E equiangular; for the sum of their angles is the same (I. 67); and each angle is equal to this sum divided by the number of angles which is the same.

The homologous sides are proportional; for as the polygons are regular, AB = BC = CD, &c., and GH = HI = IK, &c., therefore AB: GH = BC: HI = CD: IK, &c.

THEOREM XVII.


34. There is a point in a regular polygon equidistant from its vertices, and also equidistant from its sides.

Let ABCDEF be a regular polygon. Bisect the angles A and B by A O and B O. As the whole angles A and B are each less than two right angles, the sum of OAB and ABO is less than two right angles; therefore AO and BO cannot be parallel (I. 17), but will meet.



Suppose them to meet in the point O; then O is equidistant from the vertices A, B, C, D, E, F, and B, G, C also from the sides A B, B C, C D, &c.

Draw OC, OD, OE, OF. OA = OB (I. 45). As OB bisects the whole angle B, the angle OBA = OBC; therefore the triangle ABO = OBC (I. 40), and OC = OA = OB. In like manner it can be proved that OD = OE = OF



can be proved that OD = OE = OF = OA; that is, O is equidistant from the vertices of the polygon.

As the triangles OAB, OBC, OCD, &c. are equal, their altitudes are equal, that is, the bases are equidistant from the vertex O.

- 35. Scholium. O is called the centre, and the perpendicular OG the apothem of the polygon.
- 36. Corollary. In regular polygons of the same number of sides, the apothems are as the homologous sides; therefore the perimeters of regular polygons of the same number of sides are as their apothems; and the polygons as the squares of their apothems.

THEOREM XVIII.

37. The area of a regular polygon is equal to half the product of its perimeter and apothem.

For, if a regular polygon is divided into triangles by lines drawn from the centre to the several vertices, the area of each triangle is equal to half the product of its base and the apothem of the polygon (11); therefore the area of the polygon is equal to half the product of the sum of the bases, that is, to half the product of its perimeter and its apothem.


PRACTICAL QUESTIONS.

- 1. What is the perimeter and the area of a rectangle 25 by 35 inches?
- 2. What is the area of a parallelogram whose base is 20 feet and altitude \cdot 12 feet?
 - 3. What is the area of a triangle whose base is 14 feet and altitude 8 feet?
 - 4. What is the square surface of a board 15 feet long, and 16 inches wide at one end and 9 inches at the other? What kind of a figure is it?
 - 5. What integral numbers will express the sides and hypothenuse of a right triangle?
 - 6. How far from a tower 40 feet high must the foot of a ladder 50 feet long be placed that it may exactly reach the top of the tower?
 - 7. The foot of a ladder 67 feet long stands 40 feet from a wall; how much nearer the wall must the foot be placed that the ladder may reach 10 feet higher?
 - 8. If a ladder 108 feet long, with its foot in the street, will reach on one side to a window 75 feet high, and on the other to a window 45 feet high, how wide is the street?
 - 9. A has an acre of land one of whose sides is 20 rods in length; B has a piece of land of exactly similar form containing 9 acres. What is the length of the corresponding side of B's?
 - 10. What is the distance on the floor from one corner to the opposite corner of a rectangular room 16 by 24 feet?
 - 11. If the height of the above room is 10 feet, what is the distance from the lower corner to the opposite upper corner?
 - 12. Find the length of the longest straight rod that can be put into a box whose inner dimensions are 12, 4, and 3.
 - 13. What is the altitude of an equilateral triangle whose side is 12 feet ?
 - 14. If the bases of two similar triangles are respectively 100 and 10 feet, how many triangles equal to the second are equivalent to the first?
 - 15. How many times as much paint will it take to cover a church whose steeple is 120 feet in height as to cover an exact model of the church whose steeple is 10 feet in height?
 - 16. What is the area of a right-angled triangle whose hypothenuse is 125 feet and one of the sides 75 feet?

EXERCISES.

The following Theorems, depending for their demonstration upon those already demonstrated, are introduced as exercises for the pupil. In some of them references are made to the propositions upon which the demonstration depends. They are not connected with the propositions in the following books, and can be omitted if thought best.

38. The square on the sum A C of two straight fines A B, B C is equivalent to the squares on A B and B C, together with twice the rectangle A B B C.





Or, algebraically, if
$$a = AB$$
, and $b = BC$, $(a + b)^2 = a^2 + 2ab + b^2$

- 39. Corollary. The square on a line is four times the square on palf of the line.
- **40.** The square on the difference A C, of two straight lines A B, B C is equivalent to the squares on A B and B C. diminished by twice the rectangle A B. B C.

Or, algebraically, if
$$a = AB$$
, and $b = BC$, $(a - b)^2 = a^2 - 2 a b + b^2$

Produce AB so that BD = BC.





- 42. Parallelograms are to each other as the products of their bases and altitudes. (10.)
- 43. Parallelograms having equal bases are to each other as their altitudes; those having equal altitudes are as their bases.
- 44. Where must a line from the vertex be drawn to bisect a triangle? (13.)
- 45. Two or more lines parallel to the base of a triangle divide the other sides, or the other sides produced, proportionally.

46. Lines joining the middle points of the adjacent sides of a quadrilateral form a parallelogram; and the perimeter of this parallelogram is equal to the sum of the diagonals of the quadrilateral.

Draw the diagonals. (18.)

- 47. Lines drawn from the vertex of a triangle divide the opposite side and a parallel to it proportionally.
 - 48. State and prove the converse of 47.
- **49.** ABCD is a parallelogram; E and F the middle points of AB and CD. BF and DE trisect the diagonal AC.
- **50.** If two triangles have two sides of the one equal respectively to two sides of the other, and the included angles supplementary, the triangles are equivalent.
- 51. The diagonals divide a parallelogram into four equivalent triangles. Two triangles standing on opposite sides are equal.
- 52. If the middle points of the sides of a triangle are joined, the area of the triangle thus formed is one fourth the area of the original triangle.
- **53.** Every line passing through the intersection of the diagonals of a parallelogram bisects the parallelogram.
- **54.** If a point within a parallelogram is joined to the vertices, the two triangles formed by the joining lines and two opposite sides are together equivalent to half the parallelogram.

Through the point draw lines parallel to the sides of the parallelogram.

- 55. State and prove the proposition if the point named in 54 is without the parallelogram.
- 56. The area of a trapezoid is equal to twice the area of the triangle formed by joining the extremities of one non-parallel side to the middle point of the other.
- 57. Two triangles are similar if two angles of the one are equal respectively to two angles of the other.
- 58. Two triangles are similar if their homologous sides are proportional.

R

- **59.** Definition. When a point is taken on a given line, or a given line produced, the distances of the point from the extremities of the line are called the *segments*. If the point is within the given line, the sum of the segments, if in the line produced, the difference of the segments, is equal to the line.
- 60. The line bisecting any angle, interior or exterior, of a triangle, divides the opposite side into segments which are proportional to the adjacent sides.

Let B be the bisected angle of a triangle ABC. Through C draw a line parallel to the bisecting line and meeting AB. If the interior angle at B is bisected, AB must be produced; if the exterior angle, AC. In the latter case, if E is the point where the bisecting line meets AC produced, the segments of the base (59) are AE and CE. (I. 17.) (I. 45.) (16.)

61. Two triangles having an angle of the one equal to an angle in the other are to each other as the rectangles of the sides containing the equal angles; or


$$ABC: ADE = AB \times AC: AD \times AE$$

Draw BE. (13.) (Pn. 24.) (Pn. 21.)

62. Prove Theorem XII., first drawing G C and BF; then proving the triangles A G C and A BF equal.

Turn the triangle ABF on the point A in its own plane till AB coincides with AG; where will F be? (7, 11.)

63. Prove that if GH, KI, and LB, in the figure above, are produced, they will meet in the same point.



- **64.** Prove Theorem XII., first producing FA to GH, and producing GH, KI, and LB till they meet.
- 65. Prove Theorem XII., first constructing the squares on opposite sides of AB and BC from that on which they are drawn in the figure in Art. 62; moving the square AGHB on AB, a distance

equal to BC in the direction BA; then proving that these squares are divided into parts that can be made to coincide with the parts of the square on AC.

66. If A is an acute angle of the triangle ABC, and BD is the perpendicular from B to AC, then $BC^2 = AB^2 + AC^2 - 2AC \times AD$

$$A \stackrel{\frown}{=} C$$

67. If A is an obtuse angle of the triangle A B C, and BD is the perpendicular from B to A C, then $B C^2 = A B^2 + A C^2 + 2 A C \times A D$



- **68.** Show that if the angle A becomes a right angle, both 66 and 67 reduce to the same as 27; and if C becomes a right angle, both reduce to the same as the second equation in 28.
- 69. If a line is drawn from the vertex of any angle of a triangle to the middle of the opposite side, the sum of the squares of the other two sides is equivalent to twice the square of the bisecting line together with twice the square of a segment of the bisected side.

Draw a perpendicular from the same vertex to the opposite side. (66, 67.)


- 70. The sum of the squares of the four sides of a parallelogram is equivalent to the sum of the squares of the diagonals. (69.) (39.)
- 71. In the figure in Art. 62 draw HI, KE, FG. The triangle HIB is equal, and the triangles CKE, GAF are equivalent to ABC.
- 72. The squares of the sides of a right triangle are as the segments of the hypothenuse made by a perpendicular from the vertex of the right angle.
- 73. The square of the hypothenuse is to the square of either side as the hypothenuse is to the segment adjacent to this side made by a perpendicular from the vertex of the right angle.
- **74.** The side of a square is to its diagonal as $1:\sqrt{2}$; or the square described on the diagonal of a square is double the square itself.
- 75. (Converse of 30.) Two polygons composed of the same number of similar triangles similarly situated are similar.

BOOK III.

THE CIRCLE.

DEFINITIONS.

- 1. A Circle is a plane figure bounded by a curved line called the *circumference*, every point of which is equally distant from a point within called the *centre*; as ABDE.
- 2. The Radius of a circle is a line drawn from the centre to the circumference; as CD.
- 3. The **Diameter** of a circle is a line drawn through the centre and terminating at both ends in the circumference; as AD.



- 4. Corollary. The radii of a circle, or of equal circles, are equal; also the diameters are equal, and each is equal to double the radius.
 - 5. An Arc is any part of the circumference; as A FB.
- 6. A Chord is the straight line joining the ends of an are; as A B.
- 7. A Segment of a circle is the part of the circle cut off by a chord; as the space included by the arc A F B and the chord A B.
- **8.** A **Sector** is the part of a circle included by two radii and the intercepted arc; as the space BCD.
- **9.** A **Tangent** (in geometry) is a line which touches, but does not, though produced, cut the circumference; as GD.

A tangent is often considered as terminating at one end at the point of contact, at the other where it meets another tangent or a secant.


10. A Secant (in geometry) is a line lying partly within and partly without a circle; as GE.

A secant is generally considered as terminating at one end where it meets the concave circumference, and at the other where it meets another secant or a tangent.

THEOREM I.

11. In the same circle, or equal circles, equal angles at the centre are subtended by equal arcs; and, conversely, equal arcs subtend equal angles at the centre.

Let B and E be equal angles at the centres of the two equal circles ACG and DFH; then the arcs AC and DF are equal.



Place the angle B on

the angle E; as they are equal they will coincide; and as BA and BC are equal to ED and EF, the point A will coincide with D, and the point C with F; and the arc AC will coincide with DF, otherwise there would be points in the one or the other arc unequally distant from the centre.


Conversely. If the arcs AC and DF are equal, the angles B and E are equal.


For, if the radius AB is placed on the radius DE with the point B on E, the point A will fall on D, as AB = DE; and the arc AC will coincide with DF, otherwise there would be points in the one or the other arc unequally distant from the centre; and as the arc AC = DF, the point C will fall on F; therefore BC will coincide with EF, and the angle B be equal to E.

THEOREM II.

12. In the same or equal circles, equal chords subtend equal arcs; and, conversely, equal arcs are subtended by equal chords.

Let ABC and DEF be two equal circles; if the arcs AB and DE are equal, the chords AB and DE are






equal; and conversely, if the chords AB and DE are equal, the arcs AB and DE are equal.

For, if the centre of the circle A B C is placed on the centre of D E F with the point A of the circumference on the point D, if the arcs or the chords are equal, B will fall on E; and in either case the chords and arcs will coincide, otherwise there would be points in the one or the other circumference unequally distant from the centre.

THEOREM III.

13. Angles at the centre vary as their corresponding arcs.

Let ACD, DCE, ECF be equal angles at the centre C; then the arcs AD, DE, EF are equal (11); then the angle ACE is double the angle ACD, and the arc AE double the arc AD; and the angle ACF is three times the angle ACD, and the arc AF three



times the arc AD; and if the angle ACG is m times the angle ACD, the arc AG is m times the arc AD; that is, the angle varies as the arc, or the arc as the angle.


- 14. Cor. 1. As angles at the centre vary as their arcs, or arcs as their corresponding angles, either of these quantities may be assumed as the measure of the other. The measure of an angle is, then, the arc included between its sides and described from its vertex as a centre.
- 15. Cor. 2. As the sum of all the angles about the point C is equal to four right angles (I. 9), one right angle, HCA, is measured by one quarter of the circumference, or by a quadrant.

THEOREM IV.

16. The radius perpendicular to a chord bisects the chord and the arc subtended by the chord.

Let CE be a radius perpendicular to the chord AB; it bisects the chord AB, and also the arc AEB.

Draw the radii CA and CB and the chords AE and EB. As equal oblique lines are equally distant from the perpendicular, AD = DB (I. 52); and as E is



a point in the perpendicular to the middle of AB, it is equally distant from A and B (I. 53); therefore the chords and hence (12) the arcs AE, EB are equal.


17. Corollary. The perpendicular to the middle of a chord passes through the centre of the circle, and of the arc; and the radius drawn to the centre of an arc bisects its chord perpendicularly.

DEFINITIONS.

- 18. An Inscribed Angle is one whose vertex is in the circumference and whose sides are chords; as A B C in the outer circle
 - 19. An Inscribed Polygon is one whose sides are chords.

Thus ABCDEF is inscribed in the outer circle. In this case the circle is said to be circumscribed about the polygon.


20. A Circumscribed Polygon is one whose sides are tangents. Thus ABCDEF is circumscribed about the inner circle. In this case the circle is said to be inscribed in the polygon.



THEOREM V.


21. An inscribed angle is measured by half the arc included by its sides.

1st. When one of the sides BD is a diameter; then the angle B is measured by half the arc AD. Draw the radius CA, and the triangle ACB is isosceles, CA and CB being radii; therefore the angle A = B (I. 42). But the exterior angle ACD is equal to the sum of the two angles A and B (I. 39); therefore the




angle B is equal to half the angle A C D; the angle A C D is measured by the arc A D (14); therefore the angle B is measured by half the arc A D.

2d. When the centre is within the angle, draw the diameter BC. By the preceding part of the proposition the angle ABC is measured by half the arc AC, and CBD by half CD; therefore ABC + CBD, or ABD, is measured by half AC + CD, or half the arc AD.



- 3d. When the centre is without the angle, draw the diameter BC. By the first part of the proposition the angle ABC is measured by half the arc AC, and DBC by half DC; therefore ABC DBC, or ABD, is measured by half AC DC, or half the arc AD.
- 22. Cor. 1. All the angles ABC, ADC, inscribed in the same segment are equal; for each is measured by half the arc AEC.
- 23. Cor. 2. Every angle inscribed in a semicircle is a right angle; for it is measured by half a semi-circumference, or by a quadrant (15).




THEOREM VI.

24. Every equilateral polygon inscribed in a circle is regular.

Let ABCDEF be an equilateral polygon inscribed in a circle; it is also equiangular and therefore regular.

For the chords AB, BC, CD, &c. being equal, the arcs AB, BC, CD, &c. are equal (12); therefore the arc AB + the arc BC will be equal to the



arc BC + the arc CD, &c.; that is, the angles B, C, &c. are in equal segments; therefore they are equal (22), and the polygon is equiangular and regular.


THEOREM VII.


25. An infinitely small chord coincides with its arc.

Let AB be an infinitely small chord; it coincides with the arc ADB.

Draw the diameter CD perpendicular to the chord AB; and draw AC and AD; CAD is a right-angled triangle (23); therefore (II. 26)







A E is of C E. But A E is half the infinitely small chord A B (16), and A B is infinitely small in comparison with C E; therefore E D is infinitely small in comparison with A E, that is, the point E is on D, and the chord A B coincides with the arc A D B.

THEOREM VIII.

26. A circle is a regular polygon of an infinite number of sides.

If the circumference of a circle is divided into equal arcs, each infinitely small, the infinitely small chords of these arcs would form a regular polygon (24) of an infinite number of sides; and as each chord would coincide with its arc (25), the polygon would be the circle itself.

27. Scholium. It might be supposed that although the difference between each chord and its arc is infinitesimal, yet as there is an infinite number of these differences their sum would not be infinitesimal and ought not to be neglected; that is, that the perimeter of the polygon and the circumference of the circle differed by a finite quantity. But each chord is infinitely small compared with the diameter of the circle, or is equal to $\frac{D}{Inf.}$; and the difference between each chord and its arc is infinitely smaller than the chord itself, or is equal to $\frac{D}{Inf. \times Inf.}$; and an infinite number of these differences is equal to $\frac{D}{Inf. \times Inf.} \times Inf. = \frac{D}{Inf.}$; that is, the difference between the perimeter of the polygon and the circumference of the circle is infinitesimal.

THEOREM IX.

28. Circumferences of circles are to each other as their radii, or as their diameters; and the circles themselves as the squares of their radii, or the squares of their diameters.

For circles are regular polygons of an infinite number of sides (26); and if the circumferences of circles are divided into the same infinite number of arcs, the polygons formed by their chords, that is, the circles themselves, are regular polygons of the same number of sides, and are therefore similar (II. 33); and the apothems of the polygons are the radii of the circles; therefore the circumferences of the circles are as their radii (II. 36), or as twice their radii, that is, as their diameters; and the circles themselves as the squares of their radii, or the squares of their diameters.

29. Cor. 1. If C and c denote the circumferences, R and r the corresponding radii, and D and d the corresponding diameters, we have

$$C: c = R: r = D: d$$
 or $C: R = c: r$ and $C: D = c: d$

That is, the ratio of the circumference of every circle to its radius or to its diameter is the same, that is, is constant. The constant ratio of the circumference to its diameter is denoted by π (the Greek letter p).

30. Cor. 2.
$$\frac{C}{D} = \pi$$
$$C = \pi D = 2 \pi R$$

THEOREM X.

31. The area of a circle is equal to half the product of its circumference and its radius.

The area of a regular polygon is half the product of its perimeter and its apothem (II. 37); a circle is a regular polygon

of an infinite number of sides (26); the circumference of the circle is the perimeter of the polygon, and its radius is the apothem; therefore the area of a circle is half the product of its circumference and its radius.

32. Corollary. If C = the circumference, D = the diameter, R = the radius, and A = the area of a circle, we have


$$A = \frac{1}{2} C \times R$$
But (30)
$$C = 2 \pi R = \pi D$$
Therefore
$$A = \frac{1}{2} \times 2 \pi R \times R = \pi R^{2}$$
or
$$A = \frac{1}{2} \pi D \times \frac{D}{2} = \frac{1}{4} \pi D^{2}$$

THEOREM XI.

33. The side of a regular hexagon inscribed in a circle is equal to the radius of the circle.

In the circle whose centre is C draw the chord AB equal to the radius; AB is the side of a regular hexagon inscribed in a circle.

Draw the radii CA and CB; CAB is an equilateral, and therefore an equiangular triangle; hence the angle C is equal to



one third of two right angles, or one sixth of four right angles: that is, the arc AB is one sixth of the whole circumference, or the chord AB the side of a regular hexagon inscribed in the circle (12 and 24).

34. Corollary. The chord of half the arc AB would be the side of a regular dodecagon; the chord of one quarter of the arc AB, the side of a regular polygon of twenty-four sides; and so on.


PROPOSITION XII.

PROBLEM.

35. The chord of an arc given to find the chord of half the arc.

Let AB be the given chord, AD the chord of half the arc ADB, and R denote the radius.

Draw the diameter DF, the radius AC, and the chord AF. The triangle ADF is right angled at A(23); then (II. 25)



or
$$AD = AD : DE$$
 F
or $AD^2 = DF \times DE = 2R \times DE$
and $AD = \sqrt{2R \times DE}$
Now $DE = DC - CE = R - CE$
and (II. 28) $CE = \sqrt{AC^2 - AE^2} = \sqrt{R^2 - AE^2}$
therefore $DE = R - \sqrt{R^2 - AE^2}$

Substituting this value of DE in

$$AD = \sqrt{2}R \times DE$$

we have

$$A D = \sqrt{2 R^2 - 2 R \sqrt{R^2 - A E^2}}$$

36. Cor. 1. If C denote the given chord, c the chord of half the arc, the equation becomes

$$c = \sqrt{2 R^2 - 2 R \sqrt{R^2 - \frac{C^2}{4}}}$$
$$= \sqrt{2 R^2 - R \sqrt{4 R^2 - C^2}}$$

37. Cor. 2. If the diameter D, that is, 2R, is unity, the equation in (36) becomes

$$c = \sqrt{\frac{1}{2} - \frac{1}{2}\sqrt{1 - C^2}}$$

PROPOSITION XIII.

PROBLEM.

38. To find the arithmetical value of the constant π .

From (30) $C = \pi D$; if D = 1, this equation becomes $C = \pi$. If then we can find the circumference of a circle whose diameter is unity, we shall have the value of π .

If the diameter is unity, radius is one half, and the side of a regular hexagon inscribed in the circle is one half (33), and the perimeter of the hexagon is $6 \times \frac{1}{2} = 3$.

As the diameter is unity, and the side of the inscribed hexagon one half, we can find the side of the regular inscribed dodecagon from the equation in (37):

$$c = \sqrt{\frac{1}{2} - \frac{1}{2}\sqrt{1 - \frac{1}{4}}}$$

$$= \sqrt{\frac{1}{2} - \frac{1}{2}\sqrt{.75}}$$

$$= \sqrt{.5 - .433}$$

$$= \sqrt{.067} = .2588 + .436$$

The perimeter of the inscribed dodecagon is therefore $12 \times .2588 + = 3.105 + .$

By using the side of the dodecagon = .2588+, as C, or $.067 = C^2$, from the same equation we can find the side of a regular inscribed polygon of twenty-four sides:

$$c = \sqrt{\frac{1}{2} - \frac{1}{2}\sqrt{1 - .067}}$$

$$= \sqrt{\frac{1}{2} - \frac{1}{2}\sqrt{.933}}$$

$$= \sqrt{.5 - .483}$$

$$= \sqrt{.017} = .13038$$

The perimeter of the inscribed polygon of twenty-four sides is therefore $24 \times .13038 = 3.129$.

By continuing this process we approximate to the circumference, that is, to the value of π .

39. Scholium. By other more expeditious methods the value of π has been found accurately to two hundred and fifty places of decimals. For practical purposes it is sufficiently accurate to call $\pi = 3.14159$.

PRACTICAL QUESTIONS.

- 1. What is the circumference of a circle whose radius is 10 feet? 20 ×3/4
- 2. What is the diameter of a circle whose circumference is 57 rods?
- 3. What is the area of a circle whose radius is 40 feet?
- 4. What is the area of a circle whose circumference is 18 inches?
- 5. What is the circumference of a circle whose area is 116 square feet?
- 6. The radii of two concentric circles are 40 and 54 feet; what is the area of the space bounded by their circumferences?
- 7. A has a circular lot of land whose diameter is 95 rods, and B a similar lot whose area is 750 square rods; compare these lots.
- 8. What is the difference between the perimeters of two lots of land each containing an acre, if one is a square and the other a circle?
- 9. What is the area of a square inscribed in a circle whose area is a square metre?
- What is the area of a regular hexagon inscribed in a circle whose area is 567 square feet.
- 11. If a rope an inch in diameter will support 1,000 pounds, what must be the diameter of a rope of like material to support 4,000 pounds?
- 12. If a pipe an inch in diameter will fill a cistern in 25 minutes, how long will it take a pipe 5 inches in diameter?
- 13. If a pipe an inch in diameter will empty a cistern in an hour, how long will it take this pipe to empty the cistern if there is another pipe one third of an inch in diameter through which the fluid runs in?

Ans. 67½ minutes.

14. If a pipe 3 inches in diameter will empty a cistern in 3 hours, how long will it take the pipe to empty the cistern if there are 3 other pipes each an inch in diameter through which the fluid runs in.

Ans. 41 hours.

EXERCISES.


The following Theorems, depending for their demonstration upon those already demonstrated, are introduced as exercises for the pupil. In some of them references are made to the propositions upon which the demonstration depends. They are not connected with the propositions in the following books, and can be omitted if thought best.

40. Every diameter bisects the circle and the circumference.

41. A straight line can meet the circumference of a sixely in only two points. (4.) (I. 51.)

- 42. The diameter is greater than any other chord of the circle.
- 43. In the same or equal circles, when the sum of the arcs is less than a circumference, the greater arc is subtended by the greater chord; and, conversely, the greater chord is subtended by the greater arc.


What is the case when the sum of the arcs is greater than a circumference?



- 44. In the same circle equal chords are equally distant from the centre; and of two unequal chords the greater is nearer the centre.
- 45. The shortest and the longest line that can be drawn from any point to a given circumference lies on the line that passes from the point to the centre of the circle.
- 46. Two parallels cutting the circumference of a circle intercept equal arcs.
- 47. A straight line perpendicular to a diameter at its extremity is a tangent to the circumference.

Draw CB. (I. 51.)

- 48. The lines joining the extremities of two diameters are parallel.
- 49. If the extremities of two chords are joined, the vertical, or opposite, triangles thus formed are similar.




- 50. If two circumferences cut each other, the chord which joins their points of intersection is bisected at right angles by the line joining their centres. (17.)
- 51. If two circumferences touch each other, their centres and point of contact are in the same straight line, perpendicular to the tangent at the point of contact. (47.)
- 52. The distance between the centres of two circles whose circumferences cut one another, is less than the sum, but greater than the difference, of their radii.
- 53. Every angle inscribed in a segment greater than a semicircle is acute; and every angle inscribed in a segment less than a semicircle is obtuse. (21.)
- 54. The angle made by a tangent and a chord is measured by half the included arc.

Draw the diameter AB. (47.) (21.)

55. The angle formed by two chords cutting each other within the circle is measured by half the sum of the arcs intercepted by its sides and by the sides of its vertical angle.

Join BC (in lower figure). (21.)

- **56.** By moving the point of intersection of the two chords, show that (14) and (21) can be deduced from (55).
- 57. The segments of two chords intersecting within a circle are reciprocally proportional; that is, A E: B E = ED: EC. Join A D, B C. (21.) (II. 20.)




- **58.** The opposite angles of a quadrilateral inscribed in a circle are supplementary. (21.)
- 59. A quadrilateral whose opposite angles are supplementary, and no other, can be inscribed in a circle.
- 60. Lines through the point of contact of two circumferences that are tangent to each other are cut proportionally by these circumferences. (22.) (II. 20.)
- **61.** The area of a sector is equal to half the product of its arc by the radius of the circle. (31.)

- 62. Show how to find the area of a segment of a circle.
- 63. The area of a circumscribed polygon is equal to half the product of its perimeter by the radius of the circle.
- 64. A tangent is a mean proportional between a secant drawn from the same point and the part of the secant without the circle.

65. The angle formed by two secants, two tangents, or a secant and a tangent cutting each other without the circle, is measured by half the difference of the intercepted arcs.


- 66. By moving the point of intersection, show that (21) can be deduced from (65). Show also that (46) can be deduced from (65).
- **67.** Two secants drawn from the same point are to each other inversely as the parts of the secants without the circle.



69. A perpendicular from a circumference to the diameter is a mean proportional between the segments of the diameter.

70. If from one end of a chord a diameter is drawn, and from the other end a perpendicular to this diameter, the chord is a mean proportional between the diameter and the adjacent segment of the diameter.

71. The sum of the opposite sides of a circumscribed quadrilateral is equal to the sum of the other two sides. (68.)



D

BOOK IV.

GEOMETRY OF SPACE.

PLANES AND THEIR ANGLES.

DEFINITIONS.

1. A straight line is perpendicular to a plane when it is perpendicular to every straight line of the plane which it meets.

Conversely, the plane, in this case, is perpendicular to the line.


The foot of the perpendicular is the point in which it meets the plane.

- 2. A line and a plane are parallel when they cannot meet though produced indefinitely.
- 3. Two planes are parallel when they cannot meet though produced indefinitely.

THEOREM I.

- 4. A plane is determined,
- 1st. By a straight line and a point without that line;
- 2d. By three points not in the same straight line;
- 3d. By two intersecting straight lines.

1st. Let the plane MN, passing through the line AB, turn upon this line as an axis until it contains the point C; the position of the plane is evidently determined; for if it is turned in



either direction it will no longer contain the point C.

- 2d. If three points, A, B, C, not in the same straight line are given, any two of them, as A and B, may be joined by a straight line; then this is the same as the 1st case.
- 3d. If two intersecting lines AB, AC are given, any point, C, out of the line AB can be taken in the line AC; then the plane passing through the line AB and the point C contains the two lines AB and AC, and is determined by them.
- 5. Corollary. The intersection of two planes is a straight line; for the intersection cannot contain three points not in the same straight line, since only one plane can contain three such points.


THEOREM II.

6. Oblique lines from a point to a plane equally distant from the perpendicular are equal; and of two oblique lines unequally distant from the perpendicular, the more remote is the greater.

Let AC, AD be oblique lines drawn to the plane MN at equal distances from the perpendicular AB:

1st. AC = AD; for the triangles ABC, ABD are equal (I. 40).

2d. Let AF be more remote. From BF cut off BE = BDand draw AE; then AF > AE




- 7. Cor. 1. Conversely, equal oblique lines from a point to a plane are equally distant from the perpendicular; therefore they meet the plane in the circumference of a circle whose centre is the foot of the perpendicular. Of two unequal lines the greater is more remote from the perpendicular.
- 8. Cor. 2. The perpendicular is the shortest distance from a point to a plane.

THEOREM III.

9. The intersections of two parallel planes with a third plane are parallel.

Let AB and CD be the intersections of the plane AD with the parallel planes MN and PQ; then AB and CD are parallel.

For the lines A B and C D cannot meet though produced indefinitely, since the planes M N and P Q in which they are cannot meet; and they are in the same plane A D; therefore they are parallel.




10. Corollary. Parallels intercepted between parallel planes are equal. For the opposite sides of the quadrilateral AD being parallel, the figure is a parallelogram; therefore AC = BD.


THEOREM IV.

11. If two angles not in the same plane have their sides parallel and similarly situated, the angles are equal and their planes parallel.

Let ABC and DEF be two angles in the planes MN and PQ, having their sides AB, BC respectively parallel to DE, EF, and similarly situated; then



1st. Since BA has the same direction as ED, and BC the same as EF, the difference of direction of BA and BC must be the same as the differ-



ence of direction of ED and EF; that is, angle B = angle E.

2d. The planes of these angles are parallel. For, since two intersecting lines determine a plane (4), the plane of the lines AB and BC must be parallel to the plane of the lines DE and EF, as AB and BC are respectively parallel to DE and EF.


THEOREM V.

12. If two straight lines are cut by parallel planes, they are divided proportionally.

Let AB and CD be cut by the parallel planes MN, PQ, and RS, in the points A, E, B, and C, F, D; then

$$AE:EB=CF:FD$$

For, drawing AD meeting the plane PQ in G, the plane of the lines AB and AD cuts the parallel planes PQ and RS in EG and BD; therefore EG and BD are parallel (9), and we have (II. 16)



$$AE:EB \Longrightarrow AG:GD$$

The plane of the lines AD and CD cuts the parallel planes MN and PQ in AC and GF; therefore AC is parallel to GF; and we have

$$AG:GD=CF:FD$$

Hence we have (Pn. 11)

$$AE:EB=CF:FD$$

EXERCISES.

The following Theorems, depending for their demonstration upon those already demonstrated, are introduced as exercises for the pupil. In some of them references are made to the propositions upon which the demonstration depends. They are not connected with the propositions in the following books, and can be omitted if thought best.

- 13. An infinite number of planes can pass through a given line. (4.)
 - 14. There can be but one perpendicular from a point to a plane.
- 15. A line perpendicular to each of two lines at their point of intersection is perpendicular to the plane of these lines. (4.) (I. 76.)
 - 16. Parallel lines are equally inclined to the same plane.
 - 17. State the converse of (16). Is it true?
- 18. Lines parallel to a line in a given plane are parallel to the plane.
 - 19. State the converse of (18). Is it true?
 - 20. Parallel planes are equally inclined to the same straight line.
 - 21. State the converse of (20). Is it true?

BOOK V.

POLYEDRONS.

DEFINITIONS.

1. A Polyedron is a solid bounded by planes.

The bounding planes are called faces; their intersections, edges; the intersections of the edges, vertices.


- 2. The Volume of a solid is the measure of its magnitude. It is expressed in units which represent the number of times it contains the cubical unit taken as a standard.
 - 3. Equivalent Solids are those which are equal in volume.
- 4. Similar Solids are those whose homologous lines have a constant ratio. (Corollary.) It follows that similar solids are bounded by the same number of similar polygons similarly situated.

PRISMS AND CYLINDERS.


5. A Prism is a polyedron two of whose faces are equal polygons having their homologous sides parallel, and the other faces parallelograms. (Corollary.) The lateral edges are equal.


The equal parallel polygons are called *bases*; as A B and C D.

6. The **Altitude** of a prism is the perpendicular distance between its bases; as EF.




7. A Right Prism is one whose other faces are perpendicular to its bases. (Corollary) Its lateral faces are rectangles.





9. A Parallelopiped is a prism whose bases are parallelograms. (*Corollary*.) It follows that all its faces are parallelograms.

A Right Parallelopiped is a *right* prism whose bases are parallelograms.




10. A Rectangular Parallelopiped is a right parallelopiped whose bases are rectangles.

(Corollary.) All its faces are rectangles.



11. A Cube is a parallelopiped whose faces are all squares. (Corollary.) It follows that its faces are all equal, and the parallelopiped rectangular.

regular polygons of an infinite number of sides, that is, whose bases are circles. A cylinder can be described by the revolution of a rectangle about one of its sides which remains fixed. The side opposite the fixed side describes the convex surface, and the other two sides the two circular bases. Thus the rectangle ABCD revolving about BC would describe the cylinder, the side AD the convex surface, and AB,DC the circular bases.




13. The Axis of a cylinder is the straight line joining the centres of the two bases; or it is the fixed side of the rectangle whose revolution describes the cylinder; as BC.

THEOREM I.

14. The convex surface of a right prism is equal to the perimeter of its base multiplied by its altitude.

Let AH be a right prism; its convex surface is equal to FG + GH + HI + IK + KF multiplied by its altitude AF.

For the convex surface is equal to the sum of the rectangles AG, BH, CI, &c. The area of the rectangle $AG = FG \times AF$; the area of $BH = GH \times BG$; of $CI = HI \times CH$; and so on. But the edges AF, BG, CH, &c.




are equal to each other and to the altitude of the prism; and the bases of these rectangles together form the perimeter of the prism. Therefore the sum of these rectangles, that is, the convex surface of the right prism, is equal to the perimeter of its base multiplied by its altitude.

15. Corollary. As a cylinder is a right prism (12), this demonstration includes the cylinder. If, then, R = the radius of the base, and A = the altitude of a cylinder, the convex surface $= 2 \pi R \Lambda$.



THEOREM II.

16. The sections of a prism made by parallel planes are equal polygons.



respectively equal to QR, RS, ST, &c. (I. 62). Therefore the polygons, being mutually equiangular and equilateral, are equal (II. 6).


- 17. Cor. 1. A section made by a plane parallel to the base is equal to the base.
- 18. Cor. 2. A section of a cylinder made by a plane parallel to the base is a circle equal to the base.

THEOREM III.

19. Prisms having equivalent bases and equal altitudes are equivalent.

Let AC and FH be two prisms having equal altitudes and their bases BC, GH equivalent; the prisms are equivalent.

Let DE and IK be sections made by planes respectively parallel to the bases BC and GH; these sections are respectively equal to the bases (17); therefore the section DE is equivalent to IK, at whatever distance from



the base either may be. If, therefore, the planes of these sections move, remaining always parallel to the bases, as the sections will always be equivalent, it is evident that in moving over an equal length of altitude the sections will move over equal volumes; therefore, as the altitudes are equal, the prisms are equivalent.


20. Corollary. Any prism is therefore equivalent to a rectangular prism having an equivalent base and an equal altitude.

THEOREM IV.

21. The volume of a rectangular parallelopiped is equal to the product of its three dimensions.

Let A D be a rectangular parallelopiped; then its volume is equal to $BC \times BE \times BA$. Suppose

BF, the linear unit, is contained in BC four times, in BE five times, and in BAseven times; then dividing BC, BE, BA respectively into four, five, and seven equal parts, and passing planes through the several points of division parallel to the sides of the parallelopiped, there will be formed a number of cubes equal



Cousin

to each other (19), and each equal to the cube whose edge is the linear unit. It is evident also that the whole number of cubes is equal to the product of the three dimensions, or $4 \times 5 \times 7 = 140$. This demonstration is applicable, whatever the number of units in the linear dimensions may be. Therefore the volume of a rectangular parallelopiped is equal to the product of its three dimensions.

- 22. Scholium. If the three dimensions are incommensurable, the linear unit can be taken infinitely small, that is, so small that the remainder will be infinitesimal and can be neglected.
- 23. Cor. 1. As the base is equal to $B C \times B E$, the volume of a rectangular parallelopiped is equal to the product of its base by its altitude.
- 24. Cor. 2. The volume of a cube is equal to the cube of its edge.

THEOREM V.

25. The volume of any prism is equal to the product of its base by its altitude.

For any prism is equivalent to a rectangular parallelopiped, having an equivalent base and the same altitude (20); and the volume of the equivalent rectangular parallelopiped is equal to the product of its base by its altitude; therefore the volume of any prism is equal to the product of its base by its altitude.

26. Corollary. As a cylinder is a right prism, this demonstration includes the cylinder. If, therefore, R = the radius of base, A = the altitude, and V = the volume of a cylinder,

$$V = \pi R^2 A = \frac{1}{4} \pi D^2 A$$

THFOREM VI.

27. Similar prisms are as the cubes of their homologous lines.

Let AD and EH be similar prisms whose altitudes are IK and MN. Let V represent the volume of AD, and v the volume of EH; then

$$V: v = IK^8 : MN^8 = AC^8 : EG^8$$

= $CO^3 : GP^3$

For (25) $V = CD \times IK$ and $v = GH \times MN$, therefore

$$V: v = CD \times IK : GH \times MN$$



Multiplying the last two proportions together we have

$$CD \times IK : GH \times MN = CO^3 : GP^8$$


therefore (Pn. 11) $V : v = CO^3 : GP^8$

But in similar solids homologous lines have a constant ratio (4); therefore V: v as the cubes of any homologous lines.

PYRAMIDS AND CONES.

DEFINITIONS.

- 28. A Pyramid is a polyedron bounded by a polygon called the base, and by triangular planes meeting at a common point called the vertex.
- 29. A pyramid is called triangular, quadrangular, pentagonal, according as its base is a triangle, a quadrangle, or a pentagon; and so on.
- **30.** The **Altitude** of a pyramid is the perpendicular distance from its vertex to its base; as AB.
- 31. A Right Pyramid is one whose base is a regular polygon and in which the perpendicular from the vertex passes through the centre of the base.
- **32.** The **Slant Height** of a right pyramid is the perpendicular distance from the vertex to the base of any one of its lateral faces; as A C.
- 33. A Cone is a right pyramid whose base is a regular polygon of an infinite number of sides, that is, whose base is a circle. A cone can be described by the revolution of a right triangle about one of its sides which remains fixed. The other side describes the circular base, and the hypothenuse the convex surface. Thus the right triangle A B C revolving about A B would



describe the cone, BC the base, and the hypothenuse AC the convex surface.

34. The **Axis** of a cone is the line from the vertex to the centre of the base; or it is the fixed side of the right triangle whose revolution describes the cone; as AB.

- **35.** Corollary. The axis of a cone is perpendicular to the base, and is therefore the *altitude* of the cone.
- **36.** A **Frustum** of a pyramid is a part of the pyramid included between the base and a plane cutting the pyramid parallel to the base; as D E.



- **37.** The **Altitude** of a frustum is the perpendicular distance between the two parallel planes or bases; as FB.
- 38. The Slant Height of a frustum of a right pyramid is the perpendicular distance between the parallel edges of the bases; as G C.




THEOREM VII.

- 39. If a pyramid is cut by a plane parallel to its base,
- 1st. The edges and altitude are divided proportionally;
- 2d. The section is a polygon similar to the base.

Let A-BCDEF be a pyramid whose altitude is AN, cut by a plane GI parallel to the base; then

1st. The edges and the altitude are divided proportionally.

For suppose a plane passed through the vertex A parallel to the base; then the edges and altitude, being cut by three parallel planes, are divided proportionally (IV. 12), and we have



$$AB:AG=AC:AH=AD:AI=AN:AM$$

2d. The section GI is similar to the base BD.

For the sides of GI are respectively parallel to the sides of BD (IV. 9), and similarly situated; therefore the polygons GI, BD are mutually equiangular. Also, as GL is parallel to BF,

and LK to FE, the triangles ABF and AGL are similar, and the triangles AFE and ALK; therefore

$$GL: BF = AL: AF$$
, and $LK: FE = AL: AF$

Therefore

$$GL:BF=LK:FE$$

In the same manner we should find

$$LK: FE = KI: ED = IH: DC$$
, &c.

Therefore the polygons GI and BD are similar (II. 19).


40. Corollary. A section of a cone made by a plane parallel to the base is a circle.

THEOREM VIII.

41. The convex surface of a right pyramid is equal to the perimeter of its base multiplied by half its slant height.

Let A-BCDEF be a right pyramid whose slant height is AH; its convex surface is equal to BC+CD+DE+EF+FB multiplied by half of AH.

The edges AB, AC, AD, AE, AF, being equally distant from the perpendicular AN (II. 34), are equal (IV. 6); and the bases BC, CD, DE, &c. are equal; therefore the isosceles triangles ABC, ACD, ADE, &c. are all equal (I. 48); and their



altitudes are equal. The area of ABC is $BC \times \frac{1}{2}AH$ (II. 11); of ACD is $CD \times \frac{1}{2}AH$; and so on. Therefore the sum of the areas of these triangles, that is, the convex surface of the right pyramid, is $(BC + CD + DE + EF + FB) \frac{1}{2}AH$.

42. Corollary. As a cone is a right pyramid (33), this demonstration includes the cone. If, therefore, R = the radius of the base, and S = the slant height of a cone,

its convex surface $= 2 \pi R \frac{1}{2} S = \pi R S$

If a plane parallel to the base and bisecting the altitude be


drawn, as the section will be a circle (40) with a radius and circumference one half the radius and circumference of the base, therefore, if r' = the radius of this section,

the convex surface $= 2 \pi r' S$

THEOREM IX.

43. The convex surface of a frustum of a right pyramid is equal to the sum of the perimeter of its two bases multiplied by half its slant height.

Let GD be the frustum of a right pyramid; its convex surface is equal to GH + HI + IK + KL + LG + BC + CD + DE + EF + FB multiplied by half MN.



The lateral faces of a frustum of a right pyramid are equal trapezoids (39; II. 6);

and their altitudes are all equal. The area of GC (II. 14) is $(GH + BC) \times \frac{1}{2}MN$; of HD is $(HI + CD) \times \frac{1}{2}MN$; and so on. Therefore the sum of the areas of these trapezoids, that is, the convex surface of the frustum of the right pyramid, is GH + HI + IK + KL + LG + BC + CD + DE + EF + FB multiplied by half MN.

- 44. Cor. 1. If the frustum is cut by a plane parallel to its two bases, and at equal distances from each base, this plane will bisect the edges GB, HC, ID, &c. (39); and the area of each trapezoid is equal to its altitude multiplied by the line joining the middle points of the sides which are not parallel (II. 15). Therefore the convex surface of a frustum of a right pyramid is equal to the perimeter of a section midway between the bases multiplied by its slant height.
- 45. Cor. 2. As a cone is a right pyramid (33), this demonstration includes the frustum of a cone. If, therefore, R and

r = the radii of the two bases of the frustum of a cone, and S = its slant height,

its convex surface = $(2 \pi R + 2 \pi r) \frac{1}{2} S = (\pi R + \pi r) S$

If r' = the radius of a section midway between and parallel to the bases,


the convex surface $= 2 \pi r' S$

X

THEOREM X.

46. If two pyramids having equal altitudes are cut by planes parallel to their bases and at equal distances from their vertices, the sections are to each other as their bases.

Let A - BCDEF and G - HIK be two pyramids of equal altitudes AT, GW, cut by the planes LMNOP and QRS parallel respectively to the bases and at equal distances from the vertices A and G, then



LMNOP:QRS = BCDEF:HIK

For as the polygons LMNOP and BCDEF are similar (39) $LMNOP:BCDEF = \overline{LP}^2: \overline{BF}^2 = \overline{AL}^2: \overline{AB}^2 = \overline{AV}^2: \overline{AT}^2$ In like manner

$$QRS: HIK = \overline{GY}^2: \overline{GW}^2$$

But as AV = GY and AT = GW

therefore

LMNOP:BCDEF = QRS:HIK

or (Pn. 15)

$$LMNOP: QRS = BCDEF: HIK$$


47. Corollary. If two pyramids have equal altitudes and equivalent bases, sections made by planes parallel to their bases and at equal distances from their vertices are equivalent.

THEOREM XI.

48. Pyramids having equivalent bases and the same altitude are equivalent.

Let A-B C D E F and G-H I K be pyramids having equivalent bases and equal altitudes; then the two pyramids are equivalent.

For, if at equal distances from the vertex sections are formed by planes parallel respective-




ly to their bases, these sections are equivalent (47). If now the planes forming these sections be supposed to move, remaining always parallel to the bases, and each keeping the same distance from the vertex as the other, these sections, always being equivalent to each other, will move over equal volumes; therefore, as the altitudes are equal, the pyramids must be equivalent.

THEOREM XII.

49. A triangular pyramid is one third of a triangular prism of the same base and altitude.

Let C-D E F be a triangular pyramid and A B C-D E F be a triangular prism on the same base D E F; then C-D E F is one third of A B C-D E F.

Taking away the pyramid C-D E F there remains the quadrangular pyramid whose vertex is C and base the parallelogram A B E D. Through the points A, C, E pass a plane; it



will divide the pyramid C-A B E D into two triangular pyramids, which are equivalent to each other (48), since their bases are halves of the parallelogram A B E D, and they have the

L. E. Sumpson

same altitude, the perpendicular from their vertex C to the base ABED. But the pyramid C-ABE, that is, E-ABC, is equivalent to the pyramid C-DEF, as they have equal bases ABC and DEF, and the same altitude (48). Therefore the three pyramids are equivalent and the given pyramid is one third of the prism.


50. Corollary. The volume of a triangular pyramid is equal to one third the product of its base by its altitude.

THEOREM XIII.

51. The volume of any pyramid is equal to one third of the product of its base by its altitude.

Let A-BCDEF be any pyramid; its volume is equal to one third the product of its base BCDEF by its altitude AN.

Planes passing through the vertex A and the diagonals of the base BD, BE, will divide the pyramid into triangular pyramids whose bases together compose the base of the given pyramid and which have as their common altitude AN, the altitude of the given pyramid. The volume of the given



pyramid is equal to the sum of the volumes of the several triangular pyramids, which is equal to one third of the sum of their bases multiplied by their common altitude; that is, is equal to one third of the product of the base $B\ C\ D\ F\ E$ by the altitude $A\ N$.

- 52. Cor. 1. As a cone is a right pyramid (33), this demonstration includes the cone. A cone, therefore, is one third of a cylinder, or of any prism, of equivalent base and the same altitude. If R = radius of the base, A = the altitude, and V = the volume of a cone, $V = \frac{1}{3} \pi R^2 A$.
- 53. Cor. 2. The ratio of similar pyramids to one another is the same as that of similar prisms; that is, as the cubes of homologous lines.

THE SPHERE.

DEFINITIONS.


- 54. A Sphere is a solid bounded by a curved surface, of which every point is equally distant from a point within called the centre. A sphere can be described by the revolution of a semicircle about its diameter which remains fixed.
- 55. The Radius of a sphere is the straight line from the centre to any point of the surface.
- 56. The Diameter of a sphere is a straight line passing through the centre and terminating at either end at the surface.
- 57. Corollary. All the radii of a sphere are equal; all the diameters are equal, and each is double the radius.

THEOREM XIV.

58. Every section of a sphere made by a plane is a circle.

Let ABD be a section made by a plane cutting the sphere whose centre is C; then is ABD a circle.

Draw CE perpendicular to the plane, and to the points A, D, F, where the plane cuts the surface of the sphere, draw CA, CD, CF. As CA, CD, CF are radii of the sphere they are equal, and are therefore equally distant from the foot of the perpendicular CE (IV. 7). Therefore EA, ED, EF are equal, and the section ABD is a circle whose centre is E.




- 59. Corollary. If the section passes through the centre of the sphere, its radius will be the radius of the sphere.
- 60. Definition. A section made by a plane passing through the centre of a sphere is called a great circle. A section made by a plane not passing through the centre is called a small circle.

THEOREM XV.

61. The surface of a sphere is equal to the product of its diameter by the circumference of a great circle.

Let ABCDEF be the semicircle by whose revolution about the diameter AF, the sphere may be described; then the surface of the sphere is equal to the diameter AF multiplied by the circumference of the circle whose radius is GA, or $=AF \times \text{circ. } GA$.

Let A B C D E F be a regular semi-decagon inscribed in the semicircle. Draw G O perpendicular to one of its sides, as B C.



Draw BK, OP, CL, DM, EN perpendicular to the diameter AF, and BH perpendicular to CL. The surface described by BC is the convex surface of the frustum of a cone, and is equal to $BC \times \text{circ. } PO$ (45). But the triangles BCH and POG are similar (II. 21); therefore

$$BC:BH \text{ or } KL = GO:PO$$

or (III. 28)
$$BC: KL = \text{circ. } GO: \text{circ. } PO$$

$$\therefore BC \times \text{circ. } PO = KL \times \text{circ. } GO$$

That is, the surface described by BC is equal to the altitude KL multiplied by circ. GO, or by the circumference of the circle inscribed in the polygon. In like manner it can be proved that the surfaces described by AB, CD, DE, and EF are respectively equal to their altitudes AK, LM, MN, and NF multiplied by circ. GO. Therefore the entire surface described by the semi-polygon will be equal to

$$(AK + KL + LM + MN + NF)$$
 circ. $GO = AF \times$ circ. GO

This demonstration is true, whatever the number of sides of the semi-polygon; it is true, therefore, if the number of sides is infinite, in which case the semi-polygon would coincide with the semicircle; and the surface described by the semi-polygon would be the surface of the sphere, and the radius of the inscribed polygon would be the radius of the sphere. Therefore we have the surface of the sphere equal to

$$A F \times \text{circ. } G A$$

62. Corollary. Let S = the surface of the sphere, C = the circumference, R = the radius, D = the diameter, then we have (III. 30) $C = 2 \pi R$, or πD

Therefore $S = 2 \pi R \times 2 R = 4 \pi R^2$, or πD^2

That is, the surface of a sphere is equal to the square of its diameter multiplied by 3.14159.

THEOREM XVI.

63. The volume of a sphere is the product of its surface by one third of its radius.

A sphere may be conceived to be composed of an infinite number of pyramids whose vertices are at the centre of the sphere, and whose bases, being infinitely small planes, coincide with the surface of the sphere. The altitude of each of these pyramids is the radius of the sphere, and the sum of the surfaces of their bases is the surface of the sphere. The volume of each pyramid is the product of the area of its base by one third of its altitude, that is, of the radius of the sphere (51); and the volume of all the pyramids, that is, of the sphere, is, therefore, the product of the surface of the sphere by one third of its radius.

64. Cor. 1. Let V = the volume of the sphere, and R, D, and S the same as in (62). Then, as (62)

$$S = 4 \pi R^2$$
, or πD^2
 $V = 4 \pi R^2 \times \frac{1}{3} R = \frac{4}{3} \pi R^3$, or $\frac{1}{6} \pi D^3$

That is, the volume of a sphere is the cube of the diameter multiplied by .5236.

65. Cor. 2. As in these equations $\frac{4}{5}\pi$ and $\frac{1}{6}\pi$ are constant, the volumes of spheres vary as the cubes of their radii, or as the cubes of their diameters.

85

BUS

PRACTICAL QUESTIONS. 2

- 1. How many square feet in the convex surface of a right prism whose altitude is 2 feet, and whose base is a regular hexagon of which each side is 8 inches long? How many square feet in the whole surface?
- 2. The radius of the base of a cylinder is 6 inches, and its altitude 3 feet; how many square feet in the whole surface?
- 3. What is the number of feet in the bounding planes of a cube whose edge is 5 feet? The number of solid feet in the cube?
- 5. What is the number of cubic feet in the right prism whose dimensions are given in the first example?
- 6. What is the number of cubic feet in the cylinder whose dimensions are given in the second example?
- 7. The altitude of a prism is 9 feet and the perimeter of the base 6 feet. What is the altitude and perimeter of the base of a similar prism one third as great?
- 8. What is the ratio of the volumes of two cylinders whose altitudes are as 3:6, if the cylinders are similar? What, if the bases are equal? What, if the bases are as 3:6 and the altitudes equal?
- 9. How many square feet in the convex surface of a right pyramid whose slant height is 3 feet, and whose base is a regular octagon of which each side is 2 feet long?
- 10. How many square feet in the convex surface of a cone whose slant height is 5 feet and whose base has a radius of 2 feet? How many square feet in the whole surface?
- 11. How many cubic feet in a right quadrangular pyramid whose altitude is 10 feet, and whose base is 3 feet square?
- 12. How many cubic feet in the cone whose dimensions are given in the tenth example?
- 13. The slant height of a frustum of a right pyramid is 6 feet, and the perimeters of the two bases are 18 feet and 12 feet respectively; what is the convex surface of the frustum?
- 14. What would be the slant height of the pyramid whose frustum is given in the preceding example?
- 15. What is the whole surface of a frustum of a cone whose altitude is 8 feet, and of whose bases the radii are 11 feet and 5 feet respectively?


- 16. The altitude of a pyramid is 25 feet, and its base is a rectangle 8 feet by 6; how many cubic feet in the pyramid?
- 17. The altitude of a cone is 20 feet, and the radius of its base 5 feet; how many cubic feet in the cone?
- 18. How many cubic feet in a frustum of the cone given in the preceding example, cut off by a plane 5 feet from the base?
- 19. How far from the base must a cone whose altitude is 12 feet be cut off so that the frustum shall be equivalent to one half of the cone?
- 20. How many square feet in the surface of a sphere whose radius is 6 feet?
 - 21. How many cubic feet in a sphere whose radius is 8 feet?
- 22. What is the ratio of the volumes of two spheres whose radii are as 4:8?
 - 23. Are spheres always similar solids? Are cones?
 - 24. What is the least number of planes that can enclose a space ?

EXERCISES.

- 66. The convex surfaces of right prisms of equal altitudes are as the perimeters of their bases. (14.)
 - 67. The opposite faces of a parallelopiped are equal and parallel.
 - 68. The four diagonals of a parallelopiped bisect each other.
- 69. A plane passing through the opposite edges of a parallelopiped bisects the parallelopiped.
- 70. In a rectangular parallelopiped the diagonals are equal; and the square of each is equal to the sum of the squares of the three dimensions.
- 71. In a cube the square of a diagonal is three times the square of an edge.
- 72. Prisms are to each other as the products of their bases by their altitudes. (25.)
- 73. Prisms with equivalent bases are as their altitudes; with equal altitudes, as their bases. (72.)

- 74. Polygons formed by parallel planes cutting a pyramid are as the squares of their distances from the vertex. (39; II. 31.)
- 75. Pyramids are to each other as the products of their bases by their altitudes. (51.)
- 76. Pyramids with equivalent bases are as their altitudes; with equal altitudes, as their bases. (75.)
 - 77. How can Theorem VIII. be proved from Theorem IX.?
- 78. If a pyramid is cut by a plane parallel to its base, the pyramid cut off will be similar to the whole pyramid. (39; 4).
 - 79. In a sphere great circles bisect each other.
 - 80. A great circle bisects a sphere. (54.)
- 81. The centre of a small circle is in the perpendicular from the centre of the sphere to the small circle.
- 82. Small circles equally distant from the centre of a sphere are equal.
- 83. The intersection of the surfaces of two spheres is the circumference of a circle.
- 84. The arc of a great circle can be made to pass through any two points on the surface of a sphere. (IV. 4.)
- 85. Definition. A plane is tangent to a sphere when it touches but does not cut the sphere.
- 86. Prove that the radius of a sphere to the point of tangency of a piane is perpendicular to the plane. (IV. 8.)
- 87. As the semi-decagon revolves about AF, what kind of a solid is described by the triangle ABK? What by the trapezoid KC? By LD?
- 88. The surface described by the line $AB = AK \times \text{circ. } GO$.

Draw from G a perpendicular to AB, and from the point where it meets AB a perpendicular to AF. (42.)



89. The surface described by the line $CD = LM \times \text{circ. } GO.$ (15.)

- 90. Definition. The surfaces described by the arcs AB, BC, CD, &c. are called zones.
- 91. The area of a zone is equal to the product of its altitude by the circumference of a great circle.
 - 92. Zones on the same or equal spheres are as their altitudes.
- 93. The surface of a sphere is four times the surface of one of its great circles. (62; III.32.)
- 94. Definition. A polyedron is circumscribed about a sphere when its faces are each tangents to the sphere. In this case the sphere is inscribed in the polyedron.
- 95. The surface of a sphere is equal to the convex surface of the circumscribed cylinder. (62; 15.)
- **96.** Definition. A **Spherical Sector** is the solid described by any sector of a semicircle as the semicircle revolves about its diameter.
- 97. The volume of a spherical sector is equal to the product of the surface of the zone forming its base by one third of the radius of the sphere of which it is a part.
- 98. A Spherical Segment is a part of a sphere included by two parallel planes cutting or touching the sphere. When one plane touches and one cuts the sphere, the spherical segment is called a spherical segment of one base; when both cut, a spherical segment of two bases.
- 99. How can the volume of a spherical segment of one base be found? A spherical segment of two bases?
 - 100. A sphere is two thirds of the circumscribed cylinder.
- 101. A cone, hemisphere, and cylinder having equal bases and the same altitude are as the numbers 1, 2, 3.

Begin

BOOK VI.


PROBLEMS OF CONSTRUCTION.

In the preceding demonstrations we have assumed that our figures were already constructed. The Problems of Construction given in this Book depend for their solution upon the principles of the preceding Books. In some of the problems the construction and demonstration are given in full; in others the construction is given and the propositions necessary to prove the construction referred to in the order in which they are to be used, and the pupil must complete the demonstration. In a few instances references are made to the Exercises appended to the previous Books. In such cases either the propositions to which reference is made can be demonstrated or the problem omitted.

PROBLEM I.

1. To bisect a given straight line.


Let AB be the given straight line. From A and B as centres with a radius greater than half of AB, describe arcs cutting one another at C and D; join C and D cutting AB at E, and the line AB is bisected at E. For C and D being each equally distant from A and B, the line CD must be perpendicular to AB at its middle point (converse of I. 55).



PROBLEM II.

2. From a given point without a straight line to draw a perpendicular to that line.

Let C be the point and AB the line. From C as a centre describe an arc cutting AB in two points E and F; with E and F as centres, with a radius greater than half EF, describe arcs intersecting at D. Draw CD, and it is the perpendicular required (converse of I. 53).




PROBLEM III.

3. From a given point in a straight line to erect a perpendicular to that line.


Let C be the given point and AB the given line.

With C as a centre describe an arc cutting AB in D and E; with D and Eas centres, with a radius greater than DC, describe arcs intersecting at F.




Draw CF, and it is the perpendicular required (converse of I. 53).

Second Method. With C as a centre describe an arc DEF; take the distances DE and EF equal to CD, and from Eand F as centres, with a radius greater than half the distance from E to F, describe arcs intersecting at G. Draw CG,



Third Method. With any point, D, without the line AB, with a radius equal to the distance from D to C, describe an arc cutting AB at E; draw the diameter EDF. Draw CF, and it is the perpendicular required (III. 23).




PROBLEM IV.

4. To bisect a given arc, or angle.

1st. Let AB be the given arc. Draw the chord AB and bisect it with a perpendicular (1; III. 16).

2d. Let C be the given angle.


With C as a centre describe an arc cutting the sides of the angle in A and B; bisect the arc AB with the line CD, and it will also bisect the angle C (III. 11).



PROBLEM V.

5. At a given point in a straight line to make an angle equal to a given angle.

Let A be the given point in the line AB, and C the given angle. With C as a centre describe an arc DE cutting the sides of the angle C; with A as a centre, with the same radius, describe an arc; with F as a centre, with a radius equal to the distance from D to E, describe an arc cutting the




arc FG. Draw AG. The angle A = C (III. 12; III. 11).

PROBLEM VI.

6. Through a given point to draw a line parallel to a given straight line.


Let C be the given point, and AB the given line. From C draw a line CD to AB; at C in the line DC make an angle DCE equal to CDA (5); CE is parallel to AB (I. 18).



PROBLEM VII.

7. Two angles of a triangle given, to find the third.

Draw an indefinite line AB; at any point C make an angle ACD equal to one of the given angles, and DCE equal to the other (5). Then ECB is the third angle (I. 7; I. 33).



PROBLEM VIII.

8. The three sides of a triangle given, to construct the triangle.

Take AB equal to one of the given sides; with A as a centre, with a radius equal to another of the given sides, describe an arc, and with B as a centre, with a radius equal to the remaining side, describe an arc inter-



secting the first arc at C. Draw AC and CB, and ACB is evidently the triangle required.

PROBLEM IX.

9. Two sides and the included angle of a triangle given, to construct the triangle.


Draw AB equal to one of the given sides; at B make the angle ABC equal to the given angle (5), and take BC equal to the other given side; join A and C, and ABC is evidently the triangle required.



PROBLEM X.

10. Two angles and a side of a triangle given, to construct the triangle.

If the angles given are not both adjacent to the given side, find the third angle by (7). Then draw AB equal to the given side, and at B make an angle ABC equal to one of the angles adjacent to AB, and




at A make an angle $B \land C$ equal to the other angle adjacent to A B, and A B C is evidently the triangle required.

PROBLEM XI.


11. Two sides of a triangle and the angle opposite one of them given, to construct the triangle.

Draw an indefinite line AC; at A make the angle CAB equal to the given angle, and take AB equal to the side adjacent to the given angle; with



B as a centre, with a radius equal to the other given side, describe an arc cutting A C. If the given angle A is acute,

1st. The given side BC, opposite the given angle, may be less than the other given side; then the arc described from B as a centre will cut AC in two points, C and D, on the same side of A, and, drawing



BC and BD, the triangles ABC and ABD (whose angle BDAis the supplement of the angle BCA), both satisfy the given conditions.


- 2d. The given side opposite the given angle may be equal to the perpendicular BE; then the arc described from B as a centre will touch A C, and the right triangle A B E is the only one that can satisfy the given conditions.
- 3d. The side opposite the given angle may be greater than the other given side; then the arc described from B as a centre will cut A C in C, and in another point on the other side of A. In this case there can be but one triangle ABC satisfying the given conditions, the triangle formed on the opposite side of A B containing not the given angle but its supplement.
- 4th. If the given angle is not acute, the given side opposite the given angle must be greater than the other given side, and, as in the last case above, there can be but one solution.
- If the side opposite the given angle A is 12. Scholium. less than the perpendicular, or if the given angle is not acute, and at the same time the side opposite the given angle is less than the other given side, the solution is impossible.
- 13. Corollary. From this and the preceding Problem and Theorems VIII., IX., and XIV. of Book I., it follows that with the exception of the ambiguity pointed out in the first part of this Problem, two triangles are equal if any three parts, of which one is a side, of the one are equal to the corresponding parts of the other.

PROBLEM XII.

14. To find the centre of a given circumference or of a given arc.

Let ABD be the given circumference, or arc.

Draw any two chords not parallel to each other, as AB, BD, and bisect these chords by the perpendiculars CE and CF. These perpendiculars will intersect at the centre of the circumference or arc (III. 17).



15. Scholium. By the same construction a circumference may be made to pass through any three given points; or a circle circumscribed about a given triangle; or about a given regular polygon (II. 34).

PROBLEM XIII.


16. To inscribe a circle in a given triangle.

Let ABC be the given triangle.

Bisect any two of its angles, as A and C. With the point D, where the two bisecting lines meet, as. a centre, with a radius equal to the distance of D from any one of the sides, describe a circle, and it will be the circle required.

Draw the perpendicular DE, DF, DG. The angles at A are equal by construction, and the angles A E D and A F D are each right angles; therefore the triangles ADE and AFD are mutually equiangular (I. 35),





and the hypothenuse A D is common; therefore the triangles are equal (I. 41), and DE = DF. In like manner DE = DG. Therefore the circle described from D as a centre with the radius DE will pass through the points F and G; and since the angles at E, F, G are right angles, the sides of the triangle A B C are tangents; therefore the circle EFG is inscribed in the triangle ABC (III. 20).

17. Scholium. The lines bisecting the angles of a triangle all meet in the same point.

PROBLEM XIV.


18. Through a given point to draw a tangent to a given circumference.

1st. If the given point is in the circumference.

Erect a perpendicular to the radius at the given point (III. 47).

2d. If the given point is without the circumference.

Join the given point A with the centre C of the given circle BDE; on AC as a diameter describe a circle cutting the given circle in B and




- D. Draw AB and AD, and each will be tangent to the given circle through the given point. For drawing the radii CB, CD, the angles B, D are each right angles (III. 23); therefore AB, AD are tangents to the given circle.
 - 19. Corollary. The tangents AB, AD are equal (I. 50).

PROBLEM XV.

20. Upon a given straight line to describe a segment of a circle which shall contain a given angle.

Let AB be the given straight line.

At B make the angle A B D equal to the given angle (5). Draw B C perpendicular to D B; bisect A B in E, and from E draw E C perpendicular to A B. From C, the point of intersection of B C and E C, with a radius equal to



CB, describe a circle AGBF; BFA is the segment required.

A B is a chord (I. 53). And as B D is perpendicular to the radius C B at B, B D is a tangent to the circle, and hence the angle A B D is measured by half the arc A G B (III. 54); and any angle B F A inscribed in the segment B F A is also measured by half the arc A G B (III. 21), and is therefore equal to the angle A B D or the given angle.

21. Corollary. If the given angle is a right angle, the required segment would be a semicircle described on the given line as a diameter.

PROBLEM XVI.

22. To divide a given line into parts proportional to given lines.

Let it be required to divide A = AB into parts proportional to M, N, O.

Draw at any angle with AB an indefinite line AC.

From A cut off A D, D E, E F equal respectively to M, N, O. Join B to F, and through D and E draw lines parallel to B F. These parallels divide the line as required (II. 16).


23. Corollary. By taking M, N, O equal, the given line can be divided into equal parts.

PROBLEM XVII.

24. To find a fourth proportional to three given lines.

Let it be required to find a fourth proportional to M, N, O.

Draw at any angle with each other the indefinite



lines AF, AG. From AF cut off AB = M, BC = N, and

from AG cut off AD = 0. Join BD and through C draw CE parallel to BD; then DE is the required fourth proportional (II. 16).


25. Corollary. By taking AB equal to M, and AD and BC each equal to N, a third proportional can be found to M and N.

PROBLEM XVIII.

26. To find a mean proportional between two given lines.

Let it be required to find a mean proportional between M and N.

From an indefinite line cut off AB = M, BC = N; on AC as a diameter describe a semicircle, and



at B draw B D perpendicular to A C. B D is the mean proportional required. Join A D, D C. (III. 23; II. 26.)


27. Definition. When a line is divided so that one segment is a mean proportional between the whole line and the other segment, it is said to be divided in extreme and mean ratio.

PROBLEM XIX.

28. To divide a given line in extreme and mean ratio.

Let it be required to divide AB in extreme and mean ratio.

At B draw the perpendicular $BC = \frac{1}{2} AB$; join AC; cut off CD = CB, AE = AD, and AB is divided at E in extreme and mean ratio.



For, describe a circle with the centre C and radius CB and produce AC to meet the circumference in F; then AF is a secant and AB a tangent of the circle DFB, and therefore (III. 64)

$$AF:AB = AB:AD$$

and (Pn. 18)

$$AF - AB : AB = AB - AD : AD$$

But

$$AB = 2CB = DF$$

therefore

$$AF - AB = AF - DF = AD = AE$$

and the proportion becomes

$$AE:AB=EB:AE$$

$$AB:AE=AE:EB$$


PROBLEM XX.

29. Through a given point within the sides of a given angle to draw a line so that the segments included between the point and the sides of the angle may be in a given ratio.

Let it be required to draw through the point D within the angle B a line so that AD:DC=M:N.

Draw DE parallel to AB.


Find EC a fourth proportional to A D C D, and BE (24); join C to D, and produce CD to A, and AC is the line required (II. 16).



PROBLEM XXI.

30. The base, an adjacent angle, and the altitude of a triangle given, to construct the triangle.

At A of the base A B draw an indefinite line A C making the angle A equal to the given angle; at any point in A B, as D, draw the perpendicular D E equal




to the given altitude; through E draw EF parallel to AB cutting AC in G; join GB, and AGB is the triangle required.

PROBLEM XXII.

31. To construct a parallelogram, having the sum of its base and altitude given, which shall be equivalent to a given square.

On AB, the given sum, as a diameter, describe a semicircumference. At any point, as B, in AB draw the perpendicular BC equal to a side of the given square; through C draw CD parallel to




AB, cutting the circumference in D; draw DE perpendicular to AB. AE, EB are one the base and the other the altitude of the parallelogram required (26).

32. Scholium. If the side of the square is greater than half the sum of the base and altitude, the construction is impossible.

PROBLEM XXIII.

33. To construct a parallelogram having the difference between its base and altitude given, which shall be equivalent to a given square.

On AB the given difference, as a diameter, describe a circumference. At A draw the perpendicular AD equal to a side of the given square; join D with the centre C, and produce DC to E. DF, DE are one the base and the other the altitude of the parallelogram required (III. 64).



PROBLEM XXIV.

34. To construct a square equivalent to a given parallelogram.

Find a mean proportional between the altitude and base of the given parallelogram (26), and it will be a side of the required square.

.

Hlorian Cajiri

PROBLEM XXV.

35. To construct a square equivalent to a given triangle.

Find a mean proportional between the base and half the altitude (26), and it will be a side of the required square.

PROBLEM XXVI.

36. To construct a square equivalent to a given circle.

Find a mean proportional between the radius and the semicircumference, and it will be a side of the required square.

PROBLEM XXVII.

37. To construct a square equivalent to the sum of two given squares.

. Construct a right triangle (9) with the sides adjacent to the right angle equal respectively to the sides of the given squares; the hypothenuse will be a side of the required square (II. 27).

38. Scholium. By continuing the same process we can find a square equivalent to the sum of any number of given squares.

PROBLEM XXVIII.

39. To construct a square equivalent to the difference of two given squares.


Construct a right triangle (11), taking as the hypothenuse a side of the greater square, and for one of the sides adjacent to the right angle a side of the other square; the third side of the triangle will be a side of the required square (II. 28).

PROBLEM XXIX.

40. To construct a triangle equivalent to a given polygon.

Let A D be the polygon.

Draw B D cutting off the triangle B C D; through C draw C F parallel to B D meeting E D produced in F; iqin B F, and a polygon A B F E is formed with one side less than the given polygon and equivalent to it.



given polygon and equivalent to it. For the triangles B C D and B F D, having the same base B D, and the same altitude, are equivalent; adding to each the common part A B D E, we have A B C D E equivalent to A B F E. In like manner a polygon with one side less can be found equivalent to A B F E, and by continuing the process the sides may be reduced to three, and a triangle obtained equivalent to the given polygon.


41. Scholium. Since by (35) a square can be found equivalent to a given triangle, by (40) and (35) a square can be found equivalent to any polygon.

PROBLEM XXX.

42. On a given line to construct a polygon similar to a given polygon.

Let AD be the given polygon and ML the given line.

Draw the diagonals AE, AD, AC. At M and L make the angles GML and



GLM equal respectively to AFE and AEF, and a triangle GLM will be formed similar to AEF. In like manner on GL construct a triangle similar to ADE; on GK one similar to ACD; on GI one similar to ABC; and the polygons AD,

KG, being composed of the same number of similar triangles similarly situated, are similar (II. 75).

PROBLEM XXXI.


43. Two similar polygons being given, to construct a similar polygon equivalent to their sum, or to their difference.

Find a line whose square shall be equivalent to the sum (37), or to the difference (39), of the squares of any two homologous sides of the given polygons, and this will be the homologous side of the required polygon (II. 31). On this line construct (42) a polygon similar to the given polygons.

PROBLEM XXXII.

44. To construct a square which shall be to a given square in a given ratio.

On any line AC, as a diameter, describe a semicircumference ABC; divide the line AC at the point D so that AD:DC in the given ratio. Perpendicular to AC draw DB



meeting the circumference at B; join BA, BC, and on BC, produced if necessary, take BF = a side of the given square. Through F draw EF parallel to AC, meeting BA in E, and BE is a side of the required square.

For as B is a right angle (III. 23), we have (II. 72)

$$BE^2:BF^2 \longrightarrow EG:GF$$

But as EF is parallel to AC, we have (II. 47)

$$EG:GF=AD:DC$$

therefore (Pn. 11)

$$BE^2:BF^2=AD:DC$$


PROBLEM XXXIII.

45. To inscribe a square in a given circle.

Draw two diameters AC, BD at right angles to each other, and join AB, BC, CD, DA; ABCD is the required square (III. 23; III. 12).

46. Corollary. By bisecting the arcs AB, BC, CD, DA, and drawing the chords of these smaller arcs, a regular octagon will be inscribed in the circle.

of their sides 16, 32, 64, and so on.




By continuing this bisection regular polygons can be inscribed having the number

PROBLEM XXXIV.

47. To inscribe a regular hexagon in a given circle.

Take AB equal to the radius of the given circle, and it will be a side of the hexagon required (III. 33).

48. Corollary. By drawing AC, CD, DA an equilateral triangle will be inscribed in the circle. By bisecting the ares AB, BC, &c., and continuing this



bisection as in (46), and drawing the chords of these smaller arcs, regular polygons can be inscribed having the number of their sides 12, 24, 48, 96, and so on.

PROBLEM XXXV.

49. To inscribe a regular decagon in a given circle.


Divide the radius AB in extreme and mean ratio at the point D (28), and take BC = AD, the greater segment, and it will be the side of the required decagon.

Draw A C, C D. The triangles A C B, D C B are similar (II. 23); for they have the angle B common, and by construction

AB:AD = AD:DB

but AD = BC

therefore AB:BC=BC:BD



Therefore, as A C B is isosceles, D C B is also isosceles, and C D = C B; therefore also C D = D A, and A C D is an isosceles triangle, and the angle A = A C D. But the exterior angle B D C = A + A C D = twice the angle A. Therefore, as B = B D C, B = twice the angle A. But B = A C B; therefore the sum of the three angles A, B, and A C B is equal to five times the angle A; or the angle A is one fifth of two right angles, or one tenth of four right angles; therefore the arc B C is one tenth of the circumference, and the chord B C a side of a regular decagon inscribed in the circle.

50. Corollary. By drawing chords joining the alternate vertices a regular pentagon will be inscribed. By proceeding as in (46) regular polygons can be inscribed having the number of their sides 20, 40, 80, and so on.

PROBLEM XXXVI.

51. To inscribe a regular polygon of fifteen sides in a given circle.

Find by (47) the arc AC equal to a sixth of the circumference, and by (49) the arc AB equal to a tenth of the circumference, and the chord BC will be a side of the polygon required.

For
$$\frac{1}{6} - \frac{1}{10} = \frac{1}{15}$$


52. Corollary. Proceeding as in (46) regular polygons can be inscribed having the number of their sides 30, 60, and so on.

PROBLEM XXXVII.

53. To circumscribe about a given circle a polygon similar to a given inscribed regular polygon.

Let AD be the given inscribed polygon. Through the points A, B, C, D, E, F draw tangents to the circumference. M These tangents intersecting will form the polygon required.

For the triangles A G B, B H C, &c. are isosceles (19); and as the arcs A B, B C, &c. are equal, the angles G A B, G B A, H B C, H C B, &c. are equal



(III. 54); therefore, as the bases AB, BC, &c. are equal, these isosceles triangles are equal. Hence the angles G, H, I, K, L, M are equal, and the polygon MI is equiangular; and as GB = BH = HC = CI, &c., GH = HI, &c.; therefore the polygon MI is equilateral and regular (II. 32). It is also similar to AD (II. 33); and as its sides are tangents it is circumscribed about the circle.

54. Corollary. As (45-52) regular polygons can be inscribed having the number of their sides 3, 4, 5, 6, 8, 10, 12, 15, 16, 20, 24, 30, 32, 40, 48, 60, 64, 80, 96, and so on, regular polygons having the number of their sides represented by these numbers can also be circumscribed about a given circle.

EXERCISES.

- 55. From two given points to draw two equal lines meeting in a given straight line. (I. 53.)
- 56. Through a given point to draw a line at equal distances from two other given points.
- 57. From a given point out of a straight line to draw a line making a given angle with that line. (I. 17.)

- 58. From two given points on the same side of a given line to draw two lines meeting in the first line and making equal angles with it.
- 59. From a given point to draw a line making equal angles with the sides of a given angle.
- 60. Through a given point to draw a line so that the parts of the line intercepted between this point and perpendiculars from two other given points shall be equal.

If the three points are in a straight line, the parts equal what?

61. From a point without two given lines to draw a line such that the part between the two lines shall be equal to the part between the given point and the nearer line.

When is the Problem impossible?

- 62. To trisect a right angle.
- 63. On a given base to construct an isosceles triangle having each of the angles at the base double the third angle.
- +64. To construct an isosceles triangle when there are given

1st. The base and opposite angle.

2d. The base and an adjacent angle.

3d. A side and an opposite angle.

4th. A side and the angle opposite the base.

65. The base, opposite angle, and the altitude given, to construct the triangle. (III. 22.) (20.)

When is the Problem impossible?

66. The base, an angle at the base, and the sum of the sides given, to construct the triangle.

When is the Problem impossible?

- 67. The base, an angle at the base, and the difference of the sides given, to construct the triangle.
 - 1st. When the given angle is adjacent to the shorter side.
 - 2d. When the given angle is adjacent to the longer side.

When is the Problem impossible?

68. The base, the difference of the sides, and the difference of the angles at the base given, to construct the triangle.

69. The base, the angle at the vertex, and the sum of the sides given, to construct the triangle.

When is the Problem impossible?

- 70. The base, the angle at the vertex, and the difference of the sides given, to construct the triangle.
- 71. On a given base to construct a triangle equivalent to a given triangle.
- 72. With a given altitude to construct a triangle equivalent to a given triangle.
- 73. Two sides of a triangle and the perpendicular to one of them from the opposite vertex given, to construct the triangle.
- 74. Two of the perpendiculars from the vertices to the opposite sides and a side given, to construct the triangle.
 - 1st. When one of the perpendiculars falls on the given side.
 - 2d. When neither of the perpendiculars falls on the given side.
- 75. An angle and two of the perpendiculars from the vertices to the opposite sides given, to construct the triangle.
- 1st. When one of the perpendiculars falls from the vertex of the given angle.
- 2d. When neither of the perpendiculars falls from the vertex of the given angle.
- 76. An angle and the segments of the opposite side made by a perpendicular from the vertex given, to construct the triangle.
 - 77. Given an angle, the opposite side, and the line from the given wertex to the middle of the given side, to construct the triangle.

When is the Problem impossible?

78. An angle, a perpendicular from another angle to the opposite side, and the radius of the circumscribed circle given, to construct the triangle.

When is the Problem impossible?

79. To divide a triangle into two parts in a given ratio, 1st. By a line drawn from a given point in one of its sides.

2d. By a line parallel to the base.

80. To trisect a triangle by straight lines drawn from a point within to the vertices.

- 81. Parallel to the base of a triangle to draw a line equal to the sum of the lower segments of the two sides.
 - 82. Parallel to the base of a triangle to draw a line equal to the difference of the lower segments of the two sides.
- 83. To inscribe in a given triangle a quadrilateral similar to a given quadrilateral.
- 84. To divide a given line so that the sum of the squares of the parts shall be equivalent to a given square.
 - 85. To construct a parallelogram when there are given,
 - 1st. Two adjacent sides and a diagonal.
 - 2d. A side and two diagonals.
 - 3d. The two diagonals and the angle between them.
 - 4th. The perimeter, a side, and an angle.
 - 86. To construct a square when the diagonal is given.
- 87. To construct a parallelogram equivalent to a given triangle and having a given angle.
- 88. To draw a quadrilateral, the order and magnitude of all the sides and one angle given.

Show that sometimes there may be two different polygons satisfying the conditions.

- 89. To draw a quadrilateral, the order and magnitude of three sides and two angles given.
 - 1st. The given angles included by the given sides.
 - 2d. The two angles adjacent, and one adjacent to the unknown side.
 - 3d. The two angles being opposite each other.
 - 4th. The two angles being both adjacent to the unknown side.

In any of these cases can more than one quadrilateral be drawn?

90. To draw a quadrilateral, the order and magnitude of two sides and three angles given.

1st. The given sides being adjacent.

2d. The given sides not being adjacent.

- 91. In a given circle to inscribe a triangle similar to a given triangle.
- 92. Through a given point to draw to a given circle a secant such that the part within the circle may be equal to a given line.
 - 93. With a given radius to draw a circumference,
 - ·1st. Through two given points.
 - 2d. Through a given point and tangent to a given line.
 - 3d. Through a given point and tangent to a given circumference.
 - 4th. Tangent to two given straight lines.
 - 5th. Tangent to a given straight line and to a given circumference.
 - 6th. Tangent to two given circumferences.


State in each of these cases how many circles can be drawn, and when the construction is impossible.

- 94. To draw a circumference,
- 1st. Through two given points and with its centre in a given line.
- 2d. Through a given point and tangent to a given line at a given point.
- 3d. Tangent to a given line at a given point, and also tangent to a second given line.
 - 4th. Tangent to three given lines.
 - 5th. Through two given points and tangent to a given line.
 - 6th. Through a given point and tangent to two given lines.
 - 95. To draw a tangent to two circumferences.

There can be drawn,

- 1st. When the circles are external to each other, four tangents.
- 2d. When the circles touch externally, three.
- 3d. When the circles cut, two.
- 4th. When the circles touch internally, one.
- 5th. When one circle is within the other, none.

PLANE TRIGONOMETRY.



1. Logarithms are exponents of the powers of some number which is taken as a base. In the tables of Logarithms in common use, the number 10 is taken as the base, and all numbers are considered as powers of 10.

And, since

$$10^{0} = 1$$
, that is, since the Logarithm of 1 is 0, $10^{1} = 10$, " " 10 " 1, $10^{2} = 100$, " " 100 " 2, $10^{3} = 1000$, " " 1000 " 3, &c., &c., &c.,

the Logarithm of any number between 1 and 10 is between 0 and 1, that is, is a fraction; the Logarithm of any number between 10 and 100 is between 1 and 2, that is, is 1 plus a fraction; and the Logarithm of any number between 100 and 1000 is 2 plus a fraction; and so on.

And, as $10^{-1} = 0.1$, that is, since the Logarithm of 0.1 is -1, $10^{-2} = 0.01$, " " 0.01 " -2, $10^{-8} = 0.001$, " " 0.001 " -3, &c., &c.,

the Logarithm of any number between 1 and 0.1 is between 0 and —1, that is, is —1 plus a fraction; the Logarithm of any

number between 0.1 and 0.01 is between —1 and —2, that is, is —2 plus a fraction; and so on. The Logarithms of most numbers, therefore, consist of an integer, either positive or negative, and a fraction, which is always positive. The representation of the Logarithms of all numbers less than a unit by a negative integer and a positive fraction is merely a matter of convenience.

2. The integral part of a Logarithm is called the *characteristic*, and is not generally written in the tables, but can be found by the following

RULE.

The characteristic of the Logarithm of any number is equal to the number of places by which its first significant figure on the left is removed from units' place, the characteristic being positive when this figure is to the left and negative when it is to the right of units' place.

- E. g. The Logarithm of 59 is 1 plus a fraction; that is, the characteristic of the Logarithm of 59 is 1. The Logarithm of 5417.7 is 3 plus a fraction; that is, the characteristic of the Logarithm of 5417.7 is 3. The Logarithm of 0.3 is —1 plus a fraction; that is, the characteristic of the Logarithm of 0.3 is —1. The Logarithm of 0.00017 is —4 plus a fraction; that is, the characteristic of the Logarithm of 0.00017 is —4.
- 3. Since the base of this system of Logarithms is 10, if any number is multiplied by 10, its Logarithm will be increased by a unit; if divided by 10, diminished by a unit.

That is,	the Log.	of	5547	being	3.744058,
	"	66	554.7	is	2.744058,
	"	"	55.47	"	1.744058,
•	"	"	5.547	46	0.744058,
	"	"	.5547	"	Ī.744058,
	"	"	.05547	"	2.744058,
	"	"	.005547	"	3.744058.

Hence, the decimal part of the Logarithm of any set of figures is the same, wherever the decimal point may be.

The minus sign is written over the characteristic, as only the characteristic is negative.

TABLE OF LOGARITHMS.

- 4. In the tables of Logarithms, generally, the decimal only is given, and the characteristic must be supplied, according to the Rule in Art. 2.
- 5. To find the Logarithm of any number of three or less figures.

Find the given number in the column marked N., and directly opposite, in the column marked 0, is the decimal part of the Logarithm, to which must be prefixed the characteristic, according to the Rule in Art. 2.

The first two figures of the decimal, remaining the same for several successive numbers, are not repeated, but are left to be supplied. Thus the Log. of 839 is 2.923762.

As, according to Art. 3, multiplying a number by 10 increases its Logarithm by a unit, therefore, to find the Logarithm of any number containing only three significant figures with one or more ciphers annexed, we use the same rule as in the last case.

The Logarithms of the integral numbers from 1 to 100 inclusive are given with the characteristic on the first page of the tables.

6. To find the Logarithm of any number consisting of four figures.

Look for the first three figures in the column marked N., and for the fourth figure at the top of one of the columns. Opposite the first three figures, and in the column under the fourth figure, will be the last four figures of the decimal part of the Logarithm, to which the first two figures in the column marked 0 are to be prefixed, and the characteristic, according to the Rule in Art. 2. As shown in Art. 3, moving the decimal point of a number to the right increases, to the left decreases, the characteristic as many units as the number of places the point is moved. In some of the columns marked 1, 2, 3, &c., dots will be found. This shows that the two figures which are to be prefixed from the column marked 0 have changed to the next larger number, and are to be found in the horizontal line directly below. The dots are used to avoid any mistake, and their place is to be supplied with ciphers.

7. To find the Logarithm of any number consisting of more than four figures.

Find the Logarithm of the first four figures as before; multiply by the remaining figures the number standing opposite, in the column marked D., reject from the right as many figures as you multiply by, and add what is left to the Logarithm previously found.

E. g. Required, the Log. of 609946.

The Log. of 609900 is 5.785259

Under D. opposite is 71, which multiplied by 46 gives 32.66

Therefore, the Log. of 609946 is 5.785292 *

^{*} Whenever the fractional part omitted is larger than half the unit in the next place to the left, one is added to that figure.

LOGARITHMS.

Required, the Log. of 84997.

Log. of 84990 is

Under D. opposite is 51, which multiplied by 7 gives 35.7

Therefore, Log. of 84997 is 4.929404

The column marked D. contains the average difference of the ten Logarithms against which it stands. The reason for rejecting from the product as many figures as you multiply by is, that these figures are just so many places farther to the right than the figures whose Logarithm has already been found.

This method of finding the Logarithms of large numbers supposes that the Logarithms vary as the numbers, which is not strictly true, though sufficiently so to allow the use of this method in ordinary calculations.

If the number whose Logarithm is sought contains decimal figures, the decimal part of the Logarithm, according to Art. 3, is the same as though there were no decimal point; but the characteristic varies according to the Rule in Art. 2.

The Logarithm of a vulgar fraction may best be found by reducing the fraction to a decimal, and then proceeding as above.

8. To find the Natural Number corresponding to a given Logarithm.

Neglecting the characteristic, find, if possible, in the table the Logarithm given. The three figures opposite in the column N., with the number at the head of the column in which the Logarithm is found, affixed, and the decimal point so placed as to make the number of integral figures correspond to the characteristic of the given Logarithm, as taught in Art. 2, will be the number required.

E. g. The Natural Number corresponding to Log. 5.531862 is 340300.

The Natural Number corresponding to Log. 1.605951 is 40.36.

If the decimal part of the Logarithm cannot be exactly

found, take the Natural Number corresponding to the next less Logarithm, as before; then find the difference between this and the given Logarithm; divide this difference by the tabular difference in the column opposite, under D., annexing to the dividend one cipher to get the first figure of the quotient, and affix this quotient to the number already found.

E. g. Required, the Natural Number corresponding to Log. 2.763598

Next less Log., 2.763578, and number corresponding, 580.2°

Divide by {number in { 75} 20.0(267

267

Number required,

580,2267

The number corresponding to Log. $\overline{4}.816601$ will, in the same way, be found to be .000655542.

EXAMPLES.

- 1. Find the Log. of 3764.
- 2. Find the Log. of 2576000.
- 3. Find the Log. of 7.546.
- 4. Find the Log. of 0.0017.
- 5. Find the Log. of $\frac{4}{17}$.
- 6. Find the Natural Number to Log. 3.807873.
- 7. Find the Natural Number to Log. 1.820004.
- 8. Find the Natural Number to Log. 2.982197.
- 9. Find the Natural Number to Log. 2.910037.
- 10. Find the Natural Number to Log. 4.850054.
- 9. The great utility of Logarithms in arithmetical operations consists in this, that addition takes the place of multiplication, and subtraction of division, multiplication of involution, and division of evolution. That is, to multiply numbers, we add their Logarithms; to divide, we subtract the Logarithm of the divisor from that of the dividend; to raise a number to any power, we multiply its Logarithm by the exponent of that power; and to extract the root of any number, we

divide its Logarithm by the number expressing the root to be found.

This is the same as multiplication and division of different powers of the same letter by each other in Algebra, and involving and evolving powers of a single letter or quantity; the number 10 takes the place of the given letter in Algebra, and the Logarithms are the exponents of 10.



MULTIPLICATION BY LOGARITHMS.



- 10. Rule. Add the Logarithms of the factors, and the sum will be the Logarithm of the product.
 - 1. Multiply 347.676 by 475.2. Ans. 165215.6352.
 - 2. Find the product of 568, 7496, 846, and 1728.

Ans. 6224314285714.

(It must be carefully borne in mind that the decimal part of the Logarithm is always positive.)

3. Multiply 0.00756 by 17.5.

Log. of 0.00756 $\overline{3}.878522$ " 17.5 $\underline{1.243038}$ Product, 0.1323. Log. $\overline{1}.121560$

4. Multiply 0.0004756 by 1355.

Although negative quantities have no Logarithms, yet, since the numerical product is the same whether the factors are positive or negative, we can use Logarithms in multiplying when one or more of the factors are negative, taking care to prefix to the product the proper sign according to the rules of Algebra. When a factor is negative, to the Logarithm which is used n is appended.

(Log. of —75.46, though incorrect, is used for the sake of brevity.)

- 6. Find the product of -0.017, 25, and -165.4.
- 7. Find the product of —14, —7.643, and —0.004.

Ans. —.428008.

DIVISION BY LOGARITHMS.

£28008.

11. Rule. From the Logarithm of the dividend subtract the Logarithm of the divisor, and the remainder will be the Logarithm of the quotient.

E. g. 1. Divide 78.46 by 0.00147.

Log. of	78.46		1.894648
- "	0.00147		$\bar{3}.167317$
t, 53374.1		Log.	4.727331

2. Divide 0.0014 by 756.

Quotien

1400	Log. of 0.0014	3	.146128
14	" 756	2	.878522
Quotient,	0.000001852.	$\text{Log. } \overline{\overline{6}}$.267606

Negative numbers can be divided in the same manner as positive, taking care to prefix to the quotient the proper sign, according to the rules of Algebra.

3. Divide .7478 by 0.00456. Ans. 163.99+.

4. Divide 5000 by 0.00149.

5. Divide 0.00997 by 64.16. Ans. 0.00015539+.

6. Divide —14.55 by 543. Ans. —0.0267955—.

7. Divide —465 by —19.45. Ans. 23.9074—.

INVOLUTION BY LOGARITHMS.

- 12. Rule. Multiply the Logarithm of the number by the exponent of the power required.
 - 1. Find the 15th power of 1.17.

Log. of 1.17 0.068186

15

Ans. 10.538.

Log. 1.022790

2. Find the 5th power of 0.00941.

Log. of 0.00941 $\overline{3.973590}$ Ans. 0.000000000073782. Log. $\overline{\overline{11.867950}}$

.3. Find the 4th power of 0.0176. Ans. 0.000000095951+.

4. Find the 9th power of 1.179. Ans. 4.401765-

Negative numbers are involved in the same manner, taking care to prefix to the power the proper sign, according to the rules of Algebra.

5. Find the 3d power of —0.017. Ans. —0.000004913.

6. Find the 6th power of —14. Ans. 7529536.

EVOLUTION BY LOGARITHMS.

13. Rule. Divide the Logarithm of the number by the exponent of the root required.

Negative numbers are evolved in the same manner, taking care to prefix to the root the proper sign, according to the rules of Algebra. For the sake of convenience, where the characteristic of a Logarithm is negative, and not divisible by the index of the root, we can increase the negative characteristic so as to make it divisible, providing we prefix an equal positive number to the decimal part of the Logarithm.

E. g. 1. Find the 5th root of 0.0173.

Log. of 0.0173 is $\overline{2}.238046$, which is equal to $\overline{5} + 3.238046$, and dividing this by 5 gives $\overline{1}.647609$, which is the Log. of 0.4442.

2. Find the 3d root of 80.07. Ans. 4.31013—.

3. Find the 8th root of 0.0764. Ans. .72508+.

4. Find the 7th root of -17. Ans. -1.49891+.

5. Find the 5th root of -0.00496. Ans. -0.34601+.

14. Instead of subtracting one Logarithm from another, it is sometimes more convenient to add what it lacks of 10,—which difference is called the complement,—and from

1

the sum reject 10. The result is evidently the same. x-y=x+(10-y)-10. The complement is easiest found by beginning at the left of the Logarithm of the number, and subtracting each figure from 9, except the last significant figure, which must be subtracted from 10.

In proportion, therefore, we have the following rule:

Add the complement of the Logarithm of the first term to the Logarithms of the second and third terms, and from the sum reject 10.

E. g. 1. Find a fourth proportional to 14, 175, and 7486.

Ans. 93575.

2. Given the first three terms of a proportion, 416, 584, Ans. 359.38+.

3. Find the value of $179 \times 4968 \div 489$.

Ans. 1818.552+.

4. Find the value of $\frac{1748 \times 917}{654 \times 513}$.

and 256, to find the fourth.

Ans. 4.7776+.

5. Find the value of $\frac{\sqrt{(0.1739)}}{331.9 (\sqrt{2.04} + \sqrt{1.203})^2}$. Ans. 0.000197055.

6. Find the value of $\frac{23.3 \times 6.764 \times \frac{85.31}{253.4}}{\sqrt[3]{47.64} \left(\frac{2.768}{9.853}\right)^5 \times 9.97}.$

Ans. 838.965+.

7. In a system whose base is 4, what is the Logarithm of 4? of 16? of 64? of 2? of 8? of 1? of 1? of 1? of 1? of 1? of 1?

8. Solve the equation $125^x = 25$.

$$x \times \text{Log. } 125 = \text{Log. } 25$$

$$x = \frac{\text{Log. } 25}{\text{Log. } 125} = \frac{1.39794}{2.09691} = \frac{2}{3}, \text{ Ans.}$$

9. Solve the equation $2048^x = 16$.

В

CHAPTER II.


TRIGONOMETRIC FUNCTIONS.


DEFINITIONS.

- 15. Trigonometry is that branch of mathematics which treats of methods of computing angles and triangles.
- 16. Plane Trigonometry treats of methods of computing plane angles and triangles.
- 17. The circumference of every circle is divided into 360 equal parts, called degrees (°) Jeach degree into 60 equal parts, called minutes ('), and each minute into 60 equal parts, called seconds (").
- 18. As angles at the centre vary as their arcs, or arcs as their corresponding angles, the measure of an angle is the arc included between its sides and described from its vertex as a centre (Geom., III. 14).
- 19. As the sum of all the angles about the point C is equal to four right angles, one right angle, ACB, would be measured by one quarter of the circumference, or 90° (Geom., III. 15).
- 20. The Complement of an arc or angle is 90° minus this arc or angle. Thus, the arc AD is the complement of DB, and the angle ACD of DCB. When an arc or angle is greater than 90°, its complement is negative.
- 21. The Supplement of an arc or angle is 180° minus this arc or angle.

Thus, the arc EAD is the supplement of DB, and the angle ECD of DCB. When an arc or angle is greater than 180,° its supplement is negative.

E





- 23. The Versed Sine of an arc or angle is that part of the diameter which is between the foot of the sine and the arc. Thus, BF is the Versed Sine of the arc BD, or of the angle BCD.
- 24. The Cosine of an arc or angle is the sine of the complement of the arc or angle, or the radius minus the versed sine of the arc or angle. Thus, HD=CF is the Cosine of the arc BD, or of the angle BCD.

(Co in Cosine, &c., stands for complement.)

- 25. The Tangent of an arc or angle (in Trigonometry) is the line touching one extremity of the arc, and terminated by a line drawn from the centre through the other extremity. Thus, BI is the Tangent of the arc BD, or of the angle BCD.
- 26. The Cotangent of an arc or angle is the tangent of the complement of the arc or angle. Thus, A K is the Cotangent of B D, or of the angle B C D.
- 27. The Secant of an arc or angle (in Trigonometry) is the line drawn from the centre through one end of the arc, and terminated by the tangent to the other end. Thus, CI is the Secant of BD, or of the angle BCD.
- 28. The Cosecant of an arc or angle is the secant of the complement of the arc or angle. Thus, CK is the Cosecant of BD, or of the angle BCD.

^{*} Those who prefer the Analytical Method will turn from this point to Chapter IV.

29. The Sine, Tangent, and Secant of the supplement of an arc are (irrespective of the signs) the same as for the arc itself.

The Sine and Cosine of an arc form the two sides of a rightangled triangle whose hypothenuse is the Radius of the arc.

The Radius and Tangent of an arc form the two sides of a right-angled triangle whose hypothenuse is the Secant of the arc.

30. Suppose the Radius CD to move in the plane of the circle about the centre C: let it move so that the arc BD and the angle BCD become 0; then the Sine, Tangent, and Versed Sine of the arc or angle become 0; the Secant and Cosine equal to Radius; the Cosecant and Cotangent infinite.

If CD moves toward A until the arc BD or the angle BCD becomes 30°, then, if Radius is unity,

For the Sine DF is half the chord of double the arc, that is, is half of DG, which, as it subtends sixty degrees, or one sixth of the circumference, is equal to Radius (Geom., III. 33).

If CD moves until the arc BD or the angle BCD becomes 45°, then the triangle CDF becomes isosceles; and if Radius is unity, we have

$$F D^2 + F C^2 = 2 D F^2 = C D^2,$$

 $D F = C D \sqrt{\frac{1}{2}}$
Sine $45^\circ = \sqrt{\frac{1}{2}} = \frac{1}{2}\sqrt{2}$

The Tangent, in this case, equals the Radius.

Hence

or

If CD moves until BD, or BCD, becomes 60°, then since

and
$$CF = \sqrt{CD^2 - CF^2}$$


 $CF = \text{Sine of } AD = \text{Sine } 30^\circ = \frac{1}{2}$
 DF , or Sine $60^\circ = \sqrt{1 - \frac{1}{4}} = \sqrt{\frac{3}{4}} = \frac{1}{2}\sqrt{3}$

If CD moves until the arc BD, or the angle BCD, becomes 90°, then the Sine, Versed Sine, and Cosecant become equal to Radius; the Cosine and Cotangent 0; the Secant and Tangent infinite.

If we suppose C D to move until the point D passes entirely round the circumference, it will be easy to trace the changes in the length of the Sine, Cosine, &c.

31. The centre C is the absolute zero point.

If we consider a line extending in one direction plus, a line extending in the opposite direction should be considered minus. It has been agreed to consider the trigonometric lines which extend from EB upward, or from AL to the right, plus; therefore all those extending from BE downward, or from AL to the left, must be



considered minus. It will on inspection be found that these lines change their direction at the point where they become 0, or infinite. Therefore, the algebraic signs of the Sines, Cosines, &c., change from plus to minus, or minus to plus, as each passes the point where it becomes 0, or infinite. These changes in the signs will be found to be as follows:

Sine and Cosecant + + - - +

Cosine and Secant + - + -
Tangent and Cotangent + - + -

- 32. By various methods, the Sines, Cosines, Tangents, and Cotangents have been calculated for every minute of the Quadrant, with Radius as unity; and the logarithms of these numbers have been taken from the table of logarithms, and, with 10 added to the characteristic, to avoid negative characteristics (that is, the radius assumed is 10000000000), have been arranged in the table entitled Logarithmic Sines and Tangents.
- 33. To find the Logarithmic Sine, Cosine, &c., of any arc or angle.

In the tables the degrees up to 45° are at the top of the page,

and the minutes on the left; above 45° (since the Sine, or Tangent, of any arc is the Cosine, or Cotangent, of its complement), the degrees are at the bottom of the page, and the minutes on the right. In the first and second columns, marked D., is the rate of variation per second for the columns at their left, and in the third, marked D., the rate of variation for the columns on both sides of it. In the columns marked D. the last two figures are to be considered as decimals.

It must be remembered that, as the arc or angle increases, the Sines and Tangents *increase*, while the Cosines and Cotangents *decrease*.

1. Required, the Log. Sine of 41° 14′ 25″.

Log. Sine of 41° 14′ is 9.818969
Number to be added for 25″ is 25
$$\times$$
 2.4 = $\frac{60}{9.819029}$

2. Required, the Log. Cosine of 65° 24′ 5″.

Log. Cosine of 65° 24' is 9.619386 Number to be subtracted for 5" is $5 \times 4.6 = 23$ Ans. 9.619363

34. To find the degrees, minutes, and seconds corresponding to any Logarithmic Sine, Cosine, &c.

Tan., or Cot.) the given logarithm; if the title is at the top, take the degrees at the top and the minutes on the left; but if the title is at the bottom, take the degrees at the bottom and the minutes on the right. If the given logarithm is not found exactly, take the degrees and minutes corresponding to the next less logarithm for Sines and Tangents, next greater for Cosines and Cotangents; divide the difference of these two logarithms by the corresponding tabular difference D., and the quotient will be the additional number of seconds.

E. g. 1. Required, the degrees, minutes, and seconds corresponding to the Log. Sine 9.874321.

2. Required, the degrees, &c. corresponding to Log. Cotangent 9.911302.

- 3. Find the Log. Sine of 13° 10′ 31″.
- 4. Find the Log. Sine of 76° 10′ 49″.
- 5. Find the Log. Cosine of 87° 51′ 42″.
- 6. Find the Log. Cosine of 175° 43′ 44″.
- 7. Find the Log. Cotangent of 17° 16′ 14″.
- 8. Find the Log. Cotangent of 49° 15′ 27″.
- 9. Find the Log. Tangent of 43° 51' 44".
- 10. Find the Log. Tangent of 113° 21' 5".
- 11. Given Log. Sine 8.898611, to find the degrees, &c. corresponding.
- 12. Given the Log. Tangent 9.47864, to find the degrees, &c. corresponding.
- 13. Given the Log. Sine 9.90543, to find the degrees, &c. corresponding.
- 14. Given the Log. Cosine 9.996087, to find the degrees, &c. corresponding.
- 15. Given the Log. Cosine 9.846321, to find the degrees, &c. corresponding.
- 16. Given the Log. Cotangent 10.5673 to find the degrees, &c. corresponding.
- 17. Given the Log. Cotangent 9, to find the degrees, &c. corresponding.

CHAPTER III.

SOLUTION OF PLANE TRIANGLES.

35. In every plane triangle there are six parts, three sides and three angles. Of these, any three being given, provided one is a side, the others can be found.

RIGHT-ANGLED TRIANGLES.

- 36. In a right-angled triangle, one of the six parts, viz. the right angle, is always given; and if one of the acute angles is given, the other is known; therefore, in a right-angled triangle, the number of parts to be considered is four, any two of which being given, the others can be found. We may have four cases, according as there are given,
- 1. The hypothenuse and an acute angle;
 - 2. A side about the right angle and an acute angle;
 - 3. A side about the right angle and the hypothenuse;
 - 4. The sides about the right angle.

All these cases can be solved by the following Theorem:


THEOREM I.

37. In any right-angled plane triangle,


1st. Radius is to the hypothenuse as the sine of either acute angle is to the opposite side;

2d. Radius is to either side as the tangent of the adjacent acute angle is to the opposite side.

Let ABC be a triangle, rightangled at C. Let h represent the hypothenuse, and a and b the sides opposite the angles A and B respectively. With either angle, as A, as a centre, and any radius, (which



radius will represent the radius of the tables,) describe the arc DE; from D draw DF perpendicular to AC, and draw EG parallel to DF. Then DF will be the tabular sine, and GE the tabular tangent of the angle A.



From the similar triangles ADF, AGE, and ABC, we have,

1st. that is, AD : AB = DF : BC

 $R: h = \sin A : a$

2d. that is, AE : AC = GE : BC

 $R:b=\tan A:a$

Sing Arsa

38. Corollary 1. As

 $\sin A = \cos B$

 $R: h = \cos B: a$

39. Corollary 2. If radius is unity these proportions will give,

 $a \Longrightarrow h \sin. A$

 $a = b \tan A$

 $a = h \cos B$

CASE I.


40. Given the hypothenuse and an acute angle.

From Theorem I.

 $R: h = \sin A: a$

 $R: h = \sin B$, or $\cos A: b$

Ex. 1. Given h 255, A 57° 14′, to find a A and b.




By Logarithms.

 Radius
 10.

 : h 255
 2.406540

 = sin. A 57° 14'
 9.924735

 : a 214.42
 2.331275



Ans. $\begin{cases} a & 1545.23. \\ b & 649.03. \end{cases}$

Ex. 3. Given h 78.4, B 15° 51′, to find a and b.

41. Given a side about the right angle and an acute angle. From Theorem I.

$$sin. A : a = R : h$$

$$R : h = sin. B : b$$

63052

Ex. 1. Given a 195, B 64° 43′, to find b and h.

sin. A = cos. 64° 43′ comp. 0.369476
:
$$a$$
 195 2.290035
R 10.
: h 456.57 10.
R 10.
: h 2.659511
= sin. B 64° 43′ 9.956268

Ex. 2. Given b 1075, B 75° 49′, to find a and h.

: 6 412.84

Ans.
$$\begin{cases} a & 271.68. \\ h & 1108.79. \end{cases}$$

2.615779

Ex. 3. Given b 17.45, A 47° 31′, to find a and h.

Ans.
$$\begin{cases} a & 19.05. \\ h & 25.84. \end{cases}$$


CASE III.

42. Given a side about the right angle and the hypothenuse.

From Theorem I.

$$h : \mathbf{R} = a : \sin A$$

 $\mathbf{R} : h = \sin B : b$



Ex. 1. Given h 24.5, a 17.4, to find the other parts.

Otherwise b can be found from the formula $b^2 = h^2 - a^2$. $\therefore b = \sqrt{(h+a)(h-a)}$

Ans.
$$\begin{cases} A 85^{\circ} 17' 47''. \\ B 4^{\circ} 42' 13''. \\ a 172.218. \end{cases}$$

CASE IV.

43. Given the sides about the right angle.

From Theorem I.

$$b: \mathbf{R} = a: \tan \mathbf{A}$$

sin. $A: a = \mathbf{R}: h$

Ex. 1. Given a 195, b 147, to find the other parts.

b 147	comp.	7.832683
: R	_	10.
= a 195		2.290035
; tan. A 52° 59′ 22″		10.122718

$$B = 90^{\circ} - 52^{\circ} 59' 22'' = 37^{\circ} 0' 38''$$
sin. A 52° 59' 22'' comp. 0.097712
: a 195
= R . 10.
: h 244.2

Otherwise h can be found from the formula $h^2 = a^2 + b^2$; then the angles by using the first proportion of Theorem I.

Ex. 2. Given a 189, b 14, to find the other parts.

Ans.
$$\begin{cases} A 85^{\circ} 45' 49''. \\ B 4^{\circ} 14' 11''. \\ h 189.518. \end{cases}$$

Ans. $\begin{cases} a \ 0.01706. \\ h \ 0.03042. \end{cases}$

44. In the following Examples two parts of a right-angled triangle are given, and the others required.

1. Given b 217, h 915. Ans.
$$\begin{cases} a 888.896. \\ A 76^{\circ} 16' 52''. \\ B 13^{\circ} 43' 8''. \end{cases}$$
2. Given a 174, b 1927. Ans.
$$\begin{cases} A 5^{\circ} 9' 34''. \\ B 84^{\circ} 50' 26''. \\ h 1934.89. \end{cases}$$
3. Given a 17.94, A 15° 39'. Ans.
$$\begin{cases} b 64.038. \\ h 66.503. \end{cases}$$
4. Given h 47.9, A 59° 17'. Ans.
$$\begin{cases} a 41.1798. \\ b 24.467. \end{cases}$$
5. Given a 298, h 744. Ans.
$$\begin{cases} A 23^{\circ} 36' 42''. \\ B 66^{\circ} 23' 18''. \\ b 681.712. \end{cases}$$
6. Given a 9.75, b 13.44. Ans.
$$\begin{cases} A 35^{\circ} 57' 32''. \\ B 54^{\circ} 2' 28''. \\ h 16.60. \end{cases}$$

7. Given b 0.02518, A 34° 7' 10".

22

PLANE TRIGONOMETRY.

OBLIQUE-ANGLED TRIANGLES.

- 45. In solving oblique-angled triangles, there are four cases. There may be given,
 - 1. Two angles and a side;
 - 2. Two sides and an angle opposite one of them;
 - 3. Two sides and the included angle;
 - 4. The three sides.

For solving these we demonstrate the three following Theorems.

THEOREM II.


46. In any plane triangle, the sides have the same ratio as the sines of the opposite angles.

В

Let a, b, c represent the sides opposite the angles A, B, C, respectively. Then

$$a:b:c=\sin A:\sin B:\sin C$$

From B draw BD perpendicular to b.



$$R: a = \sin C: BD$$
 ... $R \times BD = a \sin C$

$$R: c = \sin A: BD$$
 ... $R \times BD = c \sin A$

Therefore $a \sin \theta$

or

$$a \sin C = c \sin A$$

$$a:c=\sin A:\sin C$$

In like manner it can be shown that

 $a:b=\sin A:\sin B$

 $b:c=\sin B:\sin C$

Therefore $a:b:c=\sin A:\sin B:\sin C$

47. Scholium. If one of the angles, as C, should become a

E

right angle, then c will become the hypothenuse, and sin. C radius, and the proportion will become

 $a:h=\sin A:R$

or

 $R: h = \sin A: a$

which is the same as the first proportion in Theorem I.

THEOREM III.

48. In any plane triangle, the sum of any two sides is to their difference, as the tangent of half the sum of the opposite angles is to the tangent of half their difference.

Let ABC be a plane triangle; then

$$BC + BA : BC - BA = \tan \frac{1}{2} (A + C) : \tan \frac{1}{2} (A - C)$$

Produce A B to D, making B D equal to BC, and join DC. Take BF equal to BA, draw AF and produce it to E.

$$AD = BC + BA$$

$$FC = BC - BA$$

The sum of the two angles BAF and BFA is equal to the sum of BAC and BCA, as each sum is the supplement of ABC; therefore, as AB is equal to BF,

BAF =
$$\frac{1}{2}$$
 (A + C)

If from the greater of two quantities we subtract half their sum, the remainder will be half their difference; therefore,

$$EAC = \frac{1}{2} (A - C)$$

As BD is equal to BC, the angles BDC and BCD are equal; and DAF is equal to BFA, and BFA to CFE; therefore the triangles ADE and FEC are mutually equiangular; hence the two angles at E are equal, and AE is perpendicular to DC; and if with AE as radius and A as a centre, an arc is described, DE becomes the tangent of DAE, and EC of EAC.

By similar triangles we have (Geom. II. 19)

$$AD:FC = DE:EC$$
 or


B

$$BC + BA : BC - BA = \tan \frac{1}{2}(A + C) : \tan \frac{1}{2}(A - C)$$

THEOREM IV.

49. If from any angle of a plane triangle a perpendicular be drawn to the opposite side or base, then the sum of the segments of the base will be to the sum of the other two sides as the difference of these sides is to the difference of the segments of the base.

From B, in the triangle ABC, draw BD perpendicular to AC. Then



For
$$A D + D C : A B + B C = A B - B C : A D - D C$$

 $B C^2 - D C^2 = B D^2 = A B^2 - A D^2$
or $A D^2 - D C^2 = A B^2 - B C^2$

As the product of the sum and difference of two quantities is equal to the difference of their squares, we have

$$(A D + D C) (A D - D C) = (A B + B C) (A B - B C)$$

or $A D + D C : A B + B C = A B - B C : A D - D C$

50. Scholium. When the perpendicular falls within the triangle, the sum of the segments of the base is equal to the whole base; when without, the difference.

CASE I.

51. Given two angles and a side.

From Theorem II.

$$\sin$$
 A: \sin B: \sin C = $a:b:c$

Ex. 1. Given A 48°, C 55° 17′, α 417, to find the other parts.



$$B = 180^{\circ} - (55^{\circ} 17' + 48^{\circ}) = 76^{\circ} 43'$$
sin. A 48° comp. 0.128927
: sin. B 76° 43' 9.988223
= a 417
: b 546.12 2.620136
2.737286

sin. A 48°	comp. 0.128927
: sin. C 55° 17'	9.914860
$= a \ 417$	2.620136
: c 461.24	${2.663923}$

Ex. 2. Given A 95° 4', B 25° 14', c 49.17, to find the other parts.

Ans.
$$\begin{cases} C 59^{\circ} 42'. \\ a 56.727. \\ b 24.278. \end{cases}$$

CASE II.

52. Given two sides and an angle opposite to one of them.

From Theorem II.

$$a:b:c=\sin A:\sin B:\sin C$$


Ex. 1. Given a 55, c 49.87, A 25° 44', to find the other parts.

a 55	comp. 8.259637
: c 49.87	1.697839
= sin. A 25° 44′	9.637673
: sin. C 23° 11′ 2″	${9.595149}$

$$B = 180^{\circ} - (23^{\circ} 11' 2'' + 25^{\circ} 44') = 131^{\circ} 4' 58''$$

sin. C 23° 11′ 2″comp. 0.404851: sin. B 131° 4′ 58″9.877234= c 49.871.697839: b 95.4831.979924

53. If BC, the side opposite the given angle, is less than the other given side AB, and the given angle is acute, there are two triangles which



satisfy the conditions, viz. ABC and ABD, in which the angles BCA and BDA are supplements of each other. The Log. sine obtained in working such an example represents

either the angle BCA, or its supplement BDA (Art. 29). If the given angle A is obtuse, or the side opposite the given angle is greater than the other given side, there is but one solution (Geom., VI. 11). Whenever the solution is impossible (Geom., VI. 12), the Log. sine obtained in working the example will be greater than radius, which is absurd.

Ex. 2. Given α 95.5, c 173.2, A 27° 4′, to find the other parts.

Ans.
$$\begin{cases} C 55^{\circ} 36' 47'', \\ B 97^{\circ} 19' 13'', \\ b 208.17, \end{cases}$$
 or
$$\begin{cases} C 124^{\circ} 23' 13'', \\ B 28^{\circ} 32' 47'', \\ b 100.29. \end{cases}$$

CASE III.

54. Given two sides and the included angle.

From Theorem III.

$$a + c : a - c = \tan \frac{1}{2} (A + C) : \tan \frac{1}{2} (A - C)$$

From Theorem II.

sin. A: sin. B: sin.
$$C = a:b:c$$

Ex. 1. Given a 976, c 89, B 51° 17', to find the other parts.

$$\begin{array}{l} \frac{1}{2} \ (A + C) = \frac{1}{2} \ (180^{\circ} - 51^{\circ} \ 17') = 64^{\circ} \ 21' \ 30'' \\ a + c = 1065 & \text{comp.} & 6.972650 \\ \vdots a - c = 887 & 2.947924 \\ = \tan \frac{1}{2} \ (A + C) = \tan 64^{\circ} \ 21' \ 30'' & 10.318746 \\ \vdots \tan \frac{1}{2} \ (A - C) = \tan 60^{\circ} \ 2' \ 36'' & 10.239320 \end{array}$$

Half the sum plus half the difference gives the greater angle A 124° 24' 6''; half the sum minus half the difference, the less C 4° 18' 54''.

sin. C 4° 18′ 54″	comp. 1.123553
: sin. B 51° 17′	9.892233
= c 89	1.949390
: b 922.94	${2.965176}$

Ex. 2. Given a 91, b 104, C 14° 30′, to find the other parts.

Ans. $\begin{cases} A & 55^{\circ} & 5' \ 37''. \\ B & 110^{\circ} \ 24' \ 23''. \\ c & 27.783. \end{cases}$

CASE IV.

55. Given the three sides.

From B let fall a perpendicular upon b.

From Theorem IV.

$$b: a + c = a - c: DC - DA$$

The angles A and C can then be found as in Art. 42.

Ex. 1. Given a 125, b 135, c 75, to find the angles.

$$b 135 comp. 7.869666$$

$$: a + c 200 2.301030$$

$$= a - c 50 1.698970$$

$$: D C - D A 74.0741 1.869666$$

DC, therefore, is 104.53, and DA 30.46; the angles A and C can now be found.

M3: P: A6: A7: Ans. {A 66° 2′ 7″+ B 80° 42′ 57″-C 33° 14′ 56″+

56. The sum of any two sides must be greater than the remaining side, otherwise the triangle is impossible.

If the perpendicular is drawn to the longest side, it will fall within the triangle.

The shorter segment of the base is adjacent to the shorter side.

Ex. 2. Given a 347, b 542, c 476, to find the angles.

MISCELLANEOUS EXAMPLES.

1. Given A 45° 4′, B 75° 35′, c 457, to find the other parts.

Ans.
$$\begin{cases} C 59^{\circ} 21'. \\ a 376.06. \\ b 514.48. \end{cases}$$

- 2. Given a 454, c 753, A 45° 25', to find the other parts.
- 3. Given a 57, b 89, C 75° 4′, to find the other parts.

Ans.
$$\begin{cases} A & 36^{\circ} & 32' & 37''. \\ B & 68^{\circ} & 23' & 23''. \\ c & 92.495. \end{cases}$$

(4) Given a 41, b 74, c 63, to find the other parts.

Ans.
$$\begin{cases} A 33^{\circ} 37' 26''. \\ B 88^{\circ} 4' 12''. \\ C 58^{\circ} 18' 22''. \end{cases}$$

5. Given h 75, a 35, to find the other parts.

Ans.
$$\begin{cases} A \ 27^{\circ}.49' & 5''. \\ B \ 62^{\circ} \ 10' \ 55''. \\ b \ 66.332. \end{cases}$$

6. Given h 919, A 37° 37', to find the other parts.

Ans.
$$\begin{cases} a & 560.94. \\ b & 727.95. \end{cases}$$

7. Given b 45.3, A 34° 23′, to find a and h.

Ans.
$$\begin{cases} a & 30.998. \\ h & 54.890. \end{cases}$$

- 8. Given a 40, b 57, c 97, to find the other parts.
- 9. Given a 0.05377, b 0.06607, A 45°, to find the other parts.

$$\label{eq:Ans. Ans. Ans. Ans. B 60° 19′ 34″, and C 74° 40′ 26″, and C 15° 19′ 34″. C 0.07334, and C 15° 19′ 34″. C 0.0201.$$

10. Given a 54, b 35, B 97° 15′, to find the other parts.




TIGONOMETRIC FUNCTIONS.

ANALYTICAL METHOD.*

- 57. Instead of considering the Sine, Tangent, &c. as lines, having a certain position in a circle, and varying not only as the arc, but also as the radius, we consider them, in this system, as ratios, varying only as the angle, and capable of being represented by certain lines in a circle only when the radius is unity.
- 58. The Sine of an angle is the ratio of the side opposite it in a right-angled triangle to the hypothenuse.

That is, if in any right-angled triangle ABC we represent the hypothenuse by h, and the sides opposite the angles A and B by a and b respectively,



$$\sin. A = \frac{a}{h} \qquad \sin. B = \frac{b}{h} \qquad (1)$$

59. The Tangent of an angle is the ratio of the side opposite it in a right-angled triangle to the side adjacent.

That is tan.
$$A = \frac{a}{b}$$
 tan. $B = \frac{b}{a}$ (2)

60. The Secant of an angle is the ratio of the hypothenuse to the side adjacent to the angle.

That is sec.
$$A = \frac{h}{b}$$
 sec. $B = \frac{h}{a}$ (3)

61. The Cosine, Cotangent, Cosecant of an angle are respectively the sine, tangent, and secant of its complement.

^{*} Those who have taken the Geometrical Method can omit Chapters IV. and V.

Therefore, as the acute angles of a right-angled triangle are complements of each other, we shall have

cos.
$$A = \sin B = \frac{b}{h}$$


cos. $B = \sin A = \frac{a}{h}$
cot. $A = \tan B = \frac{b}{a}$
cot. $B = \tan A = \frac{a}{b}$
cosec. $A = \sec B = \frac{h}{a}$
cosec. $B = \sec A = \frac{h}{b}$

62. By inspecting these equations it will be seen that the sine and cosecant of an angle are reciprocals of each other; so also the cosine and secant, and the tangent and cotangent. That is

$$\sin. A = \frac{1}{\csc. A} \quad \text{or cosec. } A = \frac{1}{\sin. A} \\
\cos. A = \frac{1}{\sec. A} \quad \text{or sec. } A = \frac{1}{\cos. A} \\
\tan. A = \frac{1}{\cot. A} \quad \text{or cot. } A = \frac{1}{\tan. A}$$
(5)

63. The sine, cosine, &c., vary only as the angle; that is, for a given angle they are constant.

Let A D E and A B C be any two right-angled triangles, having a common angle A; they are equiangular and similar.



Hence

DE: DA = BC: BA, or
$$\frac{DE}{DA} = \frac{BC}{BA} = \sin A$$

that is, the sine of the angle A is constant, whatever the length of the sides. In the same way it can be proved that the cosine, tangent, &c. of a given angle are constant.

64. The sine, cosine, &c. can be represented by certain lines in a circle, when the radius is unity.

Let CDF be a triangle, right-angled at F. With C as a centre and CD as radius, describe a circle BAE; produce CF to B, and draw BI parallel to FD, and meeting CD produced; draw CA perpendicular, and DH and AK parallel to CB.

A K D B

In the right-angled triangle CDF

sin.
$$C = \frac{D F}{D C}$$

cos. $C = \frac{C F}{C D} = \frac{H D}{C D}$
tan. $C = \frac{D F}{F C} = \frac{B I}{B C}$
cot. $C = \frac{C F}{F D} = \frac{H D}{H C} = \frac{A K}{A C}$
sec. $C = \frac{C D}{C F} = \frac{C I}{C B}$
cosec. $C = \frac{C D}{D F} = \frac{C D}{C H} = \frac{C K}{C A}$

If CA, CD, CB, that is, radius, becomes unity, we shall have

sin.
$$C = D F$$

cos. $C = D H$
tan. $C = B I$
cot. $C = A K$
sec. $C = C I$
cosec. $C = C K$

In the Geometrical Method, without limiting the radius to unity, these lines are defined as the sine, cosine, &c. of the arc or angle to which they belong.

65. In the right-angled triangle ABC (Art. 58)

$$a^2 + b^2 = h^2 \tag{6}$$

From (4)* and (6) we have

$$\sin^2 A + \cos^2 A = \frac{a^2}{h^2} + \frac{b^2}{h^2} = \frac{a^2 + b^2}{h^2} = \frac{h^2}{h^2} = 1$$

$$\therefore \cos^2 A = 1 - \sin^2 A$$
(7)

$$\cos. A = \sqrt{1 - \sin^2 A}$$
 (8)

From (4) we also have

$$\frac{\sin. A}{\cos. A} = \frac{a}{h} \div \frac{b}{h} = \frac{a}{b} = \tan. A$$

$$\frac{\sin. A}{\cos. A} = \tan. A$$
(9)

If, therefore, the sine of an angle is known, the cosine can be found by (8), the tangent by (9), then the cotangent, the secant, and cosecant by (5).


66. Problem. To find the sine and cosine of the sum and difference of two angles, when their sines and cosines are known.

Let FCL and DCF be two angles, represented respectively by A and B.

Draw C H, so as to make the angle F C H = D C F; then


$$D C L = A + B$$
$$H C L = A - B$$

From the points D and H, equally distant from C, draw D I and H L per-



The triangles CDF and CFH are equal.

For by construction CD and CH and the angles DCF and FCH are equal, and CF is common; therefore DF is equal



^{*} In the Analytical Method these numbers standing alone in parentheses refer to the equations with the same number.

to F H, and D H is perpendicular to C F; and the triangles D E F and F G H are also equal. The triangles E D F and F C K, having their sides perpendicular each to each, are similar; therefore the angle EDF = FCK = A.

Now

sin.
$$(A + B) = \frac{DI}{DC} = \frac{FK + DE}{DC} = \frac{FK}{DC} + \frac{DE}{DC}$$
 (10)

sin.
$$(A - B) = \frac{HL}{HC} = \frac{FK - DE}{DC} = \frac{FK}{DC} - \frac{DE}{DC}$$
 (11)

But

$$\frac{F K}{D C} = \frac{F K}{D C} \times \frac{F C}{F C} = \frac{F K}{F C} \times \frac{F C}{D C} = \text{sin. A cos. B}
\frac{D E}{D C} = \frac{D E}{D C} \times \frac{D F}{D F} = \frac{D E}{D F} \times \frac{D F}{D C} = \text{cos. A sin. B}$$
(12)

By (12), (10) and (11) become

$$\sin. (A + B) = \sin. A \cos. B + \cos. A \sin. B \tag{13}$$

$$\sin (A - B) = \sin A \cos B - \cos A \sin B$$
 (14)

Again,

$$\cos (A + B) = \frac{CI}{CD} = \frac{CK - EF}{CD} = \frac{CK}{CD} - \frac{EF}{CD}$$
 (15)

$$\cos. (A - B) = \frac{CL}{CH} = \frac{CK + EF}{CD} = \frac{CK}{CD} + \frac{EF}{CD}$$
 (16)

But

$$\frac{CK}{CD} = \frac{CK}{CD} \times \frac{CF}{CF} = \frac{CK}{CF} \times \frac{CF}{CD} = \cos. A \cos. B$$

$$\frac{EF}{CD} = \frac{EF}{CD} \times \frac{DF}{DF} = \frac{EF}{DF} \times \frac{DF}{CD} = \sin. A \sin. B$$
(17)

By (17), (15) and (16) become

$$\cos. (A + B) = \cos. A \cos. B - \sin. A \sin. B$$
 (18)

$$\cos. (A - B) = \cos. A \cos. B + \sin. A \sin. B \tag{19}$$

We can write (13) and (14) in one formula in which the upper signs correspond to each other, and also the lower ones; so also (18) and (19), as follows:

$$sin. (A \pm B) = sin. A cos. B \pm cos. A sin. B
cos. (A \pm B) = cos. A cos. B \mp sin. A sin. B$$
(20)

67. Theorem. The sum of the sines of two angles is to the difference of their sines as the tangent of half their sum is to the tangent of half their difference.

The sum of (13) and (14) is

$$\sin (A + B) + \sin (A - B) = 2 \sin A \cos B$$
 (21)

Their difference is

$$\sin (A + B) - \sin (A - B) = 2 \cos A \sin B$$
 (22)

If in (21) and (22) we make

$$A + B = M$$
, and $A - B = N$

that is,

$$A = \frac{1}{2} (M + N)$$
, and $B = \frac{1}{2} (M - N)$

they become

$$\sin M + \sin N = 2 \sin \frac{1}{2} (M + N) \cos \frac{1}{2} (M - N)$$
 (23)

sin. M — sin. N = 2 cos.
$$\frac{1}{2}$$
 (M + N) sin. $\frac{1}{2}$ (M — N) (24)

Dividing (23) by (24), we have

$$\frac{\sin M + \sin N}{\sin M - \sin N} = \frac{\sin \frac{1}{2}(M + N) \cos \frac{1}{2}(M - N)}{\cos \frac{1}{2}(M + N) \sin \frac{1}{2}(M - N)}$$

Reducing the second member by means of (9), we have

$$\frac{\sin M + \sin N}{\sin M - \sin N} = \frac{\tan \frac{1}{2} (M + N)}{\tan \frac{1}{2} (M - N)}$$
(25)

68. By means of the formulas already obtained, the sine, co-sine, &c. of angles of any magnitude can be found.

69. To find the sine, &c. of 30° and 60°.

In (13) make $A = 30^{\circ}$, and $B = 30^{\circ}$; as 30° and 60° are complements of each other, it becomes

$$\sin 60^{\circ} = \cos 30^{\circ} = \sin 30^{\circ} \cos 30^{\circ} + \cos 30^{\circ} \sin 30^{\circ} = 2 \sin 30^{\circ} \cos 30^{\circ}$$

Dividing by cos. 30°, we have

$$1 = 2 \sin. 30^{\circ}$$

$$\sin. 30^{\circ} = \frac{1}{2} = \cos. 60^{\circ}$$
whence by (5), (8), and (9)
$$\cos. 30^{\circ} = \sin. 60^{\circ} = \sqrt{1 - \sin.^{2} 30^{\circ}} = \sqrt{1 - \frac{1}{4}} = \frac{1}{2} \sqrt{3}$$

$$\tan. 30^{\circ} = \cot. 60^{\circ} = \frac{\frac{1}{2}}{\frac{1}{2} \sqrt{3}} = \frac{1}{\sqrt{3}} = \sqrt{3}$$

$$\cot. 30^{\circ} = \tan. 60^{\circ} = \frac{1}{\sqrt{\frac{1}{3}}} = \sqrt{3}$$

$$\sec. 30^{\circ} = \csc. 60^{\circ} = \frac{1}{\frac{1}{2} \sqrt{3}} = \frac{2}{\sqrt{3}}$$

$$\csc. 30^{\circ} = \sec. 60^{\circ} = \frac{1}{\frac{1}{4}} = 2$$

70. To find the sine, &c. of 45°.

In (7) make $A=45^{\circ}$; as 45° is complement of 45° , it becomes

sin.² 45° + cos.² 45° = 2 sin.² 45° = 2 cos.² 45° = 1
sin. 45° = cos. 45° =
$$\sqrt{\frac{1}{2}}$$

whence, by (5) and (9)
tan. 45° = cot. 45° = $\frac{\sin. 45^{\circ}}{\cos. 45^{\circ}}$ = 1
sec. 45° = cosec. 45° = $\frac{1}{\cos. 45^{\circ}}$ = $\frac{1}{\sqrt{\frac{1}{4}}}$ = $\sqrt{2}$

71. To find the sine, &c. of 0° and 90°.

In the right-angled triangle A B C (Art. 63) let A B revolve in the plane A B C about A as a centre; when the angle A = 0, B C = 0, and A C = A B; then

sin. A = sin.
$$0^{\circ}$$
 = cos. 90° = $\frac{BC}{AB}$ = 0
cos. A = cos. 0° = sin. 90° = $\frac{AC}{AB}$ = 1
whence, by (5) and (9) we have
tan. 0° = cot. 90° = $\frac{\sin . 0^{\circ}}{\cos . 0^{\circ}}$ = $\frac{0}{1}$ = 0
tan. 90° = cot. 0° = $\frac{\sin . 90^{\circ}}{\cos . 90^{\circ}}$ = $\frac{1}{0}$ = ∞
sec. 0° = cosec. 90° = $\frac{1}{\cos . 90^{\circ}}$ = $\frac{1}{1}$ = 1
sec. 90° = cosec. 0° = $\frac{1}{\cos . 90^{\circ}}$ = $\frac{1}{0}$ = ∞

72. To find the sine, &c. of 180°.

In (13) and (18) make $A = 90^{\circ}$, and $B = 90^{\circ}$; they become by means of (28)

sin.
$$180^{\circ} = \sin$$
. 90° cos. $90^{\circ} + \cos$. 90° sin. $90^{\circ} = 0$
cos. $180^{\circ} = \cos$. 90° cos. $90^{\circ} - \sin$. 90° sin. $90^{\circ} = -1$
whence, by (5) and (9),

$$\tan \cdot 180^{\circ} = \frac{\sin \cdot 180^{\circ}}{\cos \cdot 180^{\circ}} = \frac{0}{-1} = 0$$

$$\cot \cdot 180^{\circ} = \frac{\cos \cdot 180^{\circ}}{\sin \cdot 180^{\circ}} = \frac{-1}{0} = \infty^{*}$$
sec. $180^{\circ} = \frac{1}{\cos \cdot 180^{\circ}} = \frac{1}{-1} = -1$

$$\csc \cdot 180^{\circ} = \frac{1}{\sin \cdot 180^{\circ}} = \frac{1}{0} = \infty$$
(29)

73. To find the sine, &c. of 270°.

In (13) and (18) make $A = 180^{\circ}$, and $B = 90^{\circ}$; they become by means of (28) and (29)

* As
$$0 = -0$$
, $\frac{-1}{0} = \frac{-1}{-0} = \pm \infty$

sin. $270^{\circ} = \sin . 180^{\circ} \cos . 60^{\circ} + \cos . 180^{\circ} \sin . 90^{\circ} = -1^{\circ} \cos . 270^{\circ} = \cos . 180^{\circ} \cos . 90^{\circ} - \sin . 180^{\circ} \sin . 90^{\circ} = 0$ whence, from (5) and (9)

tan.
$$270^{\circ} = \frac{\sin. 270^{\circ}}{\cos. 270^{\circ}} = \frac{-1}{0} = \infty$$

cot. $270^{\circ} = \frac{\cos. 270^{\circ}}{\sin. 270^{\circ}} = \frac{0}{-1} = 0$
sec. $270^{\circ} = \frac{1}{\cos. 270^{\circ}} = \frac{1}{0} = \infty$
cosec. $270^{\circ} = \frac{1}{\sin. 270^{\circ}} = \frac{1}{-1} = -1$

74. To find the sine, &c. of 360°.

In (13) and (18) make $A = 180^{\circ}$, and $B = 180^{\circ}$; they become by means of (29)

$$\begin{array}{l} \sin .360^{\circ} = \sin .180^{\circ} \cos .180^{\circ} + \cos .180^{\circ} \sin .180^{\circ} = 0 = \sin .0^{\circ} \\ \cos .360^{\circ} = \cos .180^{\circ} \cos .180^{\circ} - \sin .180^{\circ} \sin .180^{\circ} = 1 = \cos .0^{\circ} \end{array}$$

Hence the sine, cosine, &c. of 360° are the same as those of 0°.

75. To find the sine, &c. of any angle.

The semi-circumference of a circle whose radius is unity is 3.14159265359. If we divide this by 10800, the number of minutes in the semi-circumference, it will give the length of the arc of 1' = 0.000290888, which may also be considered the sine of an angle of 1' (Arts. 64, 63, and Geom., III. 25).

Hence by (8) we have

cos.
$$1' = \sqrt{1 - \sin^2 1'} = .9999999577$$

Then by transposing (21)

$$\sin (A + B) = 2 \sin A \cos B - \sin (A - B)$$

and making B = 1', and A = 1', 2', 3', &c. in succession, we obtain for the sines

$$\sin 2' = 2 \sin 1' \cos 1' - \sin 0' = .0005817764$$

 $\sin 3 = 2 \sin 2' \cos 1' - \sin 1' = .0008726646$
&c. &c. &c.

76. Having found the sines up to 45°, the cosines up to 45° can be found by (8):

cos.
$$2' = \sqrt{1 - \sin^2 2'} = .9999998308$$

cos. $3' = \sqrt{1 - \sin^2 3'} = .9999996193$
&c. &c. &c.

- 77. As the sine of an angle is the cosine of its complement, the sines and cosines now become known up to 90°. The tangents, cotangents, secants, and cosecants can now be found by (5) and (9).
- 78. The sines, cosines, &c. of all angles up to 360° are now known; since, disregarding the algebraic signs, they are the same between 90° and 180°, 180° and 270°, and 270° and 360°, as between 0° and 90°. This will become evident as we proceed to find the algebraic signs of the sines, cosines, &c.
- 79. Problem. To find the algebraic signs of the sines, cosines, &c.

For angles between 0° and 90°.

Since the trigonometric functions between these limits are the ratios of lines which we assume as positive, the functions themselves must be positive.

80. For angles between 90° and 180°.

In (14) and (19) make $A = 180^{\circ}$, and $B < 90^{\circ}$; they become by means of (29)

sin.
$$(180^{\circ} - B) = \sin. 180^{\circ} \cos. B - \cos. 180^{\circ} \sin. B = \sin. B$$

 $\cos. (180^{\circ} - B) = \cos. 180^{\circ} \cos. B + \sin. 180^{\circ} \sin. B = -\cos. B$

whence by (5) and (9)

$$\tan (180^{\circ} - B) = -\tan B$$
 cot. $(180^{\circ} - B) = -\cot B$
 $\sec (180^{\circ} - B) = -\sec B$ cosec. $(180^{\circ} - B) = \csc B$

That is, the sine and cosecant of the supplement of an angle are the same as those of the angle itself; and the cosine, tangent, cotangent, and secant are the negative of those of the angle.

- 81. For angles which exceed 180°.
- In (13) and (18) make $A = 180^{\circ}$; they become by means of (29)

sin.
$$(180^{\circ} + B) = \sin . 180^{\circ} \cos . B + \cos . 180^{\circ} \sin . B = -\sin . B$$

cos. $(180^{\circ} + B) = \cos . 180^{\circ} \cos . B - \sin . 180^{\circ} \sin . B = -\cos . B$
whence by (5) and (9)

tan.
$$(180^{\circ} + B) = \text{tan. B}$$
 cot. $(180^{\circ} + B) = \text{cot. B}$
sec. $(180^{\circ} + B) = -\text{sec. B}$ cosec. $(180^{\circ} + B) = -\text{cosec. B}$

That is, the tangent and cotangent of an angle which exceeds 180° are equal to those of its excess above 180°, and the sine, cosine, secant, and cosecant of this angle are the negative of those of its excess.

- 82. Corollary 1. The tangent and cotangent of angles between 180° and 270° are the same as for angles between 0° and 90°, and the sine, cosine, secant, and cosecant are the negative of those between 0° and 90°.
- 83. Corollary 2. The cosine and secant of an angle between 270° and 360° are the same as for angles between 0° and 90°, and the sine, tangent, cotangent, and cosecant are the negative of those between 0° and 90°.
 - 84. To find the sine, &c. of angles which exceed 360°.
- In (13) and (18) make $A = 360^{\circ}$; they become by means of (31)

sin.
$$(360^{\circ} + B) = \sin. 360^{\circ} \cos. B + \cos. 360^{\circ} \sin. B = \sin. B$$

cos. $(360^{\circ} + B) = \cos. 360^{\circ} \cos. B - \sin. 360^{\circ} \sin. B = \cos. B$

That is, the sine, cosine, &c. of an angle which exceeds 360° are the same as those of its excess above 360°.

85. To find the sine and cosine of double a given angle.

In (13) and (18) make A = B, and they become

$$\sin. 2 A = 2 \sin. A \cos. A \tag{32}$$

$$\cos 2 A = \cos^2 A - \sin^2 A$$
 (33)

86. To find the sine and cosine of half a given angle.

Finding the sum and difference of (33) and (7), we have

$$2 \cos^2 A = 1 + \cos^2 A$$
, and $2 \sin^2 A = 1 - \cos^2 A$ (34)

In (34) substitute $\frac{1}{2}$ A for A, and we have

$$2 \cdot \cos^2 \frac{1}{2} A = 1 + \cos A$$
, and $2 \sin^2 \frac{1}{2} A = 1 - \cos A$ (35)

87. From the results obtained in the preceding articles we form the following

TABLE.

							4	
	0°	1st q.	90°	2d q.	180°	3d q.	270°	4th q.
$ \sin \begin{cases} \text{n. val.} \\ \text{sign} \\ \text{a. val.} \end{cases} $	0 ± ±0	iner.	1 + +1	decr.	0 ± ±0	incr.	1 1	decr.
$\cos. \left\{ egin{array}{l} { m n. \ val.} \\ { m sign} \\ { m a. \ val.} \end{array} ight.$	1 + +1	decr. + decr.	0 ± ±0	incr.	1 - -1	decr.	0 ± ±0	incr. + incr.
$ an. \left\{ egin{array}{l} ext{n. val.} \\ ext{sign} \\ ext{a. val.} \end{array} \right.$	0 ± ±0	iner. + iner.	± 8 ± 8	decr.	0 ± ±0	incr. + in r.	# # # *	decr.
$\cot. \begin{cases} \text{n. val.} \\ \text{sign} \\ \text{a. val.} \end{cases}$	± 8 ± 8	decr.	0 ± ±0	incr. decr.	± 8 ± 8	decr. + decr.	0 ± ±0	incr. — decr.
$\sec. \left\{ egin{array}{l} { m n. \ val.} \\ { m sign} \\ { m a. \ val.} \end{array} \right.$	1 + +1	iner. + iner.	# # 8	decr.	1 - -1	incr. decr.	# # 8	decr. + decr.
cosec. { n. val. sign a. val.	##8 8 ## 8	decr. + decr.	1 + +1	incr. + incr.	# # 8	decr.	1 -1	incr. decr.

q., quadrant. n. val., numerical value. a. val., algebraical value. incr., increasing. decr., decreasing.

CHAPTER V.*

SOLUTION OF PLANE TRIANGLES.

ANALYTICAL METHOD.

88. In every plane triangle there are six parts, three sides and three angles. Of these, any three being given, provided one is a side, the others can be found.

RIGHT-ANGLED TRIANGLES.

- 89. In a right-angled triangle, one of the six parts, viz. the right angle, is always given; and if one of the acute angles is given, the other is known; therefore, in a right-angled triangle, the number of parts to be considered is four, any two of which being given, the others can be found. We may have four cases, according as there are given,
 - 1. The hypothenuse and an acute angle;
 - 2. A side about the right angle and an acute angle;
 - 3. A side about the right angle and the hypothenuse;
 - 4. The sides about the right angle.

All these cases can be solved by the following Theorem:

THEOREM I.

90. In any right-angled plane triangle,

1st. The side opposite an acute angle is equal to the product of the sine of this angle and the hypothenuse.

2d. The side opposite an acute angle is equal to the product of the tangent of this angle and the side adjacent to this angle.

^{*} Before beginning this chapter, the arrangement and use of the tables of Logarithmic Sines, Cosines, &c. must be learned from Arts. 32, 33, and 34.

Let ABC (Art. 92) be a triangle, right-angled at C.

By (1)* sin.
$$A = \frac{a}{h}$$
 sin. $B = \frac{b}{h}$ (36)

hence
$$a = h \sin A$$
 $b = h \sin B$ (37)

By (2)
$$\tan A = \frac{a}{b}$$
 $\tan B = \frac{b}{a}$ (38)

hence
$$a = b \tan A$$
 $b = a \tan B$ (39)

91. Corollary. As sin. A = cos. B, and sin. B = cos. A
$$a = h \cos B \qquad b = h \cos A \qquad (40)$$

CASE I.


92. Given the hypothenuse and an acute angle.

By
$$(37)^*$$
 and (40)

$$a = h \sin. A$$

$$b = h \cos. A$$

Ex. 1. Given h 255, and A 57° 14′, to find A a and b.



By Logarithms.

$$a = h \sin$$
 A
 = log. 255 + log. sin. A

 $h 255$
 2.406540

 sin. A 57° 14′
 9.924735

 $a 214.42$
 2.331275

$$b = h \cos$$
. A = log. 255 + log. cos. A
 h^2 255 2.406540
cos. A 57° 14′ 9.733373

 cos. A 57° 14'
 9.733373

 b 138.01
 2.139913

^{*,} In the Analytical Method these numbers standing alone in parentheses refer to the equations with the same number.

- 93. As the logarithmic sine, cosine, &c. of the tables are increased by 10 (Art. 32), the resulting logarithm must be diminished by 10 as often as these functions appear as factors.
- 194. In the cases that follow, where division is performed by logarithms, we add the complement. As the logarithmic sine, cosine, &c. of the tables are increased by 10, the resulting logarithm is the logarithm sought.
 - Ex. 2. Given h 1676, A 67° 13′, to find a and b.

Ans.
$$\begin{cases} a & 1545.23. \\ b & 649.03. \end{cases}$$

Ex. 3. Given h 78.4, B 15° 51′, to find a and b.

Ans.
$$\begin{cases} a & 75.42. \\ b & 21.41. \end{cases}$$

CASE II.

95. Given a side about the right angle and an acute angle.

By (37)

$$a = h \sin A$$

 $b = h \sin B$

Ex. 1. Given a 195, B 64° 43′, to find b and h.

a 195		2.290035
sin. A = \cos . 64° 43′	comp.	0.369476
h 456.57		2.659511
h .		2.659511
sin. B 64° 43′		9.956268
b 412.84		2.615779

Ex. 2. Given b 1075, B 75° 49′, to find a and h.

Ans.
$$\begin{cases} a & 271.68. \\ h & 1108.79. \end{cases}$$

Ex. 3. Given b 17.45, A 47° 31′, to find a and h.


Ans.
$$\begin{cases} a & 19.05. \\ h & 25.84. \end{cases}$$

CASE III.

96. Given a side about the right angle and the hypothenuse.

By (36) and (37)
$$\sin A = \frac{a}{b}$$

$$b = h \sin B$$



Ex. 1. Given h 24.5, a 17.4, to find the other parts.

 $\begin{array}{c} b \ 17.248 & \overline{} \\ b \ 17.248 & \overline{} \\ \hline 0 \text{ therwise } b \ \text{can be found from the formula } b^2 = b^2 - a^2. \end{array}$

 $\therefore b = \sqrt{(h+a)(h-a)}$ Ex. 2. Given h 172.8, b 14.17, to find the other parts.

Ans.
$$\begin{cases} A 85^{\circ} 17' 47''. \\ B 4^{\circ} 42' 13''. \\ a 172.218. \end{cases}$$

CASE IV.

97. Given the sides about the right angle.

By (38) and (37)

tan.
$$A = \frac{a}{b}$$

$$h = \frac{a}{\sin A}$$

Ex. 1. Given a 195, b 147, to find the other parts.

a 195		2.290035
b 147	comp.	7.832683
tan. A 52° 59′ 22″		$\overline{10.122718}$

B = 90°

$$\overline{52°}$$
, 59′, 22″
 $\overline{37°}$ 0′, 38″

 a 195
 2.290035

 sin. A 52° 59′, 22″
 comp. 0.097712

 b 244.2
 2.387747

Otherwise h can be found from the formula $h^2 = a^2 + b^2$; then the angles by (36).

Ex. 2. Given a 189, b 14, to find the other parts.

Ans.
$$\begin{cases} A 85^{\circ} 45' 49''. \\ B 4^{\circ} 14' 11''. \\ h 189.518. \end{cases}$$

98. In the following Examples two parts of a right-angled triangle are given, and the others required.

1. Given b 217, h 915. Ans.
$$\begin{cases} a 888.896. \\ A 76^{\circ} 16' 52''. \\ B 13^{\circ} 43' 8''. \end{cases}$$

2. Given a 174, b 1927. Ans.
$$\begin{cases} A & 5^{\circ} & 9' & 34''. \\ B & 84^{\circ} & 50' & 26''. \\ h & 1934.89. \end{cases}$$

3. Given a 17.94, A 15° 39'. Ans.
$$\begin{cases} b & 64.038. \\ h & 66.503. \end{cases}$$

4. Given
$$h$$
 47.9, A 59° 17'. Ans. $\begin{cases} a \ 41.1798. \\ b \ 24.467. \end{cases}$

5. Given a 298, h 744. Ans.
$$\begin{cases} A 23^{\circ} 36' 42''. \\ B 66^{\circ} 23' 18''. \\ b 681.712. \end{cases}$$

6. Given a 9.75, b 13.44. Ans.
$$\begin{cases} A & 35^{\circ} 57' & 32''. \\ B & 54^{\circ} & 2' & 28''. \\ h & 16.60. \end{cases}$$

7. Given b 0.02518, A 34° 7′ 10″. Ans.
$$\begin{cases} a \ 0.01706. \\ h \ 0.03042. \end{cases}$$

OBLIQUE-ANGLED TRIANGLES.

- 99. In solving oblique-angled triangles, there are four cases. There may be given,
 - 1. Two angles and a side;
 - 2. Two sides and an angle opposite one of them;
 - 3. Two sides and the included angle;
 - 4. The three sides.


For solving these we demonstrate the three following Theorems.

THEOREM II.

100. In any plane triangle, the sides have the same ratio as the sines of the opposite angles.

Let a, b, c represent the sides opposite the angles A, B, C, respectively. Then

$$a:b:c=\sin A:\sin B:\sin C$$



From B draw BD perpendicular to b. Then ABD and BDC being right-angled triangles, by (37) we have

$$c \sin A = BD = a \sin C$$

 $a : c = \sin A : \sin C$

hence

In like manner it can be shown that

$$a:b = \sin A: \sin B$$

 $b:c = \sin B: \sin C$

Therefore

$$a:b:c = \sin A:\sin B:\sin C$$
 (41)

101. If the perpendicular falls without the triangle, the angles BCA and BCD, being supplements of each other, have the same sine, and



$$BD = a \sin BCD = a \sin C$$

THEOREM, III.

102. In any plane triangle, the sum of any two sides is to their difference, as the tangent of half the sum of the opposite angles is to the tangent of half their difference.

Let A B C (Art. 103) be a plane triangle; then
$$a+c:a-c=\tan\frac{1}{2}$$
 (A + C): $\tan\frac{1}{2}$ (A — C)

By (41) we have

$$a:c=\sin A:\sin C$$

By composition and division (Geom. Pn. 19)

$$a + c : a - c = \sin A + \sin C : \sin A - \sin C$$

or

$$\frac{a+c}{a-c} = \frac{\sin. A + \sin. C}{\sin. A - \sin. C}$$

But by (25)

$$\frac{\sin A + \sin C}{\sin A - \sin C} = \frac{\tan \frac{1}{2}(A + C)}{\tan \frac{1}{2}(A - C)}$$

Therefore

In the triangle ABC

$$\frac{a+c}{a-c} = \frac{\tan \frac{1}{2} (A+C)}{\tan \frac{1}{2} (A-C)}$$

or
$$a + c : a - b = \tan \frac{1}{2} (A + C) : \tan \frac{1}{2} (A - C)$$
 (42)

THEOREM IV.

103. In any plane triangle, the cosine of any angle is equal to the sum of the squares of the two adjacent sides minus the square of the opposite side, divided by twice the product of the adjacent sides.

C D =
$$b$$
 - A D
C D² = b^2 - 2 b A D + A D²
Adding BD² to both members, we have (Geom., II. 27)

$$a^2 = b^2 + c^2 - 2 b A D$$
But by (40) A D = c cos. A

$$a^2 = b^2 + c^2 - 2 b c \cos. A$$
Therefore cos. A = $\frac{b^2 + c^2 - a^4}{2bc}$ (43)

104. For greater convenience in using logarithms (43) can be changed by subtracting both members from unity and reducing, as follows:

1 — cos. A =
$$\frac{2 b c - b^2 - c^2 + a^2}{2 b c} = \frac{a^2 - (b - c)^2}{2 b c}$$

= $\frac{(a - b + c) (a + b - c)}{2 b c}$ (44)

But by (35) $1 - \cos A = 2 \sin^2 \frac{1}{2} A$

Substituting in (44) this value of $1 - \cos$. A, and also putting $s = \frac{a+b+c}{2}$, and reducing, we have

sin.
$$\frac{1}{2}$$
 A $=$ $\sqrt{\frac{(s-b)(s-c)}{bc}}$
In like manner
$$\sin \frac{1}{2} B = \sqrt{\frac{(s-a)(s-c)}{ac}}$$

$$\sin \frac{1}{2} C = \sqrt{\frac{(s-a)(s-b)}{ab}}$$
(45)

105. Adding both members of (43) to unity, we have

$$1 + \cos A = \frac{2 b c + b^2 + c^2 - a^2}{2 b c} = \frac{(b + c)^2 - a^2}{2 b c}$$
$$= \frac{(b + c + a) (b + c - a)}{2 b c}$$
(46)

But by (35) 1 + \cos A = 2 $\cos^2 \frac{1}{2}$ A

Substituting in (46) this value of $1 + \cos A$, and the value of s as in Art. 104, and reducing, we have

In like manner
$$\cos \frac{1}{2} A = \sqrt{\frac{s(s-a)}{bc}}$$

$$\cos \frac{1}{2} B = \sqrt{\frac{s(s-b)}{ac}}$$

$$\cos \frac{1}{2} C = \sqrt{\frac{s(s-c)}{ab}}$$
(47)

106. Dividing equations (45) by (47) in order, by means of (9) we have

$$\tan \frac{1}{2} A = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}}
\tan \frac{1}{2} B = \sqrt{\frac{(s-a)(s-c)}{s(s-b)}}
\tan \frac{1}{2} C = \sqrt{\frac{(s-a)(s-b)}{s(s-c)}}$$
(48)

CASE I.

107. Given two angles and a side.

By (41)

 \sin . A : \sin . B : \sin . C = a : b : c

Ex. 1. Given A 48°, C 55° 17′, a 417, to find the other parts.



B =
$$180^{\circ}$$
 — $(55^{\circ}\ 17' + 48^{\circ})$ = $76^{\circ}\ 43'$

 sin. A 48°
 comp. 0.128927

 : sin. B $76^{\circ}\ 43'$
 9.988223

 = $a\ 417$
 2.620136

 : $b\ 546.12$
 2.737286

 sin. A 48°
 comp. 0.128927

 : sin. C $55^{\circ}\ 17'$
 9.914860

 = $a\ 417$
 2.620136

 : $c\ 461.24$
 2.663923

Ex. 2. Given A 95° 4', B 25° 14', c 49.17, to find the other parts.

Ans.
$$\begin{cases} C 59^{\circ} 42'. \\ a 56.727. \\ b 24.278. \end{cases}$$

CASE IL

108. Given two sides and an angle opposite to one of them.

By (41) $a:b:c = \sin A:\sin B:\sin C$


Ex. 1. Given a 55, c 49.87, A 25° 44', to find the other parts.

a 55	comp.	8.259637
: c 49.87	_	1.697839
= sin. A 25° 44′		9.637673
: sin. C 23° 11′ 2″		9.595149

 $B = 180^{\circ} - (23^{\circ} 11' 2'' + 25^{\circ} 44') = 131^{\circ} 4' 58''$

sin. C 23° 11′ 2″	comp. 0.404851
: sin. B 131° 4′ 58″	9.877234
= c 49.87	1.697839
: b 95.483	$\overline{1.979924}$

109. If BC, the side opposite the given angle, is less than the other given side AB, and the given angle is acute, there are two triangles which



satisfy the conditions, viz. ABC and ABD, in which the angles BCA and BDA are supplements of each other. The Log. sine obtained in working such an example represents either the angle BCA, or its supplement BDA (Art. 80). If the given angle A is obtuse, or the side opposite the given angle is greater than the other given side, there is but one solution (Geom., VI. 11). Whenever the solution is impossible (Geom., VI. 12), the Log. sine obtained in working the example will be greater than unity (10. in the tables), which is impossible (Art. 58).

Ex. 2. Given a 95.5, c 173.2, A 27° 4', to find the other parts.

Ans.
$$\begin{cases} \text{C 55° 36' 47'',} \\ \text{B 97° 19' 13'',} \\ \text{b 208.17,} \end{cases} \text{ or } \begin{cases} \text{C 124° 23' 13''.} \\ \text{B 28° 32' 47''.} \\ \text{b 100.29.} \end{cases}$$

CASE III.

110. Given two sides and the included angle.

By (42)
$$a + c : a - c = \tan \frac{1}{2} (A + C) : \tan \frac{1}{2} (A - C)$$
By (41)
 $\sin A : \sin B : \sin C = a : b : c$

Ex. 1. Given a 976, c 89, B 51° 17', to find the other parts.

$$\frac{1}{2} (A + C) = \frac{1}{2} (180^{\circ} - 51^{\circ} 17') = 64^{\circ} 21' 30''$$

$$a + c = 1065 \qquad \text{comp. } 6.972650$$

$$: a - c = 887 \qquad \cdot \qquad 2.947924$$

$$= \tan \frac{1}{2} (A + C) = \tan 64^{\circ} 21' 30'' \qquad 10.318746$$

$$: \tan \frac{1}{2} (A - C) = \tan 60^{\circ} 2' 36'' \qquad 10.239320$$

Half the sum plus half the difference gives the greater angle A 124° 24′ 6″; half the sum minus half the difference, the less C 4° 18′ 54″.

sin. C4° 18′ 54″comp. 1.123553: sin. B51° 17′9.892233
$$= c$$
 89 $\frac{1.949390}{2.965176}$

Ex. 2. Given α 91, b 104, C 14° 30′, to find the other parts.

Ans.
$$\begin{cases} A & 55^{\circ} & 5' \ 37''. \\ B & 110^{\circ} & 24' \ 23''. \\ c & 27.783. \end{cases}$$

CASE IV.

111. Given the three sides.

By (48)

tan.
$$\frac{1}{2} A = \sqrt{\frac{(s-b)(s-c)}{s(s-a)}}$$

tan. $\frac{1}{2} B = \sqrt{\frac{(s-a)(s-c)}{s(s-b)}}$
tan. $\frac{1}{2} C = \sqrt{\frac{(s-a)(s-b)}{s(s-c)}}$

Ex. 1. Given a 125, b 135, c 75, to find the angles.

- 112. The angles can also be obtained from formula (45) or (47). As the sines differ from each other more for angles between 0° and 45°, the cosines for angles between 45° and 90°, (45) is preferable when the half-angle is less than 45°, and (47) when the half-angle is more than 45°. But (48) is more accurate for all angles, and requires but four logarithms.
- 113. The sum of any two sides must be greater than the remaining side, otherwise the triangle is impossible.

Ex. 2. Given a 347, b 542, c 476, to find the angles.

Ans.
$$\begin{cases} A & 39^{\circ} & 11' & 14''.5. \\ B & 80^{\circ} & 43' & 43''.5. \\ C & 60^{\circ} & 5' & 2''. \end{cases}$$

CHAPTER VI.

PRACTICAL APPLICATIONS.

DEFINITIONS.

- 114. A Horizontal Plane is a plane which is tangent to the earth's surface, and every line in this plane is a horizontal line.
- 115. A Vertical Line is a line which is perpendicular to a horizontal plane, and every plane including in its surface such a line is a vertical plane.
 - 116. A Horizontal Angle is one that has the plane of its sides horizontal.
 - 117. A Vertical Angle is one that has the plane of its sides vertical.
 - 118. An Angle of Elevation is a vertical angle having one side horizontal, and the inclined side above it; as CAB (Art. 120).
 - 119. An Angle of Depression is a vertical angle having one side horizontal, and the inclined side below it; as FBA.


HEIGHTS AND DISTANCES.

PROBLEM I.

120. To determine the height of a vertical object standing on a horizontal plane.


Suppose it is required to find the height of BC.

From the foot of BC measure any convenient distance CA, and at A take the angle of elevation CAB. Then, in the right-angled triangle ABC, all the angles and the side AC are known, and BC can be found.



121. Second Method. Without measuring the angle of elevation CAB, the height of BC may be found, as follows:

Cut a stake equal in length to the distance of your eye from the ground; move away from BC, until, by taking the position



A D, with your head at A and the stake D E standing perpendicular at your feet, you can just see, in a line with the top of the stake, the top of the object.

Then, since AD is equal to DE, AC is equal to CB (Geom. II. 20); and if AC is measured, CB becomes known.

This method is used in finding the heights of trees, or the length of that part of the tree which is fit for timber.

122. Third Method. When shadows are cast by objects, still another method can be used.


Measure the height of any convenient vertical object and the length of its shadow, and also the length of the shadow of the object whose height is sought. Then (Geom. II. 20) the length of the shadow of the one is to its height as the length of the shadow of the other to its height.

- 123. If the height BC is known, by taking any position, as A, and measuring the angle BAC, the distance AC can be found.
- 124. If from the top of the tower the angle of depression FBA, which is equal to BAC, is taken, then, if BC is known, AC can be found; if AC is known, BC can be found.
- Ex. 1. The distance AC is 100 feet, and the angle BAC 41° 15'; what is the height of the tower? Ans. 87.6976 ft.

PROBLEM II.

125. To find the height of a vertical object standing on an inclined plane.

Measure any convenient distance from the object, as CD, and the angles of elevation of both DC and DB. Then all the angles, and the side DC, of the triangle DBC, are known, and AC can be found.




Ex. 1. If DC is 55 feet, and the angle of elevation of DC is 10°, and of DB 36°, what is the height of the tree?

Angle B D C =
$$36^{\circ}$$
 - 10° = 26°
Angle D B C = 90° - 36° = 54°

Ans. 29.8 ft.


126. Second Method. If two stations be taken in the line AC, as A and D, and the distance AD and the angles of elevation of AB, DB, and DC are measured, then in the triangle ABD all the angles and the side AD are known, and BD can be found; then in the triangle BDC all the angles and the side BD are known, and BC and CD can be found.

Ex. 2. If A D is 11.5 feet, and the angle of elevation of A B 38°, of D B 41°, and of D C 9°, what is the height of the tree? Angle B A D = 29°, B D C = 32°, A B D = 3°, B C D \neq 99°.



127. To find the height of an inaccessible object above a horizontal plane.


The first method is precisely the same as the last method in Prob. II., the angle of elevation of A D being 0°.



128. Second Method. Rule. Divide the distance between the stations by the difference of the natural cotangents of the angles of elevation.

DEMONSTRATION.*

With B as the centre, and BA as radius, describe the arc AE; produce BC till it meets the arc at E; at the point E draw EG tangent to the arc, and produce BD and BA to H and G.



$$AD:GH = BD:BH = BC:BE$$

$$AD:GH = BC:BE$$

$$BC = \frac{BE \times AD}{GH}$$

But BE is radius or unity, and GH is the difference between the tangents of the angles GBE and HBE, that is, between the cotangents of BAC and BDC:

$$\therefore BC = \frac{AD}{\cot BAC - \cot BDC}$$

Ex. 1. If the distance A D is 97 feet, and the angles of elevation of A B and D B are respectively 37° 22′ and 56° 10′, what is the height B C ?

+ cot. 37° 22′ 1.30952 cot. 56° 10′ 0.67028 0.63924)97,00000(151.7 ft. Ans.


129. Third Method. Measure any base line AD, and the

* Analytical. A C = B C tan. A B C D C = B C tan. D B C
$$\therefore A C - D C = A D = B C (tan. A B C - tan. D B C)$$

$$B C = \frac{A D}{\cot B A C - \cot B D C}$$

† To find the Nat. Cot. from the Log. Tables subtract 10 from the characteristic of the Log. Cot., and then find its corresponding natural number from the Table of Logarithms.

horizontal angles CAD and CDA, and the vertical angle CAB. Then, in the triangle ACD, we have one side and all the angles, and AC can be found; then, in the right-angled triangle ABC, we have one side and



all the angles, and the height BC can be found.

Ex. 2. At the point A, I took the angle of elevation of the top of the tower BC 34° 45′; then, turning at a right angle, I measured off AD 40 feet, and measured the angle ADC 58°. What is the height of the tower?

Ans. 44.4 ft.


PROBLEM IV..

130. To find the distance of an inaccessible object.

Measure a horizontal base line A C, and the angles BAC and ACB. Then, in the triangle A B C, we have one side and all the angles, and A B or C B can be found.

Ex. 1. If A C is 20 chains, the angle A 25°, and C 92°, what is the distance A B?


Ans. 22.43 chs.



PROBLEM V.

131. To find the distance between two objects separated by an impassable barrier.

Take any station C, from which both A and B are visible and accessible. Measure the angle ACB, and the sides AC and CB. Then, in the triangle ABC, we have two sides and the included angle, to find the third side AB.



- 132. If the point A can be seen at B, the angle ABC can also be measured, and then only one side, AC or CB, whichever is most convenient, need be measured. Then, in the triangle ABC, we have one side and all the angles, and AB can be found.
- Ex. 1. If A C is 44.4 chains, C B 50 chains, and the angle C 39° 25′, what is the distance A B?


 Ans. 32.268 chs.
- 133. If there is an elevated object, whose height is known, in the line A B produced, from which the points A and B can both be seen, by taking the angles of depression of A and B, the distance A B can be found by a rule the reverse of that given in Art. 128, viz.: Multiply the difference of the natural cotangents of the angles of depression by the height of the object.
- Ex. 2. Wishing to know the width of a river, from the top of a tower 197 feet above the level of the river, I found the angle of depression of the nearer edge 54° 10′, of the farther 48° 37′; what was the width of the river? Ans. 31.3 ft.

PROBLEM VI.

134. To find the distance between two inaccessible objects.

Measure any convenient base line AD, and the angles BAD, BDA, CDA, and CAD.

Then, in the triangle ABD, we have all the angles and the side AD, and BD can be found. In the triangle ACD we have all the angles and the side AD, and



- CD can be found. Then, in the triangle BCD, the two sides BD and DC and the included angle are known, and BC, the distance required, can be found.
- Ex. 1. If AD is 40 rods long, the angle BAD 100°, ADB 51°, CDA 120°, and CAD 55°, what is the distance between B and C?


 Ans. 355.05 rds.



PROBLEM VII.

135. To find the distances, from a given point, of three objects whose distances from each other are known.

Let D be the given point, and A, B, C three points whose distances from each other are known; it is required to find the distance from D to the several points. The angles A D B and B D C must be measured. Then describe a circumference through the three points A, D, C; draw A B, B C, A C, A D, B D, C D; from A and C draw lines to E, the point where



BD cuts the circumference. In the triangle AEC the side AC is given, and all the angles are known; for ECA = EDA, and CAE = CDE (Geom., III. 22); therefore AE can be found.

In the triangle ABC, the three sides being given, the three angles can be found. Then, in the triangle ABE, we know the sides AB, AE, and the included angle BAE (= BAC — EAC), and the angle ABE can be found. Then, in the triangle ABD, all the angles become known, and the side AB is given; therefore AD and BD can be found; then CD can also be found.

136. If the point B is between D and the line AC, the angle BAE = BAC + EAC. But in this case the distances AB and BC cannot be the same as when B is beyond the line AC, unless BD cuts AC at right angles.

If, however, BD cuts AC at right angles, and the position of B is not known, though the distances of A and C from D can be found, the distance of B will be ambiguous; B may be in either of two points in the line BD.

If the angle B is the supplement of ADC, the point B will fall on E, and BCA = BDA and CAB = CDB. In this case D may be anywhere in the arc ADC, and the distances

A D, B D, C D cannot be determined from the data given. Also, if A, B, C, D are in the same straight line, the distances cannot be determined.

Ex. 1. If AB (Fig. Art. 135) is 50, BC 65, AC 38.62 chains in length, the angle ADB 10°, BDC 12° 14′, what are the distances AD, BD, CD?

Ans. AD 100, BD 145.37, CD 84.828 chs.

DETERMINATION OF AREAS.

137. The Areas of triangles, parallelograms, and trapezoids, when their altitudes are given, can be found by application of the principles already demonstrated in Geometry. But by Trigonometry the areas of these polygons can be found when in the triangle and parallelogram, in place of the base and altitude, two adjacent sides and an angle, and in the trapezoid the sides and two opposite angles, are given.

PROBLEM I.

138. To find the area of a parallelogram.

Rule I. Multiply the base by the altitude. (Geom., II. 10.)

Ex. 1. How many square yards are there in the sides, floor, and ceiling of a rectangular room, 20 feet long, 16 feet wide, and 10 feet high?


139. If two adjacent sides and an angle are given, the area can be found by

Rule II. Multiply together the two adjacent sides and the sine of the included angle.

For, by Theorem I.,

 $ED = AD \times \sin. A$ $Area = AB \times ED = AB \times AD \times \sin. A$

If the work is done by logarithms, ten must be taken from the index of the log. sine. (Art. 32.)



Ex. 2. What is the area of a parallelogram whose adjacent sides are 475 and 355 feet, and the included angle 49°? - 777

PROBLEM II.

140. To find the area of a triangle.

RULE I. Multiply one half the base by the altitude. (Geom., II. 11.)

141. As a triangle is half a parallelogram of the same base and altitude, when two sides and the included angle are given, the area can be found (139) by

RULE II. Multiply together the two sides and half the sine of the included angle.

- Ex. 1. What is the area of a triangle whose two sides are 75 and 14 rods, and the included angle 71° = 9, 97.56 70
- 142. When the three sides are given, an angle can be found, and then the area by the last rule; or, without finding an angle, the area can be found by the following rule:

RULE III. From half the sum of the three sides subtract successively the three sides; multiply together these three remainders and the half-sum, and extract the square root of the product.

Let a, b, c denote respectively the sides opposite the angles A, B, C.

D C = A C - A D
D C² = A C² - 2 A C
$$\times$$
 A D + A D² A

 $\stackrel{c}{D}$
 $\stackrel{c}{D}$

Adding B D² to both members, by Geom., II. 27, we have

or
$$B C^{2} = A C^{2} + A B^{2} - 2 A C \times A D$$

$$a^{2} = b^{2} + c^{2} - 2 b \times A D$$

$$\therefore A D = \frac{b^{2} + c^{2} - a^{2}}{2 b}$$

But (Geom., II. 28)
$$BD^2 = AB^2 - AD^2$$
 $\therefore BD^2 = c^2 - \left(\frac{b^2 + c^2 - a^2}{2b}\right)^2$
 $= \frac{4b^2c^2 - (b^2 + c^2 - a^2)^2}{4b^2}$

and $BD = \sqrt{\frac{4b^2c^2 - (b^2 + c^2 - a^2)^2}{4b^2}}$
 $Area = \frac{AC \times BD}{2} = \frac{b}{2}\sqrt{\frac{4b^2c^2 - (c^2 + a^2 - b^2)^2}{4b^2}}$
 $= \sqrt{\frac{4b^2c^2 - (b^2 + c^2 - a^2)^2}{16}}$

As the product of the sum and difference of two quantities is equal to the difference of their squares, we have

$$4\ b^2c^2-(b^2+c^2-a^2)^2=(2\ b\ c-[b^2+c^2-a^2])\times (2\ b\ c+[b^2+c^2-a^2])$$

But

$$2 b c - (b^{2} + c^{2} - a^{2}) = a^{2} - (b^{2} - 2 b c + c^{2}) = a^{2} - (b - c)^{2}$$
 and
$$a^{2} - (b - c)^{2} = (a + [b - c]) \times (a - [b - c]) = (a + b - c) \times (a + c - b)$$

and so also
$$2 \ bc + (b^2 + c^2 - a^2) = (b + c)^2 - a^2 = (b + c - a) \times (b + c + a)$$

$$\therefore \text{ Area} = \sqrt{\frac{(a+b+c) \times (b+c-a) \times (a+c-b) \times (a+b-c)}{16}}$$
Putting
$$s = \frac{a+b+c}{2}$$

we have

Area =
$$\sqrt{s(s-a)(s-b)(s-c)}$$

Ex. 1. What is the area of a triangle whose sides are 45, 55, and 60 feet?

$$s = \frac{160}{2} = 80 \text{ Log.}$$
 1.903090
 $80 - 45 = 35$ " 1.544068
 $80 - 55 = 25$ " 1.397940
 $80 - 60 = 20$ " 1.301030
2)6.146128
3.073064

Ans. 1183.2 sq. ft.

PROBLEM III.

- 143. To find the area of a trapezoid.
- RULE I. Multiply half the sum of the parallel sides by the perpendicular distance between them.
 - 144. If the angles are known, we can use
- Rule II. Divide the trapezoid by a diagonal, and find the area of each triangle (141); their sum will be the area required.
- 145. If the length of the diagonal is known, the area of these triangles may be found by (142).

This rule applies equally well to a trapezium.

- Ex. 1. Find the area of a trapezoid whose parallel sides are 97 and 84, and the perpendicular distance between them 47 feet. = 4/32
- Ex. 2. Find the area of a figure whose four sides are succes sively 27, 77, 28, and 85 rods in length, the angle between the first and second side 93°, and between the third and fourth 76° 15′.

 Ans. 13 acres, 2 roods, 33.97 sq. rds.
- Ex. 3. Find the area of a trapezium whose sides are successively 35.8, 13.32, 35.84, and 17.8 rods, and the line from the beginning of the first to the end of the second side 38.9 rods.

Ans. 3 acres, 1 rood, 36.25+ sq. rds.

PROBLEM IV.

146. To find the area of any polygon.

If the diagonals necessary to divide the figure into triangles have been measured, the area can be found by finding the sum of the areas of the several triangles.

When these diagonals are not known, the method generally used is called the *rectangular method*. The exposition of this method belongs more properly under the head of surveying.

MISCELLANEOUS EXAMPLES.

- 1. The distance up the inclined surface of a hill whose angle of elevation is 7°, is 25 rods; the hill descends on the other side to the same level, with an inclination of 15°. How many pickets three inches wide, placed three inches apart, will it take to build a fence over the hill?

 Ans. 1194.
- 2. Having measured a horizontal line from the base of a vertical tower to the distance of 160 feet, I find that the angle of elevation of the top of the tower is 21°. What is the height of the tower?

 Ans. 61.418 ft.
- 3. Having measured from the base of a hill, whose inclination is 65°, 25 rods on a horizontal plane, I find that the angle of elevation of the top is 16° 25′. What is the altitude of the hill above the horizontal plane?

 Ans. 8.538 rds.
- 4. Two observers, A and B, at sea, a mile apart, take at the same time the angles of elevation of a meteor which appears due west of each. A finds the angle 21° 50′, B 19° 30′. What is its altitude?

 Ans. 3.049 ms.
- 5. From a steeple 65 feet above the level of an adjacent pond, the angle of depression of one edge is 40° 10′, of the other 21° 30′. What is the width of the pond, and its distance from the church?

 Ans. Width 88 ft., distance 77 ft.
- 6. When a tree 25 feet high casts a shadow 100 feet long, what is the sun's altitude?

 Ans. 14° 2′ 10″.
- 7. From the base of a tower, the angle of elevation of the top of a second tower is 30°, and from the top of the first, which is 175 feet high, the angle of depression of the top of the second is 10°. If both stand on the same horizontal plane, what is the height of the second?

 Ans. 134.05 ft.
 - 8. In the ruins of Persepolis there stand two upright col-

PRACTICAL APPLICATIONS.

1119 -

umns, one 64, the other 50 feet above the plane; in a line between these, on the same plane, stands a statue, whose head is 86 feet from the summit of the lower, and 97 feet from that of the higher column, and the distance from the foot of the lower column to the centre of the base of the statue is 76 feet. What is the distance between the tops of the columns?

Ans. 157.03 ft.

- 9. If the horizontal parallax of the sun, that is, the angle at the centre of the sun, subtended by the radius of the earth (3962 miles) is 8".5776 (log. sine 5.6189407) what is the distance of the sun from the earth?

 Ans. 95273760.9 ms.
- 10. If the angle at the earth, subtended by the sun's diameter, is 32', and the distance as above, what is the diameter of the sun?

 Ans. 886845.5 ms.
- 11. If the moon's horizontal parallax is 57' 9", what is its distance from the earth?

 Ans. 238341.8 ms.
- 12. If the moon subtends an angle at the earth of 31' 7", and its distance is as above, what is its diameter?


Ans. 2157+ ms.

- 13. If the annual parallax, that is, the angle at the object, subtended by the radius of the earth's orbit, of the nearest fixed star (a Centauri) is nearly 1" (log. sine 4.685575), what is its minimum distance?

 Ans. 196500000000000.
- 147. The angle which a line makes with the meridian is called the bearing of the line. Thus, if NS is the meridian and the angle NAB 40°, NAC 75°, SAD 45°, the bearing is of

AB, N. 40° W, or of BA, S. 40° E. AC, N. 75° E., or of CA, S. 75° W.


AD, S. 45° E., or of DA, N. 45° W.



When the bearing of two lines which form an angle is given it is easy to find by inspection the number of degrees in the angle. Thus, the angle

$$BAC = 40^{\circ} + 75^{\circ} = 115^{\circ}$$

 $BAD = 40^{\circ} + (180 - 45^{\circ}) = 175^{\circ}$
 $CAD = 180^{\circ} - 75^{\circ} - 45^{\circ} = 60^{\circ}$



- 14. Having run a line 85 rods S. 45° E., I came to an impassable marsh, and, sending a man round to the other side of the marsh, I placed him exactly in the line; then, running N. 20° E. 20 rods, I found that the bearing of the man was S. 24° E.; then, going to the man, I ran the line (S. 45° E.) to the corner 44 rods farther. What is the whole length of the line?

 Ans. 167.76 rds.
- 15. Wishing to find the distance between two objects just visible in the distance, I measured a base line 100 rods due east, and, at the west end of the line, found the bearing of both objects; one N. 17° W., the other N. 45° E.; at the other end, one N. 23° 30′ W., the other N. 40° E. What is the distance?

 Ans. 871.92 rds.
- 16. Coming into a harbor I observed a tower, eastward of it a steeple, and still farther eastward a cliff. The bearing of the tower was found to be N. 17° E., of the steeple N. 20° E, and of the cliff N. 26° 30′ E. From a chart, the three objects were found to be in one straight line; from the tower to the steeple the distance was set down as 25 rods, and from the steeple to the cliff $54_{\frac{7}{20}}$ rods. What is my distance from each object?

Ans. Tower, 477.68 rods.; steeple, 477.06 rods.; cliff, 480.2 rods.

A TABLE 1. 38 0 2 1/

LOGARITHMS OF NUMBERS.



N.	Log.	N.	Log.	N.	Log.	N.	Log.
1	0.000000	26	1.414973	51	1.707570	76	1.880814
2	0.301030	27	1.431364	52	1.716003	77	1.886491
3	0.477121	28	1.447158	53	1.724276	78	1.892095
4	0.602060	29	1.462398	54	1.732394	79	1.897627
5	0.698970	30	1.477121	55	1.740363	80	1.903090
6	0.778151	31	1.491362	56	1.748188	81	1 908485
7	0.845098	32	1.505150	57	1.755875	82	1.913814
8	0.903090	33	1.518514	58	1.763428	83	1.919078
9	0.954243	34	1.531479	59	1.770852	84	1.924279
10	1.000000	35	1.544068	60	1.778151	85	1.929419
111	1.041393	36	1.556303	61	1.785330	86	1.934498
12	1.079181	37	1.568202	62	1.792392	87	1.939519
13	1.113943	38	1.579784	63	1.799341	88	1.944483
14	1.146128	39	1.591065	64	1.806180.	89	1.949390
15	1 176091	40	1.602060	65	1.812913	90	1.954243
16	1 204120	41	1.612784	66	1.819544	91	1.959041
17	1.230449	42	1.623249	67	1.826075	92	1.963788
18	1.255273	43	1.633468	68	1.832509	93	1.968483
19	1.278754	44	1.643453	69	1.838849	94	1.973128
20	1.301030	45	1.653213	70	1.845098	95	1.977724
21	1.322219	46	1.662758	71	1.851258	96	1.982271
22	1.342423	47	1.672098	72	1.857333	97	1.986772
23	1.361728	48	1.681241	73	1.863323	98	1.991226
24	1.380211	49	1.690196	74	1.869232	99	1.995635
25	1.397940	ll 50	1.698970	75	1.875061	100	2.000000

In the following table, in the last nine columns of each page, where the first or leading figures change from 9's to 0's, points or dots are introduced instead of the 0's through the rest of the line, to catch the eye, and to indicate that from thence the annexed first two figures of the Logarithm in the second column stand in the next lower line.

N.	0	1	2	3	4	5	6	7	8	9	D.
100	000000	0434	0868	1301	1734	2166	2598	3029	3461	3891	432
ioi	4321	4751	5181	5609	6038	6466	6894	7321	7748	8174	428
102	8600	9026	9451	9876	.300	.724	1147	1570	1993	2415	424
103	012837	3259	3680	1100	4521	4910	5360	5779	6197	6616	419
104	7033	7451	7868	8284	8700	91.16	9532	9947	.361	.775	416
105	021189	1603	2016	2428	2841	3252	3664	4075	4486	4896	412
106	5306	5715	6125	6533	6942	7350	7757	8164	8571	8978	408
107	9384	9789	.195	.600	1004	1408	1812	2216	2619	3021	404
108	033424	3826	4227	4628	5029	5430	5830	6230	6629	7028	400
109	7426	7825	8223	8620	9017	9414	9811	.207	.602	.998	396
110	041393	1787	2182	2576	2969	3362	3755	4148	4540	4932	393
111	5323	5714	6105	6495	6885	7275	7664	8053	8442	8830	389
112	9218	9606	9993	.380	.766	1153	1538	1924	2309	2694	386
113	053078	3463	3846	4230	4613	4996	5378	5760	6142	6524	382
114	6905	7286	7666	8046	8426	8805	9185	9563	9942	.320	379
115	060698	1075	1452	1829	2206	2582	2958	3333	3709	4083	376
116	4458	4832	5206	5580	5953	6326	6699	7071	7443	7815	372
117	8186	8557	8928	9298	9668	$\frac{38}{3718}$.407	.776	1145	1514	369
118	071882	2250	2617	2985	3352	3718	4085	4451	4816	5182	366
119	5547	5912	$\frac{6276}{}$	6640	7004	7368	7731	8094	8457	8819	363
120	079181	9543	9904	.266	.626	.987	1347	1707	2067	2426	360
121	082785	3144	3503	3861	4219	4576	4934	5291	5647	6004	357
122	6360	6716	7071	7426	7781	8136	8493	8845	9198	9552	355
123	9905	.258	.611	.963	1315	1667	2618	2370	2721	3071	351
$\begin{array}{c c} 124 \\ 125 \end{array}$	093422	3772	4122	4471	4820 8298	5169 8644	5518	5866	6215	6562	349
126	6910 100371	7257 0715	7604 1059	$7951 \\ 1403$	1747	2091	8990 2434	9335 2777	9681 3119	$\frac{26}{3462}$	346 343
127	3804	4146	4487	4828	5169	5510	5851	6191	6531	6871	340
128	7210	7549	7888	8227	8565	8903	9241	95791	9916	.253	338
129	110590	0926	1263	1599	1934	2270	2605	2940	3275	3609	335
130	113943	$\frac{3377}{4277}$	4611	$\frac{1933}{4944}$	$\overline{5278}$	5611	5943	$\overline{6276}$	6603	6940	333
131	7271	7603	7934	8265	8595	8926	9256	9586	9915	.245	330
132	120574	0903	1231	1560	1888	2216	2544	2871	3198	3525	328
133	3852	4178	4504	4830	5156	5481	5806	6131	6456	6781	325
134	7105	7429	7753	8076	8399	8722	9045	9368	9690	12	323
135	130334	0655	0977	1298	1619	1939	2260	2580	2900	3219	321
136	3539	3858	4177	4496	4814	5133	5451	5769	6086	6403	318
137	6721	7037	7354	7671	7987	8303	8618	8934	9249	9564	315
138	9879	.194	.508	.822	1136	1450	1763	2076	2389	2702	314
139	143015	3327	3639	3951	4263	4574	4885	5196	5507	5818	311
140	146128	6438	6748	7058	7367	7676	7985	8294	8603	8911	309
141	9219	9527	9835	.142	.449	.756	1063	1370	1676	1982	307
142	152288	2594	2900	3205	3510	3815	4120	4424	4728	5032	305
143	5336	5640	5943	6246	6549	6852	7154	7457	7759	8061	303
144	8362	8664	8965	9266	9567	9868	.168	.469	.769	1068	301
145	161368	1667	1967	2266	2564	2863	3161	3460	3758	4055	299
146	4353	4650	4947	5244	5541	5838	6134	6430	6726	7022	297
147	7317	7613	7908	8203	8497	8792	9086	9380	9674	9968	295
148	170262	0555	0848	1141	1434	1726	2019	2311	2603	2895	
149	3186	3478	$\frac{3769}{}$	4060	4351	4641	4932	$\underline{5222}$	5512	5802	291
150	176091	6381	6670	6959	7248	7536	7825	8113	8401	8689	289
151	8977	9264	9552	9839	.126	.413	.699	.985	1272	1558	287
152	181844	2129	2415	2700	2985	3270	3555	3839	4123	4407	285
153	4691	4975	5259	5542	5825	6108	6391	6674	6956	239	283
154 155	7521 190332	$\begin{array}{c} 7803 \\ 0612 \end{array}$	$8084 \\ 0892$	8366 1171	$8647 \\ 1451$	8928 1730	9209 2010	9490 2289	9771 2567	$\frac{51}{2846}$	281 279
156	3125	3403	3681	3959	4237	4514	4792	5069	5346	5623	278
157	5899	6176	6453	6729	7005	7281	7556	7832	8107	8382	276
158	8657	8932	9206	9481	9755	29	.303	.577	.850	1124	274
159	201397	1670	1943	2216	2488	2761	3033	3305	3577	3848	272
				_							-
N.	0	1	2	3	4	5	6	7	8	9	D.

LOGARITHMS OF NUMBERS.

N.	0	1	de l	1)3.	V 48	4	96 1	071	8	9	D.
			- 0				_				-
160	204120 6826	4391 7096	4663 7365	4934 7634	5204 7904	5475	5746 8441	$\frac{6016}{8710}$	$6286 \\ 8979$	6556 9247	$\frac{271}{269}$
161 162	9515	9783	51	.319	.586	.853	1121	1388	1654	1921	267
163	212188	2454	2720	2986	3252	3518		4049	4314	4579	266
164	4844	5109	5373	5638	5902	6166	6430	6694	6957	7221	264
165	7484	7747	8010	8273	8536	8798	9060	9323	9585	9846	262
166	220108	0370	0631	0892	1153	1414	1675	1936	2196	2456	261
167	2716	2976	3236	3496	3755	4015	4274	4533	4792	5051	259
168	5309	5568	5826	6084	6342	6600	6858	7115	7372	7630	258
169	7887	8144	8400	8657	8913	9170	9426	9682	9938	. 193	256
170	230449	0704	0960	1215	1470	1724	1979	$\overline{2234}$	2488	2742	$\overline{254}$
171	2996	3250	3504	3757	4011	4264	4517	4770	5023	5276	253
172	5528	5781	6033	6285	6537	6789	7041	7292	7544	7795	252
173	8046	8297	8548	8799	9049	9299	9550	9800	50	.300	250
174	240549	0799	1048	1297	1546	1795	2044	2293	2541	2790	249
175	3038	3286	3534	3782	4030	4277	4525	4772	5019	5266	248
176	5513	5759	6006	6252	6499		6991	7237	7482	7728	246
177	7973	8219	8464	8709	8954	9198	9443	9687	9932	.176	245
178	250420	0664	0908	1151	1395	1638	1881	2125	2368	2610	243
179	2853	3096	3338	3580	3822	4064	4306	4548	4790	5031	242
180	255273	5514	5755	5996	6237	6477	6718	6958	7198	7439	$\frac{1}{241}$
181	7679	7918	8158	8398	8637	8877	9116	9355	9594	9833	239
182	260071	0310	0548	0787	1025	1263	1501	1739	1976	2214	238
183	2451	2688	2925	3162	3399	3636	3873	4109	4346	4582	237
184	4818	5054	5290	5525	5761		6232	6467	6702	6937	235
185	7172	7406	7641	7875	8110	8344	8578	8812	9046	9279	234
186	9513	9746	9980	.213	.446	.679	.912	1144	1377	1609	233
187	271842	2074	2306	2538	2770	3001	3233	3464	3696	3927	232
188	4158	4389	4620	4850		5311	5542	5772	6002	6232	230
189	6462	6692	6921	7151	7380	7609	7838	8067	8296	8525	229
190	278754	8982	9211	9439	9667	9895	.123	.351	.578	.806	228
191	281033	1261	1488	1715	1942	2169	2396	2622	2849	3075	227
192	3301	3527	3753	3979	4205	4431	4656	4882	5107	5332	226
193	5557	5782	6007	6232	6456	6681	6905	7130	7354	7578	225
194	7802	8026	8249	8473	8696	8920	9143	9366	9589	9812	223
195	290035	0257	0480	0702	0925	1147	1369	1591	1813	2034	222
196	2256	2478	2699	2920	3141	3363	3584	3804	4025	4246	221
197	4466	4687	4907	5127	5347	5567	5787	6007	6226	6446	220
198	6665	6884	7104	7323	7542	7761	7979	8198	8416	8635	219
199	8853	9071	9289	9507	9725	9943	.161	.378	.595	.813	218
200	301050	1247	1464	1681	1898	2114	2331	2547	2764	$\bar{2980}$	$\overline{217}$
201	3196	3412	3628	3844	4059	4275	4491	4706	4921	5136	216
202	5351	5566	5781	5996	6211	6425	6639	6854	7068	7282	215
203	7496	7710	7924	8137	8351	8564	8778	8991	9204	9417	213
204	9630	9843	56	.268	.481	.693	.906	1118	1330	1542	212
205	311754	1966	2177	2389	2600	2812	3023	3234	3445	3656	211
206	3867	4078	4289	4499	4710	4920	5130	5340	5551	5760	210
207	5970	6180	6390	6599	6809	7018	7227	7436	7646	7854	209
208	8063	8272	8481	8689	8898	9106	9314	9522	9730	9938	208
209	320146	0354	0562	0769	0977	1184	1391	1598	1805	2012	207
210	322219	2426	2633	2839	3046	3252	$\overline{3458}$	3665	3871	4077	206
211	4282	4488	4694	4899	5105	5310	5516	5721	5926	6131	205
212	6336	6541	6745	6950	7155	7359	7563	7767	7972	8176	204
213	8380	8583		8991	9191		9601	9805	8	.211	203
214	330414	0617	0819	1022	1225	1427	1630	1832	2034	2236	202
215	2438	2640		3044	3245	3447	3649	3850	4051	4253	202
216	4454	4655		5057	5257	5458	5658	5859	6059	6260	201
217	6460	6660		7060	7260	7459	7659	7858		8257	200
218	8456	8656	8855	9054	9253	9451	9650	9849	47	.246	199
219	340.144	0642	0841	1039	1237	14351	1632	1830°	2028	2225	198
9.1		ī	1 0	1 2	1 4	l E	1 6	-	0		D
N.	1 0	<u> </u>	1 2	1 3	4	5	6	7	_8	9_	D.

2734

LOGARITHMS OF NUMBERS

J.A.	3				-		•			91.94		
Us	4			LOG.	ARITI	IMS	OF N	UMBI	ers.			
11	N.	0	1	2	3	4	5	6	7	8	9	D.
J	220	342423	2620	2817	3014	3212	3409	3606	3802	3999	4196	197
	221	4392	4589		4981	5178	5374	5570	5766		6157	196
- d	222	6353	6549	6744	6939	7135	7330	7525		7915	8110	195
4	223 224	8305 350248	$\begin{array}{c} 8500 \\ 0442 \end{array}$	8694 0636	8889 0829	9083		9472	9666		54	194
η	225	2183		2568	2761	$1023 \\ 2954$	1216 3147	1410 3339	$\frac{1603}{3532}$	$ 1796 \\ 3724$	1989 3916	193 193
1	226	4108	4301	4493	4685	4876	5068	5260	5452	5643	5834	192
1	227	6026	6217	6408	6599	6790	6981	7172	7363	7554	7744	191
	228	7935	8125	8316	8506	8696	8886	9076	9266		9646	190
	229	9835	25	.215	.404	.593	.783	.972	1161	1350	1539	189
	23C 23!	351728 3612	1917 3800	$\frac{2105}{3988}$	2294 4176	2482	2671 4551	2859	3048	3236	3424	188
1	235	5488	5675	5862	6049	4363 6236		4739 6610	4926 6796	5113 6983	5301 7169	188
4	233	7356	7542	7729	7915	8101	8287	8473	8659	8845	9030	186
/.	234	9216	9401	9587	9772	9958	.143	.328	.513	.698	.883	185
$^{\prime}$ $^{\prime}$	235	371068	1253	1437	1622	1806	1991	2175	2360	2544	2728	184
	236 237	$\begin{array}{c c} 2912 \\ 4748 \end{array}$	$\frac{3096}{4932}$	3280	3464	3647	3831	4015	4198	4382	4565	184
0	238	6577	6759	5115 6942	$5298 \\ 7124$	5481 7306	5664 7488	5846 7670	6029 7852	6212 8034	6394 8216	183 182
'/	239	8398	8580	8761	8943	9124	9306	9487	9668	9849	30	181
3	$\overline{240}$	380211	0392	0573	0754	0934	1115	1296	1476	1656	1837	181
7/2	241	2017	2197	2377	2557	2737	2917	3097	3277	3456	3636	180
E	$\frac{242}{243}$	3815	3995	4174	4353	4533	4712	4891	5070	5249	5428	179
	244	5606 7390	5785 7568	5964 7746	$6142 \\ 7923$	6321 8101	$ 6499 \\ 8279 $	6677 8456	6856 8634	7034 8811	$7212 \\ 8989$	178 178
	245	9166	9343	9520	9698	9875	51	.228	.405	.582	.759	177
	246	390935	1112	1288	1464	1641	1817	1993	2169	2345	2521	176
	247	2697	2873	3048	3224	3400	3575	3751	3926	4101	4277	176
7	248 249	4452 6199	$\frac{4627}{6374}$	$\frac{4802}{6548}$	$\begin{array}{c} 4977 \\ 6722 \end{array}$	5152 6896	5326 7071	$\frac{5501}{7245}$	5676 7419	5850 7592	6025 7766	175 174
,	$\frac{249}{250}$	397940	8114	8287	8461	8634	8808	8981	9154		$\frac{7700}{9501}$	173
	251	9674	9847	20	.192	.365	.538	.711	.883		1228	173
	252	401401	1573	1745	1917	2089	2261	2433	2605		2949	172
	253	3121	3292	3464	3635	3807	3978	4149		4492	4663	171
ı	254 255	4834 6540	5005 6710	5176 6881	5346 7051	5517 7221	5688 7391		6029	6199 7901	6370 8070	171
`	256	8240	8410	8579	8749	8918	9087	9257	9426	9595	9764	169
1	257	9933	.102	.271	.440	.609	.777	.946	1114	1283	1451	169
7	258	411620	1788	1956	2124	2293	2461	2629	2796	2964	3132	168
)	$\frac{259}{200}$	3300	3467	3635	3803		4137	4305	4472	$\frac{4639}{2200}$	4806	167
12	260 261	414973 6641	5140 6807	5307 6973	5474	5641 7306	5808 7472	5974 7638	6141 7804	6308	6474	167
7	262	8301	8467	8633	7139 8798	8964	9129	9295	9160	7970 9625	8135 9791	166 165
4	263	9956	.121	.286	.451	.616	.781	.945	1110	1275	1439	165
,]	264	421604	1768	1933	2097	2261	2426	2590	2754	2918	3082	164
0	265 266	$\begin{array}{c} 3246 \\ 4882 \end{array}$	3410 5045	3574 5208	3737 5371	3901 5534	4065 5697	4228 5860	$\frac{4392}{6023}$	4555 6186	4718 6349	164 163
	267	6511	6674	6836	6999	7161	7324	7486	7648	7811	7973	162
11	268	8135	8297	8459	8621	8783	8944	9106	9268	9429	9591	162
$ \mathcal{A} $	269	9752	9914	75	.236	.398	.559	.720	.881	1042	1203	161
1	270	431364	1525	1685	1846	2007	2167	2328	2488	2649	2809	161
	$\begin{array}{c} 271 \\ 272 \end{array}$	2969 4569	$\frac{3130}{4729}$	3290 4888	3450 5048	3610 5207	3770 5367	3930 5526	4090 5685	4249 5844	4409 6004	160 159
< .l	273	6163	6322	6481	6640	6798	6957	7116	7275	7433	7592	159
	274	7751	7909	8067	8226	8384	8542	8701	8859	9017	9175	158
1	275	9333	9491	9648	9806		.122	.279	.437	.594	.752	158
	276 277	440909 2480	1066 2637	1224 2793	1381 2950	1538	1695 3263	1852	2009	2166	2323 3889	157
ا د	278	4045	4201	4357	4513	3106 4669	4825	3419 4981	3576 5137	3732 5293	5449	157 156
16	279	5604	5760	5915	6071	6226	6382	6537	6692	6848	7003	155
1	N.	0	1	2	3	4	5	6	7	8	9	D.
171	١		· ·	~	•,	<u> </u>	9	<u> </u>		<u> </u>		

4

The state of the s

KAL

mid LOGARITHMS OF NUMBERS.

N.	0	1	2	3	4	5	6	7 !	8	9	D.	,
280	447158	7313	7468	7623	7778	7933	8088	8242	8397	8552	155	(
281	8706	8861	9015	9170	9324	9478	9633	9787	9941	95	154	,
282	450249	0403	0557	0711	0865	1018	1172	1326	1479	1633	154	١ ١
283	1786	1940	2093	2247	2400	2553	2706	2859	3012	3165	153	
284	3318	3471	3624	3777	3930	4082	4235	4387	4540	4692	153	•
285	4845	4997	5150	5302	5454	5606	5758	5910	6062	6214	152	
286	6366	6518	6670	6821	6973	7125	7276	7428	7579	7731	152	
287	7882	8033	8184	8336	8487	8638	8789	8940	9091	9242	151	
288	9392	9543	9694	9845	9995	.146	.296	.447	.597	.748	151	
289	460898	1048	1198	1348	1499	1649	1799	1948	2098	2248	150	-
290	462398	2548	2697	2847	2997	3146	3296	3445	3594	3744	150))
291	3893	4042	4191	4340	4490	4639	4788	4936	5085	5234	119	,
292	5383	5532	5680	5829	5977	6126	6274	6423	6571	6719	149	١. '
293	6868	7016	7164	7312	7460	7608	7756	7904	8052	8200	148	1
294	8347	8495	8643	8790	8938	9085	9233	9380	9527	9675	148	J
295	9822	9969	.116	.263	.410	.557	.704	.851	.998	1145	147	111
296	471909	1438	1585	1732	1878	2025	2171	2318	2464	2610	146	1
297	471292 2756	2903	3049		3341	3487	3633	3779	3925	4071	146	,
298	4216	4362	4508	4653	4799	4944	5090	5235	5381	5526	146	•
299	5671	5816	5962	6107	6252	6397	6542	6687	6832	6976	145	
												l
300	477121	7266	7411	7555	7700	7844	7989	8133	8278	8422	145	
301	8566	8711	8855	8999	9143	9287	9431	9575		9863	144	,
302	480007	0151	0294	0438	0582	0725	0869	1012	1156	1299	144	١.
303	1443	1586	1729	1872	2016	2159	2302	2445		2731	143	,
304	2874	3016	3159	3302	3445	3587		3872	4015	4157	143	'
305	4300	4442	4585	4727	4869	5011	5153	5295	5437	5579	142	51
306	5721	5863	6005	6147	6289	6430	6572	6714	6855	6997	142	1
307	7138	7280	7421	7563	7704	7845	7986	8127	8269	8410	141	2
308	8551	8692	8833		9114	9255	9396	9537	9677	9818	141	-
309	9958	99	.239	.380	.520	.661	.801	.941	1081	1222	140	•
310	491362	1502	1642	1782	1922	2062	2201	2341	2481	2621	140	
311	2760	2900	3040	3179	3319	3458	3597	3737	3876	4015	139	١,
312	4155	4294	4433	4572	4711	4850	4989	5128	5267	5406	139	
313	5544	5683	5822	5960	6099	6238	6376	6515	6653	6791	139	۱ ۲
314	6930	7068	7206	7344	7483	7621	7759	7897	8035	8173	138	
315	8311	8448	8586	8724	8862	8999	9137	9275	9412	9550	138	'
316	9687	9824	9962	99	.236	.374	.511	.648	.785	.922	137	
317	501059	1196	1333	1470	1607	1744	1880	2017	2154	2291	137	١.
318	2427	2564	2700	2837	2973	3109	3246	3382	3518	3655	136	!
319	3791	3927	4063	4199	4335	4471	4607	4743	4878	5014	136	
320	505150	5286	5421	5557	5693	5828	5964	6099	6234	6370	136	
321	6505	6640	6776		7046	7181	7316	7451	7586	7721	135	l
322	7856	7991	8126		8395	8530	8664	8799	8934	9068	135	1
323	9203	9337	9471	9606	9740	9874	9	.143	.277	.411	134	i
324	510545	0679	0813	0947	1081	1215	1349	1482	1616	1750	134	
325	1883	2017	2151	2284	2418	2551	2684	2818	2951	3084	133	
326	3218	3351	3484	3617	3750	3883	4016	4149	4282		133	1
327	4548	4681	4813		5079	5211	5344		5609	5741	133	
328	5874	6006			6403	6535	6668	6800	6932	7064	132	1
329	7196	7328	7460	7592	7724	7855	7987	8119	8251	8382	132	
330	518514	8646	8777	8909	9046	9171	9303	9434	9566	9697	131	١ ١
331	9828	9959	90	.221	.353	.484	.615	.745	.876	1007	[3]	
332	521138	1269	1400	1530	1661	1792	1922	2053	2183	2314	131	(
333	2444	2575		2835	2966	3096	3226	3356	3486	3616	130	Ι '
334	3746		4006		4266	4396	4526	4656	4785	4915	130	
335	5045		5304		5563	5693	5822	5951	6081	6210	129	
336	6339	6469			6856		7114	7243	7372	7501	129	
337	7630				8145	8274		8531	8660	8788	129	1
338		9045	9174		9430	9559		9815		72	128	
339	530200							1096				K
	200200	, , , , ,										1 7

100

ΓN.	1 0	1	1 2	3	4	5	. 6	7	. 0	0	D.
340	531479	<u>:</u>	1 2	1862	<u> </u>		1 2245	2372	8 2500	9 2627	128
341	2754	2882	3009	3136	$ 1990 \\ 3264$	3391		3645	3772	3899	128
342	4026	4153	4280	4407		4661	4787	4914	5041	5167	127
343	5294	5421	5547	5674	5800	5927	6053	6180	6306	6432	126
344	6558	6685	6811	6937		7189	7315	7441	7567	7693	126
345	7819	7945	8071	8197	8322	8448	8574	8699	8825	8951	126
$\begin{vmatrix} 346 \\ 347 \end{vmatrix}$	$9076 \\ 540329$	$ 9202 \\ 0455$	$ 9327 \\ 0580$	$ 9452 \\ 0705$	9578 - 0830	9703	$ 9829 \\ 1080$	9954 1205	1330	1454	125
348	1579	1704	1829	1953	2078	2203	2327	2452	2576	2701	125
349	2825	2950	3074	3199	3323	3447	3571	3696	3820	3944	124
350	544068	4192	4316	4440	4564	4688	4812	4936	5060	5183	124
351	5307	5431	5555	5678	5802	5925	6049	6172	6296	6419	121
352	6543	6666	6789	6913	7036	7159	7282	7405	7529	7652	123
353 354	7775	7898	8021	8144	8267	8389	8512	8635	8758	8881	123
355	$ \begin{array}{r} 9003 \\ 550228 \end{array} $	$9126 \\ 0351$	$ 9249 \\ 0473$	9371 0595	9494 0717	$ 9616 \\ 0840$	$ 9739 \\ 0962$	$\frac{9861}{1084}$	9984	$\begin{array}{c} .106 \\ 1328 \end{array}$	123 122
356	1450	1572	1694	1816	1938	2060	2181	2303	2425	2547	122
357	2668	2790	2911	3033	3155	3276	3398	3519	3640	3762	121
358	3883	4004	4126	4247	4368	4489	4610	4731	4852	4973	121
359	5094	5215	5336	5457	5578	5699	5820	5940	6061	6182	121
360	556303	6423	6544	6664	6785	6905	7026	7146	7267	7387	120
361	7507	7627	7748	7868	7988	8108	8228	8349	8469	8589	120
362 363	8709 9907	$8829 \\26$	8948 .146	9068 .265	$9188 \\ .385$	9308	$9428 \\ .624$	$9548 \\ .743$	$9667 \\ .863$	$\begin{array}{c} 9787 \\ .982 \end{array}$	120 119
364	561101	1221	1340	1459	1578	1698	1817	1936	2055	2174	119
365	2293	2412	2531	2650	2769	2887	3006	3125	3244	3362	119
366	3481	3600	3718	3837	3955	4074	4192	4311	4429	4548	119
367	4666	4784	4903	5021	5139	5257	5376	5494	5612	5730	118
368 369	5848 7026	5966 7144	$6084 \\ 7262$	$6202 \\ 7379$	$6320 \\ 7497$	6437	6555	6673	6791 7967	6909 8084	118 118
$\frac{309}{370}$						7614	$\frac{7732}{2005}$	$\frac{7849}{9999}$			
371	568202 9374	8319 9491	8436 9608	8554 9725	8671 9842	8788 9959	$8905 \\76$	9023	$9140 \\ .309$	$9257 \\ .426$	117 117
372	570543	0660	0776	0893	1010	1126	1243	1359	1476	1592	117
373	1709	1825	1942	2058	2174	2291	2407	2523	2639	2755	116
374	2872	2988	3104	3220	3336	3452	3568	3684	3800	3915	116
375	4031	4147	4263	4379	4494	4610	4726	4841	4957	5072	116
376	5188 6341	$\frac{5303}{6457}$	$\frac{5419}{6572}$	$\frac{5534}{6687}$	$ \begin{array}{r} 5650 \\ 6802 \end{array} $	5765 6917	$\frac{5880}{7032}$	$5996 \\ 7147$	$6111 \\ 7262$	$\frac{6226}{7377}$	115
378	7492	7607	7722	7836	7951	8066	8181	8295	8410	8525	115
379	8639	8754	8868	8983	9097	9212	9326	9441	9555	9669	114
380	579784	9898	12	.126	.241	.355	.469	.583	.697	.811	114
381	580925	1039	1153	1267	1381	1495	1608	1722	1836	1950	114
382	2063	2177	2291	2404	2518	2631	2745	2858	2972	3085	114
383	3199	3312	3426	3539	3652	3765	3879	3992	4105	4218	113
384	4331 5461	4444 5574	$\frac{4557}{5686}$	4670 5799	4783 5912	$\frac{4896}{6024}$	5009 6137	$\frac{5122}{6250}$	$\begin{array}{c} 5235 \\ 6362 \end{array}$	5348 6475	113
386	6587	6700	6812	6925	7037	7149	7262	7374	7486	7599	112
387	7711	7823	7935	8047	8160	8272	8384	8496	8608	8720	112
388	8832	8944	9056	9167	9279	9391	9503	9615	9726	9838	112
389	9950	61	.173	.284	.396	.507	.619	.730	.842	.953	
390	591065	1176	1287	1399	1510	1621	1732	1843	1955	2066	111
391 392	2177 3286	2288	2399	2510 3618	2621	2732	2843	2954	3064	$\frac{3175}{4282}$	111
393	4393	$\frac{3397}{4503}$	$\frac{3508}{4614}$	4724	$\begin{vmatrix} 3729 \\ 4834 \end{vmatrix}$	3840 4945	3950 5055	4061 5165	4171 5276	5386	110
394	5496	5606	5717	5827	5937	6047	6157	626	6377	6487	110
395	6597	6707	6817	6927	7037	7146	7256	7366	7476	7586	110
396	7695	7805	7914			8243	8353	8462	8572	8681	110
397 398	8791 9883	8900 9992	9009	9119	9228	$9337 \\ 428$	9446	9556 .646	9665	9774	109
	600973		1191		1408		1625	1734	1843	1951	109
_										-	
N.	0 1	1 1	2	- 3 i	4 1	5 i	6	7	8	9 1	D. 7

N.	0	1	2	3	4	5	6	7	! 8	9	D
400	602060	2169	2277	2386	2494	2603	2711	2819	2928	3036	108
401	3144	3253		3469	3577	3686	3794	3902	4010	4118	108
102	4226	4334	4442	4550	4658	4766	4874	4982	5089	5197	108
403	5305	5413	5521	5628	5736	5844	5951	6059	6166	6274	108
404	6381	6489	6596	6704	6811	6919	7026	7133	7241	7348	107
405	7455	7562	7669	7777	7884	7991	8098	8205	8312	8419	107
406	8526		8740	8847	8954	9061	9167	9274	9381	9488	107
407	610660	9701 07 67	$ 9808 \\ 0873$	9914	$\frac{1.21}{1086}$	1128	.234 1298	$0.341 \\ 1405$.447 1511	.554 1617	107 106
109	1723	1829	1936	2042		2254	2360	2466	2572	2678	106
410		2890	$\frac{1336}{2996}$	3102				$\frac{2400}{3525}$	$\frac{2312}{3630}$	$\frac{2016}{3736}$	106
	612784 3842	3947		4159	4264	3313 4370	3419 4475	4581	4686	4792	106
412	4897	5003	5108	5213		5424	5529	5634	5740	5845	105
413	5950	6055	6160	6265	6370	6476	6581	6686	6790	6895	105
414	7000	7105	7210	7315	7420	7525	7629	7734	7839	7943	105
415	8048	8153	8257	8362	8466	8571	8676	8780	8884	8989	105
116	9093	9198	9302	9106	9511	9615	9719	9824	9928	32	104
417	620136	0240	0344	0448	0552	0656	0760		9968	1072	101
418	1176	1280	1384	1488	1592	1695	1799	1903	2007	2110	104
419	2214	2318	2421	2525	2628	2732	2835	2939	3042	3146	104
120	623249	3353	3456	3559	3663	3766	3869	3973	4076	4179	$\overline{1}0\overline{3}$
421	4282	4385	4488	4591	4695	4798	4901	5004	5107	5210	103
422	5312	5415	5518	5621	5724	5827	5929	6032	6135	6238	103
423	6340	6443	6546		6751	6853	6956	7058	7161	7263	103
424	7366		7571	7673	7775	7878	7980			8287	102
425	8389	8491	8593	8695	8797	8900	9002	9104	9206	9308	
426	9410	9512	9613	9715	9817	9919	21	.123	.224		102
427	630428 1444	0530	0631	0733	0835	0936	1038	1139		1342	102
428 429	2457	1545	1647 2660	1748	1849	1951	2052	2153	2255	2356	101
		2559		2761	2862	2963	3064	3165	$\frac{3266}{4370}$	3367	101
430	633468	3569	3670	3771	3872	3973	4074	4175	1276	4376	100
431 432	4477 5481	4578 5584	$ 4679 \\ 5685$	4779 5785	4880 5886	4981 5986	5081 6087	$\frac{5182}{6187}$	$\frac{5283}{6287}$	5383 6388	100 100
433	6488	6588	6688	6789	6889	6989	7089	7189	7290	7390	100
434	7490	7590	7690	7790	7890	7990	8090	8190	8290		99
435	8489	8589	8689	8789	8888	8988	9088	9188	9287	9387	99
436	9486	9586		9785	9885	9984	84	.183	.283	.382	99
437	640481	0581	0680	0779	0879	0978	1077	1177	1276	1375	99
438	1474	1573	1672	1771	1871	1970	2069	2168	2267	2366	99
439	2465	2563	2662	2761	2860	2959	3058	3156	3255	3354	99
440	643453	3551	3650	3749	3847	3946	4044	$\overline{4143}$	4242	4340	98
441	~4439	4537	4636	4734	4832	4931	5029	5127	5226	5324	98
442	5422	5521	5619	5717	5815	5913	6011	6110	6208	6306	98
443	6404	6502	6600	6698	6796	6894	6992	7089	7187	7285	98
444	7383	7481	7579	7676	7774	7872	7969		8165	8262	98
145	3360	8458	8555	8653	8750	8848	8945	9043	9140	9237	97
116	9335	$9432 \\ 0405$	9530	9627	9724	9821	9919	16	.113	.210	97 97
117	650308 1278	1375	$0502 \\ 1472$	0599 1569	0696 1666	0793 1762	$\frac{0890}{1859}$	$0987 \\ 1956$	$\frac{1084}{2053}$	$\frac{1181}{2150}$	97
149	2246	2343	2440	2536	2633	2730	2826	2923	3019	3116	97
450	C522 13	$\frac{2010}{3309}$	$\frac{2110}{3405}$	$\frac{2500}{3502}$	3598		3791	$\frac{2323}{3888}$	$\frac{3013}{3984}$	$\frac{3110}{4080}$	96
451	41 /7	4273	4369	4465	4562	4658	4754	4850	4946	5642	96
452	5138	5235	5331	5427	5523	5619	5715	5810	5906	6002	
453	3098	6194	6290	6386	6482	6577	6673	6769	6864	6960	96
454	7056	7152	7247	7343	7438	7534	7629	7725	7820	7916	96
455	8011	8107	8202	8298	8393	8488		8379	8774	8870	95
456	8965	9060	9155	9250	9346	9441	9536	9631	9726	9821	95
457	9316	11	.106	.201	.296	.391	.486	.581	.676	.771	95
458 459	660865 1813	0960 1907	$\frac{1055}{2002}$	$\frac{1150}{2096}$	1245 2191	1339 2286	1434 2380	1529 2475	$\frac{1623}{2569}$	$\frac{1718}{2663}$	95 95
-	10191	1907	4002	2090	41911	42501	2.550!	2475	<i>∠</i> on9	2003	90
N.	- 0	1	2	3	4	5	6	7	8	9	D. (

			2001				UMDE	1110.	9	the same	
N.	0	1	2	3	4	5	6	7	8	9	D.
460	662758	2852	2947	3041	3135	3230,	3324	3418	3512	3607.	94
461	3701	3795	3889	3983	4078	4172	4266	4360	4454	4548	94
462	4642	4736	4830	4924	5018	5112	5206	5299	5393	5487	94
463	5581	5675	5769	5862	5956	6050	6143	6237	6331	6424	94
464	6518	6612	6705	6799	6892	6986	7079	7173	7266	7360	94
165	7453	7546	7640	7733	7826	7920	8013	8106	8199	8293	93
466	8386	8479	9572	8665	8759	8852	8945	9038	9131	9224	93
467	9317	9410	9503	9596	9689	9782	9875	9967	60	.153	93
468	670246	0339	0431	0524	0617	0710	0802	0895	0988	1080	93
469	1173	1265	1358	1451	1543	1636	1728	1821	1913	2005	93
170	672098	2190	2283	2375	2467	2560	2652	2744	2836	2929	92
471	3021	3113	3205	3297	3390	3482	3574	3666	3758	3850	92
472	3942	4034	4126	4218	4310	4402	4494	4586	4677	1769	92
473	4861	4953	5045	5137	5228	5320	5412	5503	5595	5687	92
174	5778	5870	5962	6053	6145	6236		6419	6511	6602	92
175	6694	6785	6876	6968	7059	7151	7242	7333	7424	7516	91
476	7607	7698	7789	7881	7972	8063	8154	8245	8336	8427	91
477 478	8518	8609	8700	8791	8882	8973	9064	9155	9246	9337	91
479	$ \begin{array}{r} 9428 \\ 680336 \end{array} $	$9519 \\ 0426$	$\frac{9610}{0517}$	$9700 \\ 0607$	$9791 \\ 0698$	$9882 \\ 0789$	9973	63	.154	.245	91
						-	0879	0970	1060	1151	91
480	681241	1332	1422	1513	1603	1693	1784	1874	1964	2055	90
481	2145	2235	2326	2416	2506	2596	2686	2777	2867	2957	90
482	3047	3137	3227	3317	3407	3497	3587	3677	3767	3857	90
483	3947	4037	4127	4217	4307	4396	4486	4576	4666	4756	90
484	4845	4935	5025	5114	5204	5294	5383	5473	5563	5652	90
485 486	5742	5831	5921	6010	6100	6189	6279	6368	6458	6547	89
487	6636	$6726 \\ 7618$	6815 7707	6904	6994	7083	7172	7261	7351	7440	89
488	7529 8420	8509	8598	$7796 \\ 8687$	$7886 \\ 8776$	$7975 \\ 8865$	8064 8953	$8153 \\ 9042$	$8242 \\ 9131$	$8331 \\ 9220$	89
489	9309	9398	9486	9575	9664	9753	9841	9930	19	.107	89 89
										-	
490	690196	0285	0373	0462	0550	0639	0728	0816	0905	0993	89
491	1081	1170	1258	1347	1435	1524	1612	1700	1789	1877	88
492 493	1965 2847	2053 2935	$\frac{2142}{3023}$	$2230 \\ 3111$	2318		2494	2583	2671	2759	98
493	3727	3815	3903	3991	$\frac{3199}{4078}$	$\frac{3287}{4166}$	$\frac{3375}{4254}$	3463 4342	$\frac{3551}{4430}$	$\frac{3639}{4517}$	- 88 - 88
495	4605	4693	4781	4868	4956	5044	5131	5219	5307	5394	88
496	5482	5569	5657	5744	5832	5919	6007	6094	6182	6269	87
497	6356	6444	6531	6618	6706	6793	6880	6968	7055	7142	87
498	7229	7317	7404	7491	7578	7665	7752	7839	7926	8014	87
499	8101	8188	8275	8362	8449	8535	8622	8709	8796	8883	87
500	698970	9057	9144	9231	9317			$\frac{5.78}{9578}$	9664	$\frac{3003}{9751}$	87
501	9838	9924	9144	98		9404	9491				
502	700704	0790	0877	0963	$184 \\ 1050$	1136	1358 1222	.444 1309	.531 1395	1482	87 86
503	1568	1654	1741	1827	1913	1999	2086	2172	2258	2344	86
504	2431	2517	2603	2689	2775	2861	2947	3033	3119	3205	86
505	3291	3377	3463	3549	3635	3721	3807	3895	3979	4065	86
506	4151	4236	4322	4408	4494	4579	4665	4751	4837	4922	86
507	5008	5094	5179	5265	5350	5436	5522	5607	5693	5778	86
503	5864	5949	C035	6120	6206	6291	6376	6462	6547	6632	85
509	6718	6803	6888	6974	7059	7144	7229	7315	7400	7485	85
510	707570	7655	7740	7826	7911	7996	8081	8166	8251	8336	85
511	8421	8506	8591	8676	8761	8846	8931	9015	9100	9185	85
512	9270	9355	9440	9524	9609	9694	9779	9863	9948	33	85
513	710117	0202	0287	0371	0456	0540	0625	0710	0794	0879	85
514	0963	1048	1132	1217	1301	1385	1470	1554	1639	1723	84
515	1807	1892	1976	2060	2144	2229	2313	2397	2481	2566	84
516	2650	2734	2818	2902	2986	3070	3154	3238	3323	3407	84
517	3491	3575	3650	3742	3826	3910	3994	4078	4162	4246	84
518	4330	4414		4581	4665	4749	4833	4916	5000	5084	84
519	5167	5251	15335	5418	5502	5586	5669	5753	5836	5920	84
N.	1 0	1	2	9	1 4	E	e I	7	0	0	D
	1 17	1 1	1 4	3	4	5	6		8	9	D.

ſŊ.	0	I	2	3	4	5	6	7	8	9	D.
520	716003	6087	6170	6254	6337	6421	6504	6588	6671	6754	83
521	6838	6921	7004	7088	7171	7254	7338	7421	7504	7587	83
522	7671	7754	7837	7920	8003	8086	8169	8253	8336	8419	83
523 524	8502 9331	8585 9414	8668 9497	8751 9580	8834 9663	8917 9745	$ 9000 \\ 9828$	9083 9911	9165 9994	9248	83 83
525	720159	0242	0325	0407	0490	0573	0655	0738	0821	0903	83
526	0986	1068	1151	1233	1316	1398	1481	1563	1646	1728	82
527	1811	1893	1975	2058	2140	2222	2305	2387	2469	2552	82
528	2634	2716	2798	2881	2963	3045	3127	3209	3291	3371	82
529	3456	3538	3620	3702	3784	3866	3948	4030	4112	4194	82
530	724276	4358	4440	4522	4604	4685	4767	4849	4931	5013	82
531 532	5095 5912	5176 5993	5258 6075	5340 6156	5422 6238	5503 6320	5585 6401	5667 6483	5748 6564	5830 6646	82 82
533	6727	6809	6890	6972	7053	7134	7216	7297	7379	7460	81
534	7541	7623	7704	7785	7866	7948	8029	8110	8191	8273	8i
535	8354	8435	8516	8597	8678	8759	8841	8922	9003	9084	81
536	9165	9246	9327	9408	9489	9570	9651	9732	9813	9893	81
537	9974	55	.136	.217	.298	.378	.459	:540	.621	.702	81
538 539	730782 1589	0853 1469	0944 1750	1024 1830	1105 1911	1186 1991	$\frac{1266}{2072}$	1347 2152	$\begin{array}{c} 1428 \\ 2233 \end{array}$	$\frac{1508}{2313}$	81 81
	$\frac{1389}{732394}$	$\frac{1009}{2474}$	$\frac{1750}{2555}$	$\frac{1630}{2635}$	$\frac{1311}{2715}$	$\frac{1331}{2796}$	$\frac{2072}{2876}$	$\frac{2132}{2956}$			
540 541	732394 3197	3278	3358	3438	3518	3598	3679	3759	3037 3839	3117 3919	80 80
542	3999	4079	4160	4240	4320			4560	4640	4720	80
543	4800	4880	4960	5040	5120	5200		5359	5439	5519	80
544	5599	5679	5759	5838	5918	5998	6078	6157	6237	6317	80
545	6397	6476	6556	6635	6715	6795	6874	6954	7034	7113	80
546	7193	7272	7352	7431	7511	7590	7670	7749	7829	7908	79
547 548	7987 8781	8067 8860	8146 8939	8225 9018	8305 9097	8384 9177	8463 9256	8543 9335	8622 9414	8701 9493	79
549	9572	9651	9721	9810	9889	9968	47	.126	.205	.284	79 79
550	740363	$\frac{0001}{0442}$	0521	0600	0678	0757	0836	0915	0994	1073	79
551	1152	1230	1309	1388	1467	1546	1624	1703	1782	1860	79
552	1939	2018		2175	2254	2332	2411	2489	2568	2646	79
553	2725	2804	2882	2961	3039	3118	3196	3275	3353	3431	78
554	3510	3588	3667	3745	3823	3902	3980	4058	4136	4215	78
555	4293	4371	4449	4528	4606	4684 5465	4762 5543	4840	4919	4997	78
556 557	5075 5855	5153 5933	5231 6011	5309 6089	5397 6167	6245	6323	5621 6401	5699 6479	5777 6556	78 78
558	6634	6712	6790	6868	6945	7023	7101	7179	7256	7334	78
559	7412	7489	7567		7722	7800	7878	7955	8033	8110	78
560	748188	8266	8343	8421	8498	8576	8653	8731	8808	8885	77
561	8963	9040	9118	9195	9272	9350	9427	9504	9582	9659	77
562	9736	9814	9891	9968		.123	.200	.277	.354	.431	77
563	750508	0586	0663	0740	0817		0971	1048	1125	1202	77
564 565	1279 2048	1356 2125	$\frac{1433}{2202}$	1510 2279	1587 2356	1664 2433	1741 2509	1818 2586	1895 [†] 2663	$\frac{1972}{2740}$	77
566	2816	2893	2970	3047	3123		3277	3353	3430	3506	77
567	3583	3660	3736	3813	3889	3966	4042	4119	4195	4272	77
568	4348	4425	4501	4578	4654	4730	4807	4883	4960	5036	76
569	5112	5189	5265	5341	5417	5494	5570	5646	5722	5799	76
570	755875	5951	6027	6103	6180	6256	6332	6408	6484	6560	76
571	6636	6712	6788	6864	6940	7016	7092	7168	7244	7320	76
572 573	7396	7472 8230	7548 8306	7624 8382	7700 8458	7775 8533	7851 8609	7927 8685	8003 8761	8079 8836	76 76
574	8155 8912	8988	9063	9139	9214	9290	9366	9441	9517	9592	76
575	9668	9743	9819	9894	9970	45	.121	.196	.272	.347	75
576	760422	0498	0573	0649	0724	0799	0875	0950	1025	1101	75
577	1176	1251	1326	1402	1477	1552	1627	1702	1778	1853	75
578	1928	2003		2153	2228	2303	2378	2453	2529	2604	75
579	2679	2/54	2829	2904	2978	3053	3128	3203	3278	3353	75
N.	U	1	2	3	4	5	6	7	8	9	D.

5 80.2

				00	8						
40	31										
10			LOG	ARIT	HMS	OF 1	NUMB	ERS.			
N.	1 0	1 1	1 2	1 3	i 4	1 5	6	7	18	1 9	D.
-		<u> </u>					<u> </u>	<u> </u>	<u> </u>		
580 581	763428 4176										
582	492	4998									
1583					5966	6041	6115	6190			
584	6413					6785					
585	7156										
586 587	7898										
588	8638 9377									3 .49	
589	770115								070		
590	770852				.						-
591	1587										
592	2322	2395	2468	2542	2615	2688		2835	2908	2981	73
593	3055		3201	3274	3348	3421		3567	3640) 3713	3 73
594	3786										
595	4517										
596 597	5246 5974					6338		5756 6483			
598	6701				6992	7064		7209	7282		
599	7427				7717	7789		7934	8006		
600	778151			8368	8441	8513	8585	8658	8730	8802	
601	8874	8947	9019			9236		9380	9452		
602	9596		9741			9957	29	.101	.173		72
603	780317			0533		0677	0749	0821	0893		
604	1037			1253	1324	1396		1540	1612		
605	1755				2042 2759	$2114 \\ 2831$	2186 2902	$\begin{vmatrix} 2258 \\ 2974 \end{vmatrix}$	$\begin{vmatrix} 2329 \\ 3046 \end{vmatrix}$	2401 3117	72
607	2473 3189				3475	3546	3618	3689	3761		
608	3904			4118	4189	4261	4332	4403	4475		
609	4617				4902	4974	5045	5116	5187		
610	785330		5472	5543	5615	5686	5757	5828	5899		
611	6041	6112		6254	6325	6396	6467	6538	6609		
612	6751	6822		6964	7035	7106	7177	7248	7319		
613	7460	7531	7602	7673	7714	7815	7885	7956	8027		
614	8168	8239	8310	8381	8451	8522	8593	8663	8734		71
616	8875	8946 9651	$ 9016 \\ 9722$	$9087 \\ 9792$	$ 9157 \\ 9863$	9228 9933	9299	9369	$9440 \\ .144$		
617	$\begin{vmatrix} 9581 \\ 790285 \end{vmatrix}$	0356	0426	0496	0567	0637	0707	0778	0848		
618	0988	1059	1129	1199	1269	1340	1410	1480	1350		70
619	1691	1761	1831	1901	1971	2041	2111	2181	2252	2322	70
620	792392	2462	2532	2602	2672	2742	2812	2882	2952	3022	70
621	3092	3162	3231	3301	3371	3441	3511	3581	3651	3721	70
622	3790	3860	3930	4000	4070	4139	4209	4279	4349	4418	70
623	4488	4558	4627	4697	4767	4836	4906	4976	5045	5115	70
624 625	5185	5254	5324 6019	5393 6088	5463 6158	$\frac{5532}{6227}$	5602	5672	5741 6436	5811	70 69
626	$5880 \\ 6574$	5949 6644	6713	6782	6852	6921	6297 6990	6366 7060	7129	6505 7198	69
627	7268	7337	7406	7475	7545	7614	7683	7752	7821	7890	69
628	7960	8029	8098	8167	8235	8305	8374	8443	8513	8582	69
629	8651	8720	8789	8858	8927	8996	9065	9134	9203	9272	69
630	799341	9409	9478	9547	9616	9685	9754	$\overline{9823}$	$\overline{9892}$	9961	69
631	800029	0098	0167	0236	0305	0373	0442	0511	0580	0648	69
632	0717	0786	0854	0923	0992	1061	1129	1198	1266	1335	69
633	1404	1472	1541	1609	1678	1747	1815	1884	1952	2021	69
634 635	2089 2774	$2158 \\ 2842$	2226 2910	$\frac{2295}{2979}$	2363 3047	$\frac{2432}{3116}$	2500 3184	2568 3252	$\frac{2637}{3321}$	$\begin{vmatrix} 2705 \\ 3389 \end{vmatrix}$	69
636	3457	3525	3594	3662	3730	3798	3867	3935	4003	4071	68
637	4139	4208	4276	4344	4412	4480	4548	4616	4685	4753	68
638	4821	4889	4957	5025	5093	5161	5229	5297	5365	5433	68
639	5501	5569	5637	5705	5773	5841	5908	5976	6044	6112	68
N. 1	0	1	2	3	4	5	6	7	8	9	D.

.000655540

LOGARITHMS OF NUMBERS.


N.	0	1	2	3	4	5	្រំ	7	; 8	9	D.
700	845098		5222	5284		5408	5470	5532	5594	5656	62
701	5718	5780	5842	5904	5966	6028	6090	6151	6213	6275	62
702	6337	6399	6461	6523	6585	6646	6708	6770	6832	6894	62
703 704	6955 7573	7017 7634	7079 7696	7141	7202 7813		7326 7943	$ 7389 \\ 8004$	7449 8066	7511 8128	62
705	8189	8251	8312	8374	8435	8497	8559	8620	8682	8743	62
706	8805	8866	8928	8989	9051	9112	9174	9235	9297	9358	61
707	9419	9481	9542	9604	9665	9726	9788	9849	9911		6 i
708	850033	0095	0156	0217		0340	0401	0462	0524	0585	61
709	0646	0707	0769	0830	0891	0952	1014	1075	1136	1197	61
710	851258	1320	1381	1442	1503	1564	1625	1686	1747	1809	61
711	1870	1931	1992	2053	2114	2175	2236	2297	2358	2419	61
712	2480	2541	2602	2663	2724	2785	2846	2907	2968	3029	61
713	3090	3150	3211	3272	3333	3394	3455	3516	3577	3637	61
714	3698	3759	3820	3881	3941	4002	4063	4124		4245	61
715 716	4306 4913	$\frac{4367}{4974}$	$\frac{4428}{5034}$	4488 5095	4549	4610	4670	4731	4792	4852	61
717	5519	5580	5640	5701	5156 5761	5216 5822	5277 5882	5337 5943	5398 6003	5459 6064	61 61
718	6124	6185	6245	6306	6366	6427	6487	6548	6608	6668	60
719	6729	6789	6850	6910	6970	7031	7091	7152	7212	7272	60
$\overline{720}$	857332	$\frac{3393}{7393}$	$\frac{3}{7453}$	7513	$\frac{5574}{7574}$	$\frac{1}{7634}$	7694	$\frac{7755}{7755}$	7815	7875	60
721	7935	7995	8056	8116	8176	8236	8297	8357	8417	8477	60
722	8537	8597	8657	8718	8778	8833	8898	8958	9018	9078	60
723	9138	9198	9258	9318	9379	9439	9499	9559	9619	9679	60
724	9739	9799	9859	9918	9978	38	98	.158	.218	.278	60
725	860338	0398	0458	0518	0578	0637	0697	0757	0817	0877	60
726	0937	0996	1056	1116	1176	1236	1295	1355	1415	1475	60
727	1534	1594	1654	1714	1773	1833	1893	1952	2012	2072	60
728	2131	2191	2251	2310	2370	2430	2489	2549	2608	2668	60
729	2728	2787	2847	2906	2966	3025	3085	3144	3204	3263	60
730	863323	3382	3442	3501	3561	3620	3680	3739	3799	3858	59
731	3917	3977	4036	4096	4155	4214	4274	4333	4392	4452	59
$732 \mid 733 \mid$	4511 5104	4570 5163	4630 5222	$\frac{4689}{5282}$	$4748 \\ 5341$	4808 5400	4867 5459	4926 5519	4985 5578	5045 5637	59 59
734	5696	5755	5814	5874	5933	5992	6051	6110	6169	6228	59 59
735	6287	6346	6405	6465	6524	6583	6642	6701	6760	6819	59
730	6878	6937	6996	7055	7114	7173	7232	7291	7350	7409	59
737	7467	7526	7585	7644	7703	7762	7821	7880	7939	7998	59
738	8056	8115	8174	8233	8292	8350	8409	8468	8527	8586	59
739	8644	8703	8762	8821	8879	8938	8997	9056	9114	9173	59
740	869232	9290	9349	9408	9466	9525	9584	9642	9701	9760	59
741	9818	9877	9935	9994	53	.111	.170	.228	.287	.345	59
742	870404	0462	0521	0579	0638	0696	0755	0813	0872	0930	58
743	0989	1047	1106	1164	$\begin{array}{c} 1223 \\ 1806 \end{array}$	1281	1339	1398	1456	1515	58
744	1573	1631	1690	1748	1806	1865	1923	1981	2040	2098	58
745	2156	2215	2273	2331	2389	2448	2506	2564	2622	2681	58
746 747	$2739 \\ 3321$	2797 3379	2855 3437	2913 3495	2972 3553	3030 3611	3088 3669	3146 3727	3204 3785	3262 3844	58 58
748	3902	3960	4018	4076	4134	4192	4250	4308	4366	4424	78
749	4482	4540	4598	4656	4714	4772	4830	4888	4945	5003	58
750	875061	$\frac{1010}{5119}$	5177	$\frac{1000}{5235}$	$5\overline{293}$	5351	5409	5466	$\frac{1510}{5524}$	5582	58
750 751	5640	5698	5756	5813	5871	5929	5987	6045	6102	6160	58
752	6218	6276	6333	6391	6449	6507	6564	6622	6680	6737	58
753	6795	6853	6910	6968	7026	7083	7141	7199	7256	7314	58
754	7371	7429	7487	7544	7602	7659	7717	7774	7832	7889	58
755	7947	8004	8062	8119	8177	8234	8292	8349	8407	8464	57
756	8522	8579	8637	8694	8752	8809	8866	8924	8981	9039	57
757	9096	9153	9211	9268	9325	9383	9440	9497	9555	9612	57
759 759	9669 880242	9726 0299	9784	9841	9898	9956	13	70	.127	.185	57
1 8G I	0002421	0299	0356	U4131	0471	0528	0585	0642	0699	0756	57

N.	0	1	2	3	4	5	6	7	8	9	D.
760	880814	0871,	0928,	0985	1042	1099	1156	1213	1271	1328	57
761	1385	1442	1499	1556	1613	1670	1727	1784	1841	1898	57
762	1955	2012	2069	2126	2183	2240	2297	2354	2411	2468	57
763	2525	2581	2638	2695	2752	2809	2866	2923	2980	3037	57
764 765	3093	3150	3207	3264 3832	3321 3888	3377 3945	3434 4002	3491 4059	3548 4115	3605 4172	57 57
766	3661 4229	3718 4285	$\frac{3775}{4342}$	4399	4455	4512	4569	4625	4682	4739	57
767	4795	4852	4909	4965	5022	5078	5135	5192	5248	5305	57
768	5361	5418	5474	5531	5587	5644		5757	5813	5870	57
769	5926	5983	6039	6096	6152	6209	6265	6321	6378	6434	56
770	886491	6547	6604	6660	6716	6773	6829	6885	6942	6998	56
771	7054	7111	7167	7223	7280	7336	7392	7449	7505	7561	56
772	7617	7674	7730	7786	7842	7898	7955	8011	8067	8123	56
773	8179	8236	8292	8348	8404	8460	8516	8573	8629	8685	56
774	8741	8797	8853	8909	8965	9021	9077	9134	9190	9246	56
775	9302	9358	9414	9470	9526	9582	9638	9694	9750	9806	56
776	9862	9918	9974	30	86	.141	.197	.253	.309	.365	56
777	890421	0477	0533	0589	0645 1203	0700 1259	0756 1314	$0812 \\ 1370$	$0868 \\ 1426$	$0924 \\ 1482$	56
778 779	0980 1537	1035 1593	1091 1649	1147 1705	1760	1816	1872	1928	1983	2039	56 56
780			$\frac{1043}{2206}$		$\frac{1700}{2317}$	$\frac{1010}{2373}$	$\frac{1012}{2429}$	$\frac{1326}{2484}$	$\frac{1505}{2540}$	$\frac{2005}{2595}$	
781	892095 2651	2150 2707	2762	2262 2818	2873	2929	2985	3040	3096	3151	56 56
782	3207	3262	3318	3373	3429	3484	3540	3595	3651	3706	56
783	3762	3817	3873	3928	3984	4039	4094	4150	4205	4261	55
784	4316	4371	4427	4482	4538	4593	4648	4704	4759	4814	55
785	4870	4925	4980	5036	5091	5146	5201	5257	5312	5367	55
786	5423	5478	5533	5588	5644	5699	5754	5809	5864	5920	55
787	5975	6030	6085	6140	6195	6251	6306	6361	6416	6471	55
788	6526	6581	6636	6692	6747	6802	6857	6912	6967	7022	55
789	7077	7132	7187	7242	7297	7352	7407	7462	7517	7572	_55
790	897627	7682	7737	7792	7847	7992	7957	8012	8067	8122	55
791	8176	8231	8286	8341	8396	8451	8506	8561	8615	8670	55
792	8725	8780	8835	8890	8944	8999	9054	9109	9164	9218	55
793	9273 9821	$9328 \\ 9875$	9383 9930	9437 9985	$9492 \\39$	$9547 \\94$	$9602 \\ .149$	$9656 \\ .203$	$9711 \\ .258$	9766	55 55
794 795	900367	0422	0476	0531	0586	0640	0695	0749	0804	0859	55
796	0913	0968	1022	1077	1131	1186		1295	1349	1404	55
797	1458	1513	1567	1622	1676	1731	1785	1840	1894	1948	54
798	2003	2057	2112	2166	2221	2275	2329	2384	2438	2492	54
799	2547	2601	2655	2710	2764	2818	2873	2927	2981	3036	54
800	903090	3144	3199	3253	3307	3361	3416	3470	3524	3578	54
801	3633		3741	3795	3849	3904	3958	4012	4066	4120	54
802	4174	4229	4283	4337	4391	4445	4499	4553	4607	4661	54
803	4716	4770	4824	4878	4932	4986	5040	5094	5148	5202	54
804	5256	5310	5364	5418	5472	5526	5580	5634	5688	5742	54
805	5796	5850	5904	5958	6012	6066	6119	6173	6227	6281	54
806	6335	6389	6443	6497	6551	6604	6658	6712	6766	6820	54
808	6874 7411	$\begin{array}{c} 6927 \\ 7465 \end{array}$	6981	7035	7089 7626	7143 7680	7196 7734	7250	7304 7841	7358	54
809	7949	8002	7519 8056	7573 8110	8163	8217	8270	7787 8324	8378	7895 8431	54 54
810	908485	8539	8592	$\frac{8616}{8646}$	8699	8753	8807	8860	8914	8967	54
810	908485	9074	8592 9128	9181	9235	9289	9342	9396	9449	9503	54
812	9556	9610	9663	9716	9770	9823	9877	9930	9984	37	53
813	910091	0144	0197	0251	0304	0358	0411	0464	0518	0571	53
814	0624	0678	0731	0784	0838	0891	0944	0998	1051	1104	53
815	1158	1211	1264	1317	1371	1424	1477	1530	1584	1637	53
816	1690	1743	1797	1850	1903	1956	2009	2063	2116	2169	53
817	2222	2275	2328	2381	2435	2488	2541	2594	2647	2700	53
818	2753	2806	2859	2913	2966	3019	3072	3125	3178	3231	53
819	3284	3337	3390	3443	3496	3549	3602	3655	3708	3761	53
N	iυ	1	1 4	3	1 4	5	6	7	8	y	D.

N.	0	1	! 2	3	4	5	6	7	8	9	D.
820	913814	3867	3920	3973	4026	4079	4132	4184	4237	4290	53
821	4343	4396	4449	4502	4555	4608	4660	4713	4766	4819	53
822	4872	4925	4977	5030	5083	5136	5189	5241	5294	5347	53
823	5400	5453	5505 6033	$\frac{5558}{6085}$	$\frac{5611}{6138}$	5664 6191	$\frac{5716}{6243}$	$5769 \\ 6296$	$\frac{5822}{6349}$	$\frac{5875}{6401}$	53 53
824 825	5927 6154	5980 6507	6559	6612	6664	6717	6770	6822	6875	6927	53
826	6980	7033	7085	7138	7190	7243	7295	7348	7400	7453	53
827	750€	7558	7611	7663	7716	7768	7820	7873	7925	7978	52
828	8030	8083	8135	8188	8240	8293	8345	8397	8450	8502	52
829	8555	8607	8659	8712	8764	8816	8869	8921	8973	9026	52
830	919078	9130	9183	9235	9287	9340	9392	9444	9496	9549	52
831	9601	9653	9706	9758	9810	9862	9914	9967	19	.71	52
832	920123	0176	0228	0280	0332	0384	0436	0489	0541	0593	52
833	0645	0697	0749	0801	0853	0906	0958	1010	1062	1114	52
834	1166	1218	1270	1322	1374	1426	1478	1530	1582	1634	52
835	1686	1738	1790	1842	1894	1946	1998	2050	2102	2154	52
836	2206	2258	2310	2362	$\frac{2414}{2933}$	2466 2985	$\frac{25!8}{3037}$	$\frac{2570}{3089}$	$\frac{2622}{3140}$	$2674 \\ 3192$	52
837 838	2725	2777	$\frac{2829}{3348}$	2881 3399	3451	3503	3555	3607	3658	3710	52 52
839	$\frac{3244}{3762}$	$\frac{3296}{3814}$	3865	3917	3969	4021	4072	4124	4176	4228	52
1 1			$\frac{3003}{4383}$	4434	$\frac{3335}{4486}$	$\frac{1521}{4538}$	4589	$\frac{1121}{4641}$	$\frac{1110}{4693}$	4744	52
840	$924279 \\ 4796$	4331 4848	4899	4951	5003	5054	5106	5157	5209	5261	52
842	5312	5364	5415	5467	5518	5570	5621	5673	5725	5776	52
843	5828	5879	5931	5982	6034	6085	6137	6188	6240	6291	51
844	6342	6394	6445	6497	6548	6600	6651	6702	6754	6805	51
845	6857	6908	6959	7011	7062	7114	7165	7216	7268	7319	51
846	7370	7422	7473	7524	7576	7627	7678	7730	7781	7832	51
847	7883	7935	7986	8037	8088	8140	8191	8242	8293	8345	51
848	8396	8447	8498	8549	8601	8652	8703	8754	8805	8857	51
849	8908	8959	9010	9061	9112	9163	9215	9266	9317	9368	51
850	929419	9470	9521	9572	9623	9674	9725	9776	9827	9879	51
851	9930	9981	32	83	.134	.185	.236	.287	.338	.389	51
852	930440	0491	0542	0592	0643	0694	0745	0796	0847	0898	51
853 854	$0949 \\ 1458$	$\frac{1000}{1509}$	$1051 \\ 1560$	$\frac{1102}{1610}$	$\frac{1153}{1661}$	$\frac{1204}{1712}$	$1254 \\ 1763$	$1305 \\ 1814$	$\frac{1356}{1865}$	1407 1915	51 51
855	1966	2017	2068	2118	2169	2220	2271	2322	2372	2423	51
856	2474	2524	2575	2626	2677	2727	2778	2829	2879	2930	51
857	2981	3031	3082	3133	3183	3234	3285	3335	3386	3437	51
858	3487	3538	3589	3639	3690	3740	3791	3841	3892	3943	51
859	3993	4044	4094	4145	4195	4246	4296	4347	4397	4448	51
860	934498	$\overline{4549}$	4599	4650	4700	4751	4801	4852	4902	4953	- 50
861	5003	5054	5104	5154	5205	5255	5306	5356	5406	5457	50
862	5507	5558	5608	5658	5709	5759	5809	5860	5910	5960	50
863	6011	6061	6111	6162	6212	6262	6313	6363	6413	6463	50
864	6514	6564	6614	6665	6715	6765	6815	6865	6916	6966	50
865	7016	7066	7117	7167	7217	7267	7317	7367	7418	7468	50
866	7518	7568	7618	7668	7718	7769	$7819 \\ 8320$	7869 8370	7919	7969	50
867	8019 8520	$8069 \\ 8570$	8119 8620	$8169 \\ 8670$	$8219 \\ 8720$	$8269 \\ 8770$	8820	8870	$8420 \\ 8920$	8470 8970	50 50
869	9020	9070	9120	9170	9220	9270	9320	9369	9419	9469	50
i i				9669	$\frac{3220}{9719}$	$\frac{32769}{9769}$	$\frac{3320}{9819}$	$\frac{3869}{9869}$	9918	$\frac{3463}{9968}$	
870 871	939519 940018	$9569 \\ 0068$	$\frac{9619}{0118}$	0168	0218	0267	0317	0367	0417	0467	50 50
872	0516	0566	0616	0666	0716	0765	0815	0865	0915	0964	50
873	1014	1064	1114	1163	1213	1263	1313	1362	1412	1462	50
874	1511	1561	1611	1660	1710	1760	1809	1859	1909	1958	50
875	2008	2058	2107	2157	2207	2256	2306	2355	2405	2455	50
876	2594	2554	2603	2653	2702	2752	2801	2851	2901	2950	50
877	3000	3049	3099	3148	3198	3247	3297	3346	3396	3445	49
878	3495	3544	3593	3643	3692	3742	3791	3841	3890	3939	49
879	3989	4038	4088	4137	4186	4236	4285	4335	4384	4433	49
N.	Ιυ	1	2	3	1 4	5	6	7	8	9	D,
•											

N.	0	1	2	3	4	5	6	7	8	9	D.
880	944483	45321	45811	4631	4680	4729	4779	4828	4877	4927	49
881	4976	5025	5074	5124	5173	5222	5272	5321	5370	5419	49
882	5469	5518	5567	5616	5665	5715	5764	5813	5862	5912	49
883	5961	6010	6059	6108	6157	6207	6256	6305	6354	6403	49
884	6452	6501	6551	6600	6649	6698	6747	6796	6845	6894	49
885	6943	6992	7041	7090	7140	7189	7238	7287	7336	7385	49
886	7434	7483	7532	7581	7630	7679	7728	7777	7826	7875	49
887	7924	7973	8022	8070	8119	8168	8217	8266	8315	8364	49
888	8413	8462	8511	8560	8609	8657	8706	8755	8804	8853	49
889	8902	8951	8999	9048	9097	9146	9195	9244	9292	9341	49
890	949390	9439	9488	9536	9585	9634	9683	9731	9780	9829	49
891	9878	9926	9975	24	73	.121	.170	.219	.267	.316	49
892	950365	0414	0462	0511	0560	0608	0657	0706	0754	0803	49
893	0851	0900	0949	0997	1046	1095	1143	1192	1240	1289	49
891	1338	1386	1435	1483	1532	1580	1629	1677	1726	1775	49
895	1823	1872	1920	1969	2017	2066	2114	2163	2211	2260	48
896	2308	2356	2405	2453	2502	2550	2599	2647	2696	2744	48
897	2792	2841	2889	2938	2986	3034	3083	3131	3180	3228	48
898	3276	3325	3373	3421	3470	3518	3566	3615	3663	3711	48
899	3760	3808	3856	3905	3953	4001	4049	4098	4146	4194	48
900	954243	4291	4339	4387	4435	4484	4532	4580	4628	4677	48
901	4725	4773	4821	4869	4918	4966	5014	5062	5110	5158	48
902	5207	5255	5303	5351	5399	5447	5495	5543	5592	5640	48
903	5688	5736	5784	5832	5880	5928	5976	6024	6072	6120	48
904	6168	6216	6265	6313	6361	6409	6457	6505	6553	6601	48
905	6649	6697	6745	6793	6840	6888	6936	6984	7032	7080	48
906	7128	7176	7224	7272	7320	7368	7416	7464	7512	7559	48
907	7607	7655	7703	7751	7799	7847	7894	7942	7990	8038	48
908	8086	8134	8181	8229	8277	8325	8373	8421	8468	8516	48
909	8564	8612	8659	8707	8755	8803	8850	8898	8946	8994	48
910	959041	9089	9137	9185	9232	$\overline{9280}$	9328	9375	9423	9471	48
911	9518	9566	9614	9661	9709	9757	9804	9852	9900	9947	48
912	9995	42	90	.138	.185	.233	.280	.328	.376	.423	48
913	960471	0518	0566	0613	0661	0709	0756	0804	0851	0899	48
914	0946	0994	1041	1089	1136	1184	1231	1279	1326	1374	47
915	1421	1469	1516	1563	1611	1658	1706	1753	1801	1848	47
916	1895	1943	1990	2038	2085	2132	2180	2227	2275	2322	47
917	2369	2417	2464	2511	2559	2606	2653	2701	2748	2795	47
918	2843	2890	2937	2985	3032		3126	3174	3221	3268	47
919	3316	3363	3410	3457	3504	3552	3599	3646	3693	3741	47
920	963788	3835	3882	3929	3977	4024	4071	4118	4165	4212	47
921	4260	4307	4354	4401	4448	4495	4542	4590	4637	4684	47
922	4731			4872	4919	4966	5013	5061	5108	5155	47
923	5202		5296	5343	5390	5437	5484	5531	5578	5625	47
924	5672	5719	5766	5813	5860	5907	5954	6001	6048	6095	47
925	6142	6189	6236	6283	6329	6376	6423	6470	6517	6564	47
926	6611	6658	6705	6752	6799	6845	6892	6939	6986	7033	47
927	7080	7127	7173	7220	7267	~314	7361	7408	7454	7501	47
928	7548	7595	7642	7688	7735	1782	7829	7875	7922	7969	47
929	8016	8062	8109	8156	8203	8249	8296	8343	8390	8436	47
930	968483	8530	8576	8623	8670	8716	8763	8810	8856	8903	47
931	8950	8996	9043	9090	9136	9183	9229	9276	9323	9369	47
932	9116	9463	9509	9556	9602	9649	9695	9742	9789	9835	47
933	9882	9928	9975	21	68	.114	.161	207	.254	.300	47
934	970347	0393	0440	0486	0533	0579	0626	0672	0719	0765	46
935	0812	0858	0904	0951	0997	1044	1090	1137	1183	1229	46
936	1276	1322	1369	1415	1461	1508	1554	1601	1647	1693	46
937	1740	1786	1832	1879		1971	2018	2064	2110	2157	46
938	2203	2249	2295	2342		2434	2481	2527	2573	2619	46
939	2666	2712	2758	2804	2851	2897	2943	2389	3035	3082	46
N.	1 0	1	2	3	1 4	5	6	7	8	9	D.

N.	0	1	2,	3	4	5	6	7	8	9 1	D.
940	973128	3174	3220	3266	3313	33591	3405	3451	3497	3543	46
941	3590	3636	3682	3728	3774	3820	3866	3913	3959	4005	46
942	4051	4097	4143	4189	4235	4281	4327	4374	4420	4466	46
943	4512	4558	4604	4650	4696	4742	4788	4834	4880	4926	46
944	4972	5018	5064	5110	5156	5202	5248	5294	5340	5386	46
945	5432	5478	5524	5570	5616	5662	5707	5753	5799	5845	46
946	5891	5937		6029	6075	6121	6167	6212	6258	6304	46
947	6350	6396	6442	6488	6533	6579	6625	6671	6717	6763	46
948	6808 7266	6854 7312	6900	$6946 \\ 7403$	$6992 \\ 7449$	7037	7083	7129 7586	7175 7632	$7220 \\ 7678$	46
			7358			7495	7541				46
950	977724	7769	7815	7861	7906	7352	7998	8043	8089	8135	16
951 952	8181 8637	8226 8683	$8272 \\ 8728$	$8317 \\ 8774$	8363 8819	8409 8865	8454 8911	8500 8956	8546 9002	8591 9047	46
953	9093	9138	9184	9230	9275	9321	9366	9412	9457	9503	46 46
954	9548	9594	9639	9685	9730	9776	9821	9867	9912	9958	46
955	980003	0049	0094	0140	0185	0231	0276	0322	0367	0412	45
956	0458	0503	0549	0594	0640	0685	0730	0776	0821	0867	45
957	0912	0957	1003	1048	1093	1139	1184	1229	1275	1320	45
958	1366	1411	1456	1501	1547	1592	1637	1683	1728	1773	45
959	1819	1864	1909	1954	2000	2045	2090	2135	2181	2226	45
960	982271	2316	2362	2407	2452	2497	2543	2588	2633	2678	45
961	2723	2769	2814		2904	2949	2994	3040	3085	3130	45
962	3175	3220	3265	3310	3356	3401	3446	3491	3536	3581	45
963	3626		3716		3807	3852	3897	3942	3987	4032	45
961	4077		4167		4257	4302	4347	4392	4437	4482	45
965	4527	4572	4617		4707	4752	4797	4842	4887	4932	45
966	4977	5022	5067	5112	5157	5202	5247	5292	5337	5382	45
967	5426	5471	5516	5561	5606	5651	5696	5741	5786	5830	45
968 969	5875 6324	$\frac{5920}{6369}$	$\frac{5965}{6413}$	$6010 \\ 6458$	6055 6503	$6100 \\ 6548$	6144 6593	$6189 \\ 6637$	$\begin{array}{c} 6234 \\ 6682 \end{array}$	$6279 \\ 6727$	45
											45
970 971	986772	6817	6861	6906	6951	6996	7040	7085	7130	7175 7622	45
972	7219 7666	7264 7711	7309 7756	7353 7800	7398 7845	7443 7890	7488	7532	7577	8068	45
973	8113	8157	8202	8247	8291	8336	7934 8381	$7979 \\ 8425$	$8024 \\ 8470$	8514	45
974	8559	8604	8648	8693	8737	8782	8826	8871	8916	8960	45
975	9005	9049	9094	9138	9183	9227	9272	9316	9361	9405	45
976	9450	9494	9539	9583	9628	9672	9717	9761	9806	9850	44
977	9895	9939	9983	28	72	.117	.161	.206	.250	.294	44
978	990339	0383	0428	0472	0516	0561	0605	0650	0694	0738	44
979	0783	0827	0871	0916	0960	1004	1049	1093	1137	1182	44
980	991226	1270	1315	1359	1403	1448	1492	1536	1580	1625	44
981	1669	1713	1758	1802	1846	1890	1935	1979	2023		44
982	2111	2156	2200	2244	2288	2333	2377	2421	2465	2509	44
983	2554	2598	2642	2686	2730	2774	2819	2863	2907	2951	44
984	2995	3039	3083	3127	3172	3216	3260	3304	3348	3392	44
985	3436	3480	3524	3568	3613	3657	3701	3745	3789	3833	44
986	3877	3921	3965	4009	4053	4097	4141	4185	4229	4273	44
987	4317	4361	4405	4449	4493	4537	4581	4625	4669	4713	44
988	4757 5196	4801 5240	4845 5284	4889	4933	4977	5021	5065	5108	5152 5591	44
				5328	$\frac{5372}{5011}$	$\frac{5416}{5054}$	5460	$\frac{5504}{5040}$	5547		
990	995635	5679	5723	5767	5811	5854	5898	5942	5986	6030	44
$991 \\ 992$	$6074 \\ 6512$	6117 6555	6161 6599	6205	6249	6293	6337	6380	6424	6468 6906	44 44
993	6949	6993	7037	6643 7080	$6687 \\ 7124$	$6731 \\ 7168$	6774 7212	6818 7255	6862 7299	7343	44
994	7386	7430	7474	7517	7561	7605	7648	7692	7736	7779	44
995	7823	7867	7910	7954	7998	8041	8085	8129	8172	8216	44
996	8259	8303	8347	8390	8434	8477	8521	8564	8608	8652	44
997	8695	8739	8782	8826	8869	8913	8956	9000	9043	9087	44
998	9131	9174	9218	9261	9305	9348	9392	9435	9479	9522	44
999	9565	9609	9652	9696	9739	9783	9826	9870	9913	9957	43
N.	0	1	2	3	4	5	6	1 7	8	9	D.
			. ~	, 0	. *	1 0	, 0	, ,			٠.



LOGARITHMIC

SINES AND TANGENTS,

FOR

EVERY DEGREE AND MINUTE

OF THE QUADRANT.

The minutes in the left-hand column of each page, increasing downward, belong to the degrees at the top; and those increasing upward, in the right-hand column, belong to the degrees below.

Mondaynigh.

1	0			U . I.	JGA	KIIIMIC			
1	M	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
۴	0	0.000000		10.000000		0.000000		Innuite.	60
-	1	6.463726	501717:	000000	00	6.463726	501717	13.536274	59
		764756	293485	000000	00	764756	293483	235244	58
1	3	940847	208231	000000	00		208231	059153	57
	4	7,065786	161517	000000	00		161517	12.934214	56
	5	162696	131968	000000	00		131969	837304	55
	5	241877	111575	9.999999	01		111578	758122	54
	7	308824	96653	999999	01	308825	99653	691175	53
	8	366816	85254	999999	01	366817	85254	633183	52
!	9	417968	76263	999999	01	417970	76263	582030	51
ı۱	ιŏΙ	463725	68988	999998	01	463727	68988	536273	50
- 1 -	Η	7.505118	62981	9.999998	01	7.505120	62981	12.494880	$\overline{49}$
	12	542906	57936	999997	oil	542909	57933	457091	48
- 1 ;	3	577668	53641	999997	oil	577672	53612	422328	47
				999996	01	609857	49939	390143	46
	14	609853	49938		oil	639820	46715	360180	45
	15	639816	46714	999996	oil	667849	43882		44
	16	667845	43881	999995	oil	694179	41373	332151 305821	43
	17	694173	41372	999995	oil	719003	39136		42
	18	718997	39135	999994	ői	742484	27100	280997	41
	19	742477	37127	999993		764761	37128	257516	40
	20	764754	35315	999993	01		35136	235239	
	21	7.785943	33672	9.999992	01	7.785951	33673	12.214049	39
	22	806146	32175	999991	01	806155	32176	193845	38
	23	825451	30805	999990	01	825460	30806	174540	37
	24	843934	29547	999989	02	843944	29549	156056	36
	25	861662	28388	999988	02	861674	28390	138326	35
	26	878695	27317	999988	02	878708	27318	121292	34
	27	895085	26323	999987	02	895099	26325	104901	33
	28	910879	25399	999986	02	910894	25401	089106	32
	29	926119	24538	999985	02	926134	24540	073866	31
	30	940842	23733	999983	02	940858	23735	059142	30
	31	7.955082	22980	9.999982	02	7.955100	22981	12.044900	29
	32	968870	22273	999981	02	968889	22275	031111	28
	33	982233	21608	999980	02	982253	21610	017747	27
	34	995198	20981	999979	02	995219	20983	004781	26
	35	8.007787	20390	999977	02	8.007809	2)392	11.992191	25
	36	020021	19831	999976	02	020045	19833	979955	24
	37	031919	19302	999975	02	031945	19305	968055	23
	38	043501	18801	999973	02	043527	18803	956473	22
	39	054781	18325	999972	02	054809	18327	945191	21
	40	065776	17872	999971	02	065806	17874	934194	20
- 12	41	8.076500	17441	9.999969	02	8.076531	17444	11.923469	19
1	42	086965	17031	999968	02	086997	17034	913003	18
- 14	43	097183	16639	999966	02	097217	16642	902783	17
	44	107167	16265	999964	03	107202	16268	892797	16
1	45	116926	15908	999963	03	116963	15910	883037	15
	46	126471	15566	999961	03	126510	15568	873490	14
	47	135810	15238	999959	03	135851	15241	864149	13
	48	144953	14924	999958	03	144996	14927	855004	12
	49	153907	14622	999956	03	153952	14627	846048	11
- 1	50	162681	14333	999954	03	162727	14336	837273	10
	51	8.171280	14054	9.999952	$\bar{0}\bar{3}$	9.171328	14057	11.828672	9
	52	179713	13786	999950	03	179763	13790	820237	į 8
	53	187985	13529	999948	03	188036	13532	811964	8
	54	196102	13280	999946	03	196156		803844	6
	55	204070	13041	999944	03	204126		795874	5
	56	211895	12810	999942	04	211953		788047	4
	57	219581	12587	999940	04	219641	12590	780359	3
	58	227134	12372	999938	04	227195		772805	2
	59	234557	12164	999936		234621	12168	765379	
	60	241855	11963	999934	04	241921	11967	758079	
- 1	-	Cosine		Sine	1	Cotang.	1	Tang.	Ne.
	- 1				1	1	·		t

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	8.241855	11963	9.999934	04	8.241921	11967	11.758079	60
1	249033	11768	999932	04	249102	11772	750898	59
3	256094 263042	11580	999929	$\begin{array}{c} 04 \\ 04 \end{array}$	256165 263115	$11584 \\ 11402$	743835 736885	58
4	269881	$\frac{11398}{11221}$	999927 999925	04	269956	11225	730044	57 56
	276614	11050	999922	04	276691	11054	723309	55
5 6	283243	10883	999920	04	283323	10887	716677	54
7	289773	10721	999918	04	289856	10726	710144	53
8	296207	10565	999915	04	296292	10570	703708	52
9	302546	10413	999913	04	302634	10418	697366	51
10	308794	10266	999910	04	308884	10270	691116	50
11	8.314954	10122	9.999907	04	8.315046	10126	11.684954	49
12 13	321027 327016	9982 9847	999905 999902	04 04	321122 327114	9987 9851	678878 672886	48 47
14	332924	9714	999899	05	333025	9719	666975	46
15	338753	9586	999897	05	338956		661144	45
16	344504	9460	999894	05	344610	9465	655390	44
17	350181	9338	999891	05	350289	9343	649711	43
18	355783	9219	999888	05	355895	9224	644105	42
19	361315	9103	999885	05	361430	9108	638570	41
20	366777	8990	999882	05	366895	8995	633105	40
21	8.372171	8880	9.999879	05	8.372292	8885	11.627708	39
22 23	377499 382762	8772 8667	999876 999873	05 05	$377622 \\ 382889$	8777 8672	$622378 \\ 617111$	38
24	387962	8564	999870	05	388092	8570	611908	36
25	393101	8464	999867	05	393234	8470	606766	35
26	398179	8366	999864	05	398315	8371	601685	34
27	403199	8271	999861	05	403338	8276	596662	33
28	408161	8177	999858	05	408304	8182	591696	32
29	413068	8086	999854	05	413213	8091	586787	31
30	417919	7996	999851	06	418068	8002	581932	30
31	8.422717	7909	9.999848	06	8.422869	7914	11.577131	29
32 33	427462 432156	7823 7740	999844 999841	06 06	427618 432315	7830 7745	572382 567685	28 27
34	436800	7657	999838	06	436962	7663	563038	26
35	441394	7577	999834	06	441560	7583	558440	25
36	445941	7499	999831	06	446110	7505	553890	24
37	450440	7422	999827	06	450613	7428	549387	23
38	454893	7346	999823	06	455070	7352	544930	22
39 40	459301 463665	7273 7200	999820 999816	06 06	459481 463849	7279 7206	540519 536151	21 20
								_
41	8.467985 472263	7129 7060	9.999812 999809	06 06	$\begin{array}{r} 8.468172 \\ 472454 \end{array}$	7135 7066	$11.531828 \\ 527546$	19 18
43	476498	6991	999805	06	476693	6998	523307	17
44	480693	6924	999801	06	480892	6931	519108	16
45	484848	6859	999797	07	485050	6865	514950	15
46	488963	6794	999793	07	489170	6801	510830	14
47	493040	6731	999790	07	493250	6738	506750	13
48	497078	6669	999788	07	497293	6676	502707	12
49 50	501080 505045	6608 6548	999782 999778	97 07	501298 505267	6555	498702 494733	111
51	8.508974	6489	$\frac{393778}{9.999774}$	07	8.509200	6496	11.490800	9
52	512867	6431	9.999774	07	513098	6439	486902	8
53	516726	6375	999765	07	516961	6382	483039	17
54	520551	6319	999761	07	520790	6326	479210	5
55	524343	6264	999757	07	524586	6272	475414	5
56	528102	6211	999753	07	528349	6218	471651	4
57	531828	6158	999748	07	532080	6165	467920	3
58 59	535523 539186	6106 6055	999744 999740	07	535779 539447	6113	464221 460553	1
60	542819		999735			6012	456916	
-	Cosme	=== <u>=</u> =	Sine		Cotang.		Tang	ĪV.
1 2	COA: UE	1	Ditte	1	I Manuage	i	1 44116	1

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	Ì
0	8.542819	6004	9.999735				11.456916	60
1	546422 549995	5955 5906	999731 999726	$ \begin{array}{c} 07 \\ 07 \end{array}$	546691 550268	5962 5914	453309 449732	59 58
3	553539	5858	999722	08	553817	5866	446183	57
4	557054	5811	999717	08	557336	5819	442664	56
5	560540	5765	999713	08	560828	5773	439172	55
6 7	563999 567431	5719 5674	999708 999704	$\begin{array}{c} 08 \\ 08 \end{array}$	564291 567727	5727 5682	435709 432273	54 53
8	570836	5630	999699	08	571137	5638	428863	52
9	574214	5587	959694	08	574520	5595	425480	51
10	577566	5544	999689	08	577877	5552	422123	50
II	8.580892 584193	5502	9.999685	08 08	8.581208	5510 5468	11.418792	49 48
12	587469	5460 5419	999680 999675	08	584514 587795	5427	415486 412205	47
14	590721	5379	999670	08	591051	5387	408919	46
15	593948	5339	999665	30	594283	5347	405717	
16	597152 600332	5300	999660	08 08	597492	5308	402508	44
17	693489	5261 5223	999655 999650	08	600677 603839	5270 5232	399323 396161	43 42
i j	606623	5186	999645	09	606978	5194	393022	41
20	609734	5149	999640	09	610094	5158	389906	40
21	8.612823	5112	9.999635	09	8.613189	5121	11.386811	39
22	615891 618937	5076	999629	09	616262	5085 5050	383738	38
23 24	621962	5041 5006	999624 999619	09 09	$\begin{array}{c} 619313 \\ 622343 \end{array}$	5015	380687 377657	37 36
25	624965	4972	999614	09	625352	4981	374648	35
26	627948	4938	999608	09	628340	4947	371660	34
27	630911 633854	4904	999603	09	631308	4913	368692	33
28 29	636776	4871 4839	999597 999592	09 09	634256 637184	4880 4848	365744 362816	32 31
35	639680	4806	999586	09	640093	4816	359907	30
31	8.642563	4775	9.999581	$\overline{09}$	8.642982	4784	11.357018	29
32	645428	4743	999575	09	645853	4753	354147	28
33	648274	4712	999570	09	648704	$\begin{array}{c} 4722 \\ 4691 \end{array}$	351296	27
34 35	651102 653911	$\begin{array}{c} 4682 \\ 4652 \end{array}$	999564 999558	09 10	$\begin{array}{c} 651537 \\ 654352 \end{array}$	4661	348463 345648	26 25
36	656702	4622	999553	10	657149	4631	342851	24
37	659475	4592	999547	10	659928	4602	340072	23
38	662230 664968	4563	999541	10	662689	4573 4544	337311	22
39 40	667689	4535 4506	999535 999529	10 10	665433 668160	4526	334567 331840	21 20
41	8.670393	4479	9.999524	$\frac{10}{10}$	8.670870	4488	11.329130	19
42	673080	4451	999518	10	673563	4461	326437	18
43	675751	4424	999512	10	676239	4434	323761	17
44 45	678405 681043	4397	999506	10 10	678900	$\frac{4417}{4380}$	321100	16 15
46	683665	$\frac{4370}{4344}$	999500 999493	10	681544 684172	4354	318456 315828	14
47	686272	4318	999487	10	686781	4328	313216	13
48	688863	4292	999481	10	689381	4303	310619	12
49 50	691438 693998	$\frac{4267}{4242}$	999475 999469	10 10	691963 694529	4277 4252	308037 305471	11
$\frac{59}{51}$	8 696543	$\frac{4242}{4217}$	9,999463	11	8.697081	4232	11,302919	$\frac{10}{9}$
52	699073	4192	9.999463	11	699617	4228	300383	8
53	701589	4168	999450	ii	702139	4179	297861	7
54	704090	4144	999443	11	704646	4155	295354	6
55 56	706577 709049	4121	999437 999431	11	707140 709618	4132 4108	292860 290382	5
57	711507	4074	999431	iil	712083	4085	287917	3
58	713952	4051	999418	11	714534	4062	285465	2
59	716383	4029	999411	11	716972	4040	283028	1
60	719800	4006	999404	11	7193961	4017	280304	0
	Cosine	1	Sine		Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	8 7188001	4006	9.999404	11	8.719396	4017	11.280604	60
1	721204	3984	999398	11	721806	3995	278194	59
2	723595	3962	999391	11	724204	3374	275796	58
3	725972	3941	999384 999378	11	726588 728959	$\frac{3952}{3930}$	273412	57 56
5	728337 730688	3919 3838	999371	ii	731317	3909	271041 268683	55
6	733027	3877	999364	12	733663	3889	266337	54
7	735354	3857	999357	12	735996	3868	264004	53
8	737607	3836	999350	12	738317	3848	261683	52
9	739969	3816	999343	12	740626	3827	259374	51
10	742259	3796	999336	12	742922	3807	257078	50
ĪĪ	8.744536	3776	9.999329	12	8.745207	3787	11.254793	49
12	746802	3756	999322	12	747479	3768	252521	48
13 14	749055 751297	3737 3717	999315 999308	$\frac{12}{12}$	749740 751989	$\frac{3749}{3729}$	250260 248011	47
15	753528	3698	999301	12	754227	3710	245773	45
16	755747	3679	999294	12	756453	3692	243547	44
17	757955	3661	999286	12	758668	3673	241332	43
18	760151	3642	999279	12	760872	3655	239128	42
19	762337	3624	999272	12	763065	3636	236935	41
20	764511	3606	999265	12	765246	3618	234754	40
21	8.766675	3588	9.999257	12	8.767417	3600	11.232583	39
22 23	768828 770970	$\frac{3570}{3553}$	999250 999242	13 13	769578 771727	3583 3565	230422 228273	38
23	773101	3535	999235	13	773866	3548	226134	36
25	775223	3518	999227	13	775995	3531	224005	35
26	777333	3501	999220	13	778114	3514	221886	34
27	779434	3484	999212	13	780222	3497	219778	
28	781524	3467	999205	13	782320	3480	217680	
29	783605	3451	999197	13	784408	3464	215592	31
$\frac{30}{30}$	785675	3431	999189	13	786486	3447	213514	$\frac{30}{29}$
$\frac{31}{32}$	8.787736 789787	$\frac{3418}{3402}$	9.999181	13 13	8.788554 790613	3431 3414	11.211446 209387	28
33	791828	3386	999166	13		3399	207338	
34	793859	3370	999158	13		3383	205299	
35	795881	3354	999150	13	796731	3368	203269	25
36	797894	3339	999142			3352	201248	
37	799897	3323	999134			3337	199237	$\begin{vmatrix} 2.3 \\ 22 \end{vmatrix}$
38	801892 803876	3308 3293	999126 999118			3322 3307	197235 195242	21
40	805852	3278	999110			3292	193258	20
41	8.807819	3263	9.999102			3278	11.191283	19
42	809777	3249	999094			3262	189317	18
43	811726	3234	999086	14	812641	3248	187359	17
44	813667	3219	999077			3233	185411	16
45	815599	3205	999069			3219	183471	15
46	817522 819436	3191 3177	999061 999053	14		$3205 \\ 3191$	181539 179616	13
48	821343	3163	999033			3177	177702	
49	823240	3149	999036			3163	175795	ii
50	825130	3135	999027	14	826103	3150	173897	10
51	8.827011	3122	9.999019	14	8.827992	3136	11.172008	9
52	828884	3108	999010	14	829874	3123	170126	8
53	830749	3095	999002			3110	168252	6
54	832607 834456	3082 3069	998993 998984			3096 3083	166387 164529	5
56	834470	3056	998984			3070	162679	4
57	838130	3043	998967			3057	160837	3
58	839956	3030	998958	15	840998	3045	159002	2
59	841774	3017	998950			3032	157175	1
60	843585	3000	998941	15	844644	3019	155356	_
	Cosine	1	Sine	1	Cotang.		Tang.	M.

0 1 2 3	8.843585 845387	3005 [
3	0/5907		9.998941	15	8.844644	3019	11.155356	60
3		2992	998932	15	846455	3007	153545	59
	847183 848971	2980	998923 998914	15 15	848260 850057	$2995 \\ 2982$	151740	58
4	850751	2967 2955	998905	15	851846	2970	149943 148154	57 56
5	852525	2943	998896	15	853628	2958	146372	55
6	854291	2931	998897	15	855403	2946	144597	54
7	856049	2919	998878	15	857171	2935	142829	53
8	857801	2907	998869	15	858932	2923	141068	52
9	859546	2896	998860	15	860686	2911	139314	51
10	861283	2881	998851	15	862433	2900	137567	50
11	8.863014	2873	9.998841	15	8.864173	2888	11.135827	49
12	864738	2861	998832	15	865906	2877	134094	18
13	866455	2850	998823	16 16	867632	2866	132368	47
14	868165 869868	2839 2828	998813 998804	16	869351 871064	2854 2843	130649 128936	46
15	871565	2817	998795	16	872770	2832	127230	45 44
17	873255	2806	998785	16	874469	2821	125531	43
is	874938	2795	998776	16	876162	2811	123838	42
19	876615	2786	998766	16	877849	2800	122151	41
20	878285	2773	998757	16	879529	2789	120471	40
$\overline{21}$	8.879949	2763	9.998747	16	8.881202	2779	11.118798	39
22	881607	2752	998738	16	882869	2768	117131	38
23	883258	2742	998728	16	884530	2758	115470	37
24	884903	2731	998718	16	886185	2747	113815	36
25	886542	2721	998708	16	887833	2737	112167	35
26	888174	2711	998699	16	889476	2727	110524	34
27	889801	2700	998689	16	891112	2717	108888	33
28	891421	2690	998679	16 17	892742	2707	107258	32
29	893035 ¹ 894643	$2680 \\ 2670$	998669 998659	17	894366 895984	$2697 \\ 2687$	105634 104016	31
30				17	8.897596	2677		30 29
31	8.896246	2660	9.998649 998639	17	899203	2667	11.102404 100797	28
32	897842 899432	2651 2641	998629	17	900803	2658	099197	27
34	901017	2631	998619	17	902398	2648	097602	26
35	902596	2622	998609	17	903987	2638	096013	25
36	904169	2612	998599	17	905570	2629	. 094430	24
37	905736	2603	998589	17	907147	2620	092853	23
38	907297	2593	998578	17	908719	2610	091281	22
39	908853	2584	998568	17	910285	2601	089715	21
40	910404	2575	998558	17	911846	2592	088154	20
41	8.911949	2566	9.998548	17	8.913401	2583	11.086599	19
42	913488	2556	998537	17	914951	2574	085049	18
43	915022	2547	998527	17	916495	2565	083505	17
44	916550	2538	998516	18	918034	2556	081966	16
45	918073 919591	$2529 \\ 2520$	998506 998495	18 18	919568 921096	$2547 \\ 2538$	080432 078904	15
47	919391	2512	998435	18	921090	2530	077381	13
48	922610	2503	998474	18	924136	2521	075864	12
49	924112	2494	998464	18	925649	2512	074351	ii
50	925609	2486	998453	18	927156	2503	072844	10
$\frac{5}{51}$	8.927100	2477	9.998442	$\overline{18}$	8.928658	2495	11.071342	9
52	928587	2469	998431	is	930155	2486	069845	8
53	930068	2460	998421	18	931647	2478	068353	7
54	931544	2452	998410	18	933134	2470	066866	6
55	933015	2443	998399	18	934616	2461	065384	5
56	934481	2435	998388	18	936093	2453	063907	4
57	935942	2427	998377	18	937565	2445	062435	3
58	937398	2419	998366	18	939032	2437	060968	2
59	938850	2411	998355	18	940494	$\begin{bmatrix} 2430 \\ 2421 \end{bmatrix}$	059506 058048	
60	940296	2403	798344	113	941952	1 2421		-
(Cosine		Sme	1	Cotang.		Tang.	IM.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang	
0	8.940296	2403	9.998344	19	8.941952	2421	111.058048	60
1	941738	2394	998333	19	943404	2413	056596	59
3	943174 944606	2387 2379	998322 998311	19 19	944852 946295	$2405 \\ 2397$	055148 053705	58 57
4	946034	2371	998300	19	947734	2390	052266	56
5	947456	2363	998289	19	949168	2382	050832	
	948874	2355	998277	19	950597	2374	049403	54
6	950287	2348	998266	19	952021	2366	047979	53
8 9	951696	2340	998255	19	953441	2360	046559	52
9	953100	2332	998243	19	954856	2351	045144	51
10	954499	2325	998232	$\frac{19}{10}$	956267	2344	043733	50
11	8.955894	2317 2310	9.998220	19 19	8.957674 959075	$2337 \\ 2329$	11.042326 040925	49 48
12 13	957284 958670	2302	998209 998197	19	960473	2323	039527	47
14	960052	2295	998186	19	961866	2314	038134	46
15	961429	2288	998174	19	963255	2307	036745	45
16	962801	2280	998163	19	964639	2300	035361	44
17	964170	2273	998151	19	966019	2293	033981	43
18	965534	2266	998139	20	967394	2286	032606	42
19 20	966893 968249	$2259 \\ 2252$	998128 998116	20 20	968766 970133	$\frac{2279}{2271}$	031234 029867	41
21	8.969600	2244	9.998104	$\frac{z_0}{20}$	8 971496	2265	11.028504	39
22	970947	2238	998092	20	972855	2257	027145	38
23	972289	2231	998080	20	974209	2251	025791	37
24	973628	2224	998068	20	975560	2244	024440	36
25	974962	2217	998056	20	976996	2237	023094	35
26	976293	2210	993044	20	978248	2230	021752	34
27	977619 978941	2203	998032 998020	20 20	979586 980921	$\frac{2223}{2217}$	020414 019079	33 32
28 29	980259	2197 2190	998020	20	930321	2217	019779	31
30	981573	2183	997996	20	983577	2204	016423	30
31	8.982883	2177	9.997934	$\overline{20}$	8.984899	2197	11.015101	29
32	984189	2170	997972	20	986217	2191	013783	28
33	985491	2163	997959	20	987532	2184	012468	27
34	986789	2157	997947	20	988842	2178	011158	26
35	998083	2150	997935	21	990149	2171	009851	25 24
36 37	989374 990660	2144 2138	997922 997910	$\frac{21}{21}$	991451 992750	2165 2158	$008549 \ 007250$	23
38	991943	2131	997897	21	994045	2152	005955	22
39	993222	2125	997885	21	995337	2146	004663	21
40	994497	2119	997872	21	996624	2140	003376	20
41	8 995769	2112	9.997860	21	8.997908	2134	11.002092	19
42	997036	2106	997847	21	999188	2127	000812	18
43	998299	2100	997835	21	9.000465	2121	10.999535	17
41	999560	2094 2087	997822 997809	21 21	001738 003007	$\frac{2115}{2109}$	998262 996993	16 15
46	002069	2087	997797	21	003007	2103	995728	14
47	003318	2076	997784	2i	005534	2097	991466	13
18	004563	2070	997771	21	006792	2091	993208	12
19	005805	2064	997758	21	008047	2085	991953	11
50	007044	2058	997745	21	009298	2080	990702	10
51	9.003278	2052	9.997732	21	9.010546	2074	10.939454	9
52 53	009510	2046	997719	21 21	011790 013031	$\begin{array}{c} 2068 \\ 2062 \end{array}$	988210	8 7
54	010737 011962	2040 2034	997706 997693	22	013031	2056	986969 985732	6
55	013182	2029	997680	22	015502	2051	984498	5
56	014400	2023	997667	22	016732	2045	983268	4
57	0 5613	2017	997654	22	017959	2040	982041	3
58	016824	2012	997641	22	019183	2033	980817	2
59 60	$\begin{array}{c c} 018031 \\ 019235 \end{array}$	2006 2000	997628 997614	22 22	$\begin{array}{c} 020403 \\ 021620 \end{array}$	$\begin{array}{c} 2028 \\ 2023 \end{array}$	979597 978380	0
<u>۳</u>		10.00		~~!		417.40)		
	Cosine		Sine	!	Cotang.		Tang.	М.

M	Sine	D.	Cosine	D.	Tang	D.	Cotang.	
0	9.019235	2000	9.997614	22	9.021620	2023	10.978380	60
1	020435	1995	997601	22	022834	2017	977166	59
3	$oxed{021632} \ 022825$	1989 1984	997588 997574	22 22	024044 025251	2011 2006	97595 6 974749	58 57
4	024016	1978	997561	22	026455	2000	973545	56
5	025203	1973	997547	22	027655	1995	972345	55
6	026386	1967	997534	23	028852	1990	971148	54
7	027567	1962	997520	23	030046	1985	969954	53
8	028744	1957	997507	23	031237	1979	968763	52
9	029918	1951	997493	23	032425	1974	967575	51
10	031089	1947	997480	$\frac{23}{2}$	033609	1969	966391	50
11	9.032257	1941	9.997466	23	9.034791	1964	10.965209	19
12	033421	1936	997452	23 23	035969	1958	964031	48
13	$034582 \\ 035741$	1930 1925	997439 997425	23	$037144 \\ 038316$	$\frac{1953}{1948}$	962856 961684	47
15	036896	1920	997411	23	039485	1943	960515	45
16	038048	1915	997397	23	040651	1938	959349	14
17	039197	1910	997383	23	041813	1933	958187	43
18	040342	1905	997369	23	042973	1928	957027	42
19	041485	1899	997355	23	044130	1923	955870	41
20	042625	1894	997341	23	045284	1918	954716	40
21	9.043762	1889	9.997327	24	9.046434	1913	10.953566	39
22	044895	1884	997313	24	047582	1908	952418	38
23	046026	1879	997299	24	048727	1903	951273	37
24	047154	$\frac{1875}{1870}$	997285	24 24	049869	1898	950131	36
25 26	048279 049400	1865	997271 997257	24	051008 052144	$-1893 \\ -1889$	948992 947856	35 34
27	050519	1860	997242	24	053277	1884	946723	33
28	051635	1855	997228	$\tilde{24}$	054407	1879	945593	32
29	052749	1850	997214	24	055535	1874	944465	31
30	053859	1845	997199	24	056659	1870	943341	30
31	054966	1841	9.997185	$\overline{24}$	9.057781	1865	10.942219	29
32	056071	1836	997170	24	058900	1869	941100	28
33	057172	1831	997156	24	060016	1855	939984	27
34	058271	1827	997141	24	061130	1851	938870	26
35	059367	1822 1817	997127	24	062240	1846	937760	25
36 37	060460 061551	1813	997112 997098	$\begin{bmatrix} 24 \\ 24 \end{bmatrix}$	063348 064453	$\frac{1842}{1837}$	936652 935547	24 23
38	062639	1808	997083	25	065556	1833	934444	22
39	063724	1804	997068	25	066655	1828	933345	21
40	064806	1799	997053	25	067752	1824	932248	20
41	9.065885	1794	9.997039	25	9.068846	1819	10.931154	19
42	066962	1790	997024	25	069938	1815	930062	18
43	068036	1786	997009	25	071027	1810	928973	17
44	069107	1781	996994	25	072113	1806	927887	16
45	070176	1777	996979	25	073197	1802	926803	15
46	071242 072306	1772 1768	996964	25 25	074278	1797	925722	14
48	072306	1763	996949 996934	25	075356 076432	$\frac{1793}{1789}$	924644 923568	13 12
49	074424	1759	996919	25	077505	1784	923308	11
50	075480	1755	996904	25	078576	1780	921424	10
51	$\frac{0.076533}{9.076533}$	1750	9.996889	$\frac{25}{25}$	9.079644	1776	10.920356	9
52	077583	1746	996874	25	080710	1772	919290	8
53	078631	1742	996858	25	081773	1767	918227	7
54	079676	1738	996843	25	082833	1763	917167	6
55	080719	1733	996828	25	083891	1759	916109	5
56	081759	1729	996812	26	084947	1755	915053	4
58	082797 083832	1725 1721	996797 996782	26 26	086000	1751	914000	3 2
59	084864	1717	996766	26	087050 088098	1747	912950 911902	
60	085894	1713	996751		089144		910856	
-	Cosine I		Sine	1				M.
	Cosme		bille		Co ang.		Tang.	Dr.

M.	Sine	D.	Cosine	D. 1	Tang.	D.	Cotang.	
0	9.085894	1713	9.996751	26	9.089144	1738	10.910856	60
1	086922	1709	996735	26	090187	1734	909813	59
2	087947	1704	996720	26	091228	1730	908772	58
3	088970	1700	996704	26	092266	1727	907734	57.
4	089990	1696	996688	26	093302	1722	906698	56
5	091008	1692	996673	26	094336	1719	905664	55
6	092024	1688	996657	26	095367	1715	904633	54
7	093037	1684	996641	26	096395	1711	903605	
8	094047	1680	996625	26	097422	1707	902578	52
9	095056	1676	996610	26	098446	1703	901554	51
10	096062	1673	996594	<u> 26</u>	099468	1699	900532	50
11	9.097065	1668	9.996578	27	9.100487	1695	10.899513	49
12	098066	1665	996562	27	101504	1691	898496	48
13	099065	1661	996546	27	102519	1687	897481	47
14	100062	1657	996530	27	103532	1684	896468	
15	101056	1653	996514	27	104542	1680	895458	45
16	102048	1649	996498	27	105550	1676	894450	44
18	103037	1645	996482	27	106556	1672	893444	43
19	104025	1641	996465	27	107559	1669	892441	42
20	105010 105992	1638 1634	996449 996433	27	108560 109559	1665	891440	41
				27		1661	890441	40
21	9.106973	1630	9.996417	27	9.110556	1658	10.889444	39
22 23	107951	1627	996400	27	111551	1654	888449	38
24	108927	1623	996384	27	112543	1650	887457	37
25	109901	1619	996368	27	113533	1646	886467	36
26	1.0873	1616 1612	996351	27	114521 115507	1643	885479	35
27	112809	1608	996335 996318	27	116491	1639	884493	34 33
28	113774	1605	996302	27 28	117472	$\begin{array}{c} 1636 \\ 1632 \end{array}$	883509 882528	32
29	114737	1601	996285	28	118452	1629	881548	31
30	115698	1597	996269	28	119429	1625	880571	30
31								
32	9.116656 117613	1594	9.996252	28	9.120404	1622	10.879596	29
33	118567	1590	996235 996219	28	121377 122348	1618	878623 877652	28 27
34	119519	1587 1583	996202	28 28	123317	$\frac{1615}{1611}$	876683	26
35	120469	1580	996185	28	124284	1607	875716	25
36	121417	1576	996168	28	125249	1604	874751	24
37	122362	1573	996151	28	126211	1601	873789	23
38	123306	1569	996134	28	127172	1597	872828	22
39	124248	1566	996117	28	128130	1594	871870	21
40	125187	1562	996100	28	129087	1591	870913	20
41	9.126125	1559	9.996083	29	9.130041	1587	10.869959	19
42	127060	1556	996066	29	130994	1584	869006	18
43	127993	1552	996049	29	131944	1581	968056	17
44	128925	1549	996032	29	132893	1577	867107	16
45	129854	1545	996015	29	133839	1574	866161	15
46	130781	1542	995998	29	134784	1571	865216	14
47	131706	1539	995980	29	135726	1567	864274	13
48	132630	1535	995963	29	136667	1564	863333	12
49	133551	1532	995946	29	137605	1561	862395	11
50	134470	1529	995928	29	138542	1558	861458	10
51	9.135387	1525	9.995911	29	9.139476	1555	10.860524	9
52	136303	1522	995894	29	140409	1551	859591	8
53	137216	1519	995876	29	141340	1548	858660	7
54	138128	1516	995859	29	142269	1545	857731	6
55	139037	1512	995841	29	143196	1542	856804	5
56	139944	1509	995823	29	144121	1539	855879	4
57	140850	1506	995806	29	145044	1535	854956	3
58	141754	1503	995788	29	145966	1532	854034	2
59	142655	1500	995771	29	146885	1529	853115	1
60	143555	1496	995753	29	147803	1526	852197	
	Cosine (Sine		Coung.		Tang	M

M	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.143555	1496	9.995753	30	9.147803	1526	10.852197	
1 2	144453 145349	1493 1490	995735 995717	30 30	148718 149632	1523 1520	851282 850368	59 58
3	146243	1487	995699	30	150544	1517	819456	57
4	147136	1484	995681	30	. 151454	1514	848546	56
5	148026	1481	995664	30	152363	1511	847637	55
6	148915	1478	995646	30	153269	1508	846731	54
8	149802 150686	$\frac{1475}{1472}$	995628 995610	30	154174 155077	$1505 \\ 1502$	845826 844923	53
9	151569	1469	995591	30	155978	1499	844022	52 21
10	152451	1466	995573	30	156877	1496	843123	50
III	9 153330	1463	9.995555	30	9.157775	1493	10.842225	49
12	154208	1460	995537	30	158671	1490	841329	48
13	155083	1457	995519	30	159565	1487	840435	47
14	155957 156830	1454	$995501 \\ 995482$	31	160457 161347	1484	839543	46 45
15 16	157700	$\frac{1451}{1448}$	995464	31	162236	1481 1479	838653 837764	44
17	158569	1445	995446	31	163123	1476	836877	43
18	159435	1442	995427	31	164008	1473	835992	42
19	160301	1439	995409	31	164892	1470	835108	41
20	161164	1436	995390	31	165774	1467	834226	40
21	9.162025	1433	9.995372	31	9.166654	1464	10.833346	39
22 23	162885 163743	$\frac{1430}{1427}$	995353 995334	31 31	$167532 \\ 168409$	$\frac{1461}{1458}$	832468 831591	38
24	164600	1424	995316	31	169284	1455	830716	36
25	165454	1422	995297	31	170157	1453	829843	35
26	166307	1419	995278	31	171029	1450	828971	34
27	167159	1416	995260	31	171899	1447	828101	33
28	168008	1413	995241	32	172767	1444	827233	32
29 30	$\begin{array}{c c} 168856 \\ 169702 \end{array}$	1410 1407	995222 995203	32 32	$\frac{173634}{174499}$	$\begin{array}{c} 1442 \\ 1439 \end{array}$	826366 825501	31 30
$\frac{30}{31}$	9.170547	1405	9.995184	$\frac{32}{32}$	$\frac{174133}{9.175362}$	1436	10.824638	$\frac{30}{29}$
32	171389	1403	995165	$\frac{32}{32}$	176224	1433	823776	28
33	172230	1399	995146	32	177084	1431	822916	27
34	173070	1396	995127	32	177942	1428	822058	26
35	173908	1394	995108	32	178799	1425	821201	25
$\frac{36}{37}$	174744 175578	1391 1 3 88	995089 995070	$\frac{32}{32}$	$179655 \\ 180508$	$\frac{1423}{1420}$	820345 819492	24 23
38	176411	1386	995051	32	181360	1417	818640	22
39	177242	1383	995032	32	182211	1415	817789	21
40	178072	1380	995013	32	183059	1412	816941	20
41	9.178900	1377	9.994993	32	9.183907	1409	10.816093	19
42	179726	1374	994974	32	184752	1407	815248	18
43	180551	1372	994955 994935	32	185597	1404	814403	17
44	181374 182196	$\begin{array}{c} 1369 \\ 1366 \end{array}$	994935 994916	32 33	$186439 \\ 187280$	$\frac{1402}{1399}$	813561 812720	16 15
46	183016	1364	994896	33	188120	1396	811880	14
47	183834	1361	994877	33	188958	1393	811042	13
48	184651	1359	994857	33	189794	1391	810206	12
49	185466	1356	994838	33	190629	1389	809371	11
$\frac{50}{51}$	186280	1353	934818	$\frac{33}{20}$	191462	1386	808538	10
51	9.187092	$\frac{1351}{1348}$	9.994798 994779	33	9.192294	1384	10.807706	9
52	187903 188712	1346	994779	33 33	193124 193953	1381 1379	806876 806047	8
54	189519	1343	994739	33	194780	1376	805220	6
55	190325	1341	994719	33	195606	1374	804394	5
56	191130	1338	994700	33	196430	1371	803570	4
57 58	191933 192734	$\frac{1336}{1333}$	994680 994660	33	197253	1369	802747	3 2
59	192734	1330	994640	33	198074 198894	1366 1364	801926 801106	1
60	194332	1328	994620	33	199713	1361	800287	
-	Cosine 1		Sine		Cotang.		Tang.	M.
L					2			

М.	Sine	D.	Cosine	D.	Tang.	D	Cotang.	1
0	9.194332	1328	9.994620	33	9.199713	1361	10.800287	60
1	195129	1326	994600	33	200529	1359	7994:1	59
2	195925	1323	994580	33	201345	1356	798655	58
3	196719	1321 1318	994560 994540	34	202159 202971	1354	797841	57
5	$\begin{array}{c} 197511 \\ 198302 \end{array}$	1316	994540	34	202971	$1352 \\ 1349$	797029 796218	56 55
6	199091	1313	994499	34	204592	1347	795408	54
7	199879	1311	994479	34	205400	1345	794600	53
8	200666	1308	994459	34	206207	1342	793793	52
9	201451	1306	994438	34	207013	1340	792987	51
10	202234	1304	994418	34	207817	1338	792183	50
111	9.203017	1301	9.994397	34	9.208619	1335	10.791381	49
12	203797	1299	994377	34	209420	1333	790580	48
13	204577	1296	994357	34	210220	1331	789780	47
14	205354	1294	994336	34	211018	1328	788982	46
15	206131 206906	1292	994316	34	211815 212611	1326	788185	45 44
16 17	207679	$\frac{1289}{1287}$	994295 994274	34 35	213405	$1324 \\ 1321$	787389 786595	43
18	208452	1285	994254	35	214198	1319	785802	42
19	209222	1282	994233	35	214989	1317	785011	41
20	209992	1280	994212	35	215780	1315	784220	40
21	9.210760	1278	9.994191	35	9.216568	1312	10.783432	39
22	211526	1275	994171	35	217356	1310	782644	38
23	212291	1273	994150	35	218142	1308	781858	37
24	213055	1271	994129	35	218926	1305	781074	36
25	213818	1268	994108	35	219710	1303	780290	35
26	214579	1266	994087	35	220492	1301	779508	34
27	215338	1264	994066	35 35	221272	1299	778728	33 32
28 29	216097 216854	1261 1259	994045 994024	55	$222052 \\ 222830$	1297 1294	777948 777170	31
30	217609	1257	994003	35	223606	1292	776394	30
31	$\frac{511363}{9.218363}$	1255	9.993981	$\frac{35}{35}$	$\frac{224382}{9,224382}$	1290	10.775618	$\frac{1}{29}$
32	219116	1253	993960	35	225156	1288	774844	28
33	219868	1250	993939	35	225929	1286	774071	27
34	220618	1248	993918	35	226700	1284	773300	26
35	221367	1246	993896	36	227471	1281	772529	25
36	222115	1244	993875	36	228239	1279	771761	24
37	222861	1242	993854	36	229007	1277	770993	23
38	223606 224349	1239 1237	993832 993811	36 36	229773 230539	$\frac{1275}{1273}$	770227 769461	$\begin{vmatrix} 22\\21 \end{vmatrix}$
40	225092	1235	993789	36	231302	1271	768698	20
41	9 225833	1233	9.993768	$\frac{36}{36}$	$\frac{231062}{9.232065}$	1269	$\frac{767935}{10.767935}$	19
42	226573	1233	993746	36	232826	1269	767174	18
43	227311	1228	993725	36	233586	1265	766414	17
44	228048	1226	993703	36	234345	1262	765655	16
45	228784	1224	993681	36	235103	1260	764897	15
46	229518	1222	993660	36	235859	1258	764141	14
47	230252	1220	993638	36	236614	1256	763386	13
48	230984	1218	993616	36	237368	1254	762632	12
49 50	231714 232444	1216 1214	993594 993572	37	238120 238872	1252 1250	761880 761128	11 10
				$\frac{37}{37}$				9
51 52	9.233172 233899	1212 1209	9.993550 993528	37	$9.239622 \\ 240371$	1248 1246	10.760378 759629	8
53	234625	1209	993506	37	241118	1244	758882	7
54	235349	1205	993484	37	241865	1242	758135	6
55	236073	1203	993462	37	242610	1240	757390	- 5
56	236795	1201	993440	37	243354	1238	756646	4
57	237515	1199	993418	37	244097	1236	755903	3
58	238235	1197	993396	37	244839	1234	755161	2
59 60	238953 239670	1195	993374 993351	37	245579 246319	1232 1230	754421 753681	1 0
00		1193		101		1200		
	Cosine 1		Sine		Cotang.		Tang.	M.

10°. LOGARITHMIC

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.239670	1193	9.993351	37	9.246319	1230	10 753681	60
1	240386	1191	993329	37	247057	1228	752943	59
2 3	241101 241814	$\frac{1189}{1187}$	993307 993285	37	247794 248530	$\frac{1226}{1224}$	752206 751470	58 57
4	242526	1185	993262	37	249264	1222	750736	56
5	243237	1183	993240	37	249998	1220	750002	55
6	243947	1181	993217	38	250730	1218	749270	54
7	244656	1179	993195	38	251461	1217	748539	53
8	245363	1177	993172	38	252191	1215	747809	52
9	246069	1175	993149	38	252920	1213	747080	51
10	246775	1173	993127	38	253648	1211	746352	50
11	9.247478	1171	9.993104	38	9.254374	1209	10.745626	49
12	248181	1169	993081	38 38	255100	1207	744900	48
13 14	248883 249583	$\frac{1167}{1165}$	993059 993036	38	255824 256547	$\begin{array}{c} 1205 \\ 1203 \end{array}$	744176 743453	47
15	250282	1163	993013	38	257269	1203	742731	45
16	250980	1161	992990	38	257990	1200	742010	44
17	251677	1159	992967	38	258710	1198	741290	43
18	252373	1158	992944	38	259429	1196	740571	42
19	253067	1156	992921	38	260146	1194	739854	41
20	253761	1154	992898	38	260863	1192	739137	40
115	9.254453	1152	9.992875	38	9.261578	1190	10.738422	39
22	255144	1150	992852	38	262292	1189	737708	38
23	255834	1148	992829	39	263005	1187	736995	37
24	256523	1146	992806	39	263717	1185	736283	36
25	257211	1144	992783	39	264428	1183	735572	35
6	257898 258583	1142 1141	992759 992736	39 39	265138 265847	$\frac{1181}{1179}$	734862 734153	34 33
28	259268	1139	992713	39	266555	1179	733445	32
9	259951	1137	992690	39	267261	1176	732739	31
o l	260633	1135	992666	39	267967	1174	732033	30
ii l	9.261314	1133	$9.99\overline{2643}$	39	9.268671	1172	10.731329	$\frac{1}{29}$
32	261994	1131	992619	39	269375	1170	730625	28
33	262673	1130	992596	39	270077	1169	729923	27
34	263351	1128	992572	39	270779	1167	729221	26
35	264027	1126	992549	39	271479	1165	●728521	25
36	264703	1124	992525	39	272178	1164	727822	24
37	265377 266051	1122	992501 992478	39 40	272876 273573	1162	727124 726427	23 22
8	266723	$\frac{1120}{1119}$	992454	40	274269	$\frac{1160}{1158}$	725731	21
0	267395	1117	992430	40	274964	1157	725036	20
	9.268065	1115	9.992406	$\frac{10}{40}$	9.275658	1155	10.724342	19
2	268734	1113	992382	40	276351	1153	723649	18
$\tilde{3}$	269402	1111	992359	40	277043	1151	722957	17
4	270069	1110	992335	40	277734	1150	722266	16
15	270735	1108	992311	40	278424	1148	721576	15
16	271400	1106	992287	40	279113	1147	720887	14
7	272064	1105	992263	40	279801	1145	720199	13
18	272726	1103	992239	40	280488	1143	719512	12
19 50	273388 274049	1101 1099	992214 992190	40 40	281174 281858	1141 1140	718826 718142	1t
_ `								
	9.274708 275367	1098	9.992166	40	9.282542 283225	1138 1136	10.717458	9
52 53	276024	1096 1094	992142 992117	41	283225	1135	716775 716093	8
54	276681	1094	992093	41	284588	1133	715412	6
55	277337	1091	992069	4i l	285268	1131	714732	5
6	277991	1089	992044	41	285947	1130	714053	4
7	278644	1087	992020	41	286624	1128	713376	3
8	279297	1086	991996	41	287301	1126	712699	2
9	279948	1084	991971	41	287977	1125	712023	1
0	280599	1082	991947	41	288652	1123	711348	0
	Cosine		Sine 1	_	Cotang		Tang.	M

M.	Sme	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.280599	1082	9.991947		9.288652	1123	10.711348	
1	281248	1081	991922	41	289325	1122	710674	5
3	281897	1079	991897	41	~39999	1120	710001	5
4	2825·14 283190	1077	991873	4:	290671 291342	1118 1117	709329 708658	5
5	283836	1074	901348 991723 991799	41	292013	1115	707987	5
5	284480	1072	991 99	41	292682	1114	707318	5
7	285124	1071	991774	42	293350	1112	706650	5
8	285766	1069	991749	42	294017	1111	705983	5
9	286408	1067	99,1724	42	294684	1109	705316	5
10	287048	1066	991699	42	295349	1107	704651	5
11	9.287687	1064	9.991674	42	9.296013	1106	10.703987	1
12	288326	1063	991649	42	296677	1104	703323	4
լ3	288964	1061	991624	42	297339	1103	702661	4
14	289600	1059	991599	42	298001	1101	701999	4
15	290236	1058	991574	42	258662	1100	701338	4
16	290870	1056	991549	42	299322	1098	700678	4
17 18	291504 292137	$\frac{1054}{1053}$	991524 991498	42	299980 300638	1096 1095	700020 699362	4
19	292768	1053	991498	42	301295	1093	698705	4
20	293399	1051	991448	42	301951	1093	698049	4
21	9.294029	1048	$\frac{331448}{9.991422}$	$\frac{42}{42}$	$\frac{301331}{9.302607}$	1090	10.697393	$\frac{3}{3}$
22	294658	1046	9.991422	42	303261	1089	696739	3
23	295286	1045	991397	43	303201	1087	696086	3
24	295913	1043	991346	43	304567	1086	695433	3
25	296539	1042	991321	43	305218	1084	694782	3
26	297164	1040	991295	43	305869	1083	694131	3
27	297788	1039	991270	43	306519	1081	693481	3
28	298412	1037	991244	43	307168	1080	692832	3
29	299034	1036	991218	43	307815	1078	692185	3
30	299655	1034	991193	43	308463	1077	691537	3
31	9.300276	1032	9.991167	$\overline{43}$	9.309109	1075	10.690891	2
32	300895	1031	991141	43	309754	1074	690246	2
33	301514	1029	991115	43	310398 311042	1073	689602	2
34	302132	1028	991090	43	311042	1071	688958	2
35	302748	1026	991064	43	311685	1070	688315	2
36	303364	1025	991038	43	312327	1068	687673	2
37	303979	1023	991012	43	312967	1067	687033	2
38	304593	1022	990986	43	313608	1065	686392	2
39	305207	1020	990960	43	314247	1064	685753	2
10	305819	1019	990934	44	314885	1062	685115	2
11	9.306430	1017	9.990908	44	9.315523	1061	10.684477	1
12	307041	1016	990882	44	316159	1060	683841	1
13	307650	1014	990855	44	316795	1058	683205	1
14	308259	1013	990829	44	317430 318064	1057 1055	682570 681936	1
15 16	308867 309474	1011 1010	990803 990777	44	318697	1054	681303	1
17	310080	1008	990750	44	319329	1053	680671	i
18	310685	1003	990724	44	319961	1051	6800391	i
19	311289	1005	990697	44	320592	1050	679408	i
50 I	311893	1004	990671	$\hat{4}\hat{4}$	321222	1048	678773	
51	9.312495	1003	9.990644	44	9.321851	1047	10 678119	-
52	313097	1003	990618	44	322479	1045	677521	
53	313698	1000	990591	44	323106	1044	676894	
54	314297	998	990565	44	323733	1043	676267	
55	314897	997	990538	44	324358	1041	675642	
36 J	315495	996	990511	45	324983	1040	675017	
57	316092	994	990485	45	325607	1039	674393	
58 I	316689	993	990458	45	326231	1037	673769	
					000050	1036	679147	
59 60	317284 317879	991 990	990431 990404	45	326853 327475	1035	673147 672525	

7/1 83 Starl2.

	///.	40	Olan
30	001	12°.	LOGARITHMIC

0	M.	Sine	D	Cosine	D.	Tang.	D.	! Cotang.	
1 318473 988 990378 45 328095 1033 671905 671905 3 3 319658 986 990324 45 329334 1030 670666 670666 57 4 320249 984 990227 45 329531 1029 670047 56 6 321430 982 990215 45 331803 1025 6681813 57 7 322101 980 990215 45 331803 1025 6681817 56 8 322070 979 990188 45 332380 1024 667582 52 10 323780 976 990134 46 9334259 1020 10.665741 46 11 323780 975 9.99052 46 335482 1017 666129 46 12 324950 973 990079 46 335482 1017 6665124 46 12	_		990	9.990404	<u>-</u>	9.327474	1035		60
3 319658 986 990324 45 329334 1030 670666 670675 66 321430 982 99027 45 329531 1029 670047 56 689430 55 320840 983 990270 45 330570 1028 669430 55 668913 57 7 322019 980 990215 45 331803 1025 668197 58 8 322907 979 990188 45 332418 1024 667582 58 9 32394 977 990161 45 333033 1023 566967 51 10 323780 976 990134 45 333487 1019 666354 50 11 323666 975 990052 46 335482 1017 664518 44 12 3245950 973 990079 46 334871 1019 6663288 46 13 32781									59
4 320249 984 990297 45 330370 1028 669430 55 5 328409 982 990213 45 331187 1026 668813 54 7 322019 980 990215 45 331803 1025 668197 58 9 323780 976 990188 45 333033 1023 566967 51 11 9.324366 975 9901907 46 333450 1024 666584 56 12 323780 976 9901907 46 334871 119 665129 46 12 324950 973 990025 46 335482 1017 664518 42 14 326117 970 990025 46 335482 1017 664518 43 15 326702 966 989949 46 337311 013 662689 44 19 327281 964 <t< td=""><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>58</td></t<>	2								58
5 320840 983 990270 45 330570 1028 669430 56 7 322019 980 990215 45 331187 1026 668813 57 8 322007 979 990188 45 332418 1024 667582 58 93239 49 977 990161 45 333033 1023 566967 51 10 323780 976 9990134 45 3334861 1021 666354 56 12 324950 973 990079 46 334871 1619 665129 46 13 325534 972 990052 46 335482 1017 664518 41 14 326177 969 989997 46 336093 1016 663907 46 15 32781 968 989974 46 337311 013 662689 44 102 32921 946									
6 321430 982 990243 45 331187 1026 668813 54 8 322607 979 990188 45 332418 1024 667582 52 9 323 94 977 990161 45 333033 1023 566967 51 11 9.324366 975 990194 45 333043 1021 666364 50 12 324950 973 990079 46 334871 1019 665129 48 12 324950 972 990052 46 336093 1016 663907 46 14 326117 970 990025 46 337311 013 662689 44 16 327281 968 989970 46 337311 013 662689 44 18 328442 965 989945 46 337919 1012 662081 42 19 3330176 961 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
7 322019 980 990215 45 331803 1025 668197 52 9 323 94 977 990161 45 333033 1023 366967 51 10 323780 976 990134 45 333046 1021 666364 50 12 324950 973 990079 46 334871 1019 665129 48 13 325534 972 990052 46 334871 1019 665129 46 14 326117 970 990025 46 336093 1016 663907 46 15 326700 969 989997 46 337919 1012 6663907 46 16 327281 968 989942 46 337919 1012 662689 44 17 329021 964 989867 46 339739 1008 660261 42 19 330753 960 <									
8 322607 979 990188 45 332418 1024 667582 52 101 323780 976 990161 45 333033 1023 566967 51 101 9.324366 975 990161 45 333034 1021 666367 51 101 9.324366 975 990079 46 9.334259 1020 10.665741 48 326117 970 990052 46 335482 1017 664518 47 12 12 12 12 12 12 12 12 12 12 12 12 12									
0 323 94 976 990161 45 333033 1023 566967 51 11 9.324366 975 9.99019 46 9.334259 1020 10.665741 46 12 324950 973 990079 46 334871 1019 664518 47 14 326117 970 990052 46 335982 1017 664518 47 15 326700 960 989997 46 336702 1015 663298 45 16 327281 968 989970 46 337919 1012 662689 44 17 327862 966 989942 46 337919 1012 662689 44 19 329021 964 989860 46 339739 1008 660261 44 20 330753 960 989804 46 340948 1006 6690623 3 21 332478 956									
10 323780 976 990134 45 333646 1021 666846 501 12 324950 973 990079 46 3348279 1020 10.665741 49 13 325534 972 990052 46 335482 1017 664518 47 14 326117 970 990025 46 336903 1016 663907 46 15 326700 969 983997 46 336702 1015 666386 46 16 327281 968 989970 46 337311 013 662689 44 17 327862 966 989942 46 337311 013 662689 44 18 328442 965 989915 46 338527 1011 661473 42 19 329021 964 989887 46 339739 1008 660867 41 20 329599 962 989800 47 334585 331393 3010 660867 41 21 9.330176 961 9.989832 46 9.340344 1007 10.659656 33 22 331339 958 989777 46 341552 1004 66848 33 23 331393 957 989749 47 342155 1003 657845 36 23 334766 950 989609 47 34255 1003 657845 36 23 334766 950 989609 47 34255 998 656042 34 23 334766 950 989609 47 34358 1000 656642 38 23 334766 950 989609 47 345755 996 654442 33 33 336475 946 989525 47 345755 996 654443 38 33 337043 945 989552 47 345755 996 654443 38 33 337043 945 989552 47 345755 996 654245 23 33 337043 945 989525 47 345755 996 654245 23 33 337043 945 989484 47 348735 990 651265 24 34 340943 337 989344 47 348735 990 651265 24 34 34 340943 337 989384 47 349329 988 650671 24 34 34 34 34 34 34 34									
11									
12		***			-				
13 325534 972 990052 46 335482 1017 664518 47 14 326117 970 990025 46 336093 1016 663907 46 15 326700 969 989997 46 336702 1015 663298 45 16 327281 968 989970 46 337311 013 662689 44 17 327862 966 989942 46 337311 013 662689 44 18 328442 965 989915 46 338527 1011 661473 42 19 329021 964 989887 46 339739 1008 660261 46 19 329599 962 989860 46 339739 1008 660261 46 20 329599 962 989860 46 339739 1008 660261 46 21 9.330176 961 9.989832 46 339739 1008 660261 46 22 330753 960 989804 46 340948 1006 659052 38 23 331903 957 989749 47 342155 1004 658448 37 24 331903 957 989749 47 342155 1004 658448 37 25 332478 956 989721 47 342757 1002 657243 37 26 333051 954 989693 47 343358 1000 656642 34 27 333624 953 989665 47 343358 1000 656642 34 28 334195 952 989637 47 344558 998 655442 38 29 334766 950 989609 47 345157 997 654424 38 29 335337 949 989582 47 345755 996 652425 38 29 335347 949 989582 47 345755 996 652425 38 33 337043 945 989497 47 345157 997 654843 38 33 337610 944 989469 47 345141 991 651859 24 34 337610 944 989469 47 345456 998 652455 27 33 338769 948 989358 47 349329 988 650671 24 34 342679 932 989414 47 358465 980 646535 14 44 343239 931 989186 47 358465 980 646535 14 44 343239 931 989186 47 358465 980 646535 14 44 34455 929 9889243 47 358469 980 645947 14 45 345679 932 989918 48 355227 976 644187 14 46 344355 929 988985 48 358939 967 644187 14 14 14 14 14 14 14 1									
14 326117 970 990025 45 336093 1016 663907 46 15 326700 969 989997 46 336702 1015 663298 45 16 327281 968 989970 46 337311 013 662689 45 17 327862 966 989942 46 337311 0112 662081 48 18 328442 965 989874 46 339133 1010 660867 41 20 329599 962 989887 46 339133 1010 660867 41 21 330753 960 989804 46 340344 1007 10.659656 32 23 331329 958 989771 46 341552 1004 658448 33 24 331930 957 989749 47 34255 1003 657843 36 25 332478 956									
1E 326700 969 989997 46 336702 1015 663298 42 16 327281 968 989970 46 337311 013 662689 44 17 327862 966 989915 46 338527 1011 661873 42 18 329021 964 98987 46 338537 1010 660867 41 20 329059 962 989804 46 339133 1000 660261 46 21 9.330176 961 9.989832 46 9.340344 1007 10.659656 32 22 3331329 958 989777 47 342757 1002 657845 36 24 331903 957 989749 47 342155 1003 657845 36 25 332478 956 989721 47 34255 1002 657243 37 26 3334166 950									
16 327281 968 988970 46 337311 013 6628681 48 18 327862 965 989942 46 337919 1012 662081 48 18 328442 965 989915 46 338527 1011 661473 42 20 329599 962 989860 46 339133 1010 660867 41 21 9.330176 961 9.89832 46 339739 1008 660261 46 22 330753 960 989804 46 340948 1006 659052 38 23 331329 958 989771 46 341552 1004 658448 33 24 331903 957 989749 47 342755 1002 657845 36 25 332478 956 989721 47 34358 1000 65642 32 26 33351 954 989634 7 34358 1000 657843 345157 997 654843									45
18 328442 965 989915 46 339527 1011 661473 42 19 329021 964 989887 46 339133 1010 660867 41 21 9.330176 961 9.989832 46 9.340344 1007 10.659656 32 22 330753 960 989804 46 340948 1006 659052 38 23 331329 958 989777 46 341552 1004 658448 32 24 331903 957 989749 47 342155 1003 657845 36 25 332478 956 989721 47 342958 999 656042 33 27 333624 953 989665 47 343958 1000 657643 34 38 334766 950 989609 47 345157 997 6544245 36 33 37610 944	16			989970	46	337311			44
18 328442 965 989815 46 339133 1010 660867 41 20 329021 964 989887 46 339133 1010 660867 41 21 9.330176 961 9.989832 46 9.340344 1007 10.659656 32 22 330753 960 989804 46 340948 1006 659052 38 24 331903 957 989749 47 342155 1003 657845 36 25 332478 956 989721 47 342757 1002 657823 36642 333051 954 989637 47 34358 1000 656642 36 28 334195 952 989665 47 34358 1000 6564243 36 30 33537 949 989582 47 345157 997 654843 31 31 9.335906 948 9.989525 47 345157 997 654245 36 33 33761 9	17		966	989942	46	337919	1012	662081	43
10	18	328442	965	989915	46	338527	1011	661473	42
10.659656 32 330753 960 989804 46 340948 1006 659052 35 331929 958 989777 46 341552 1004 658448 37 342155 1003 657845 36 331903 957 989749 47 342155 1003 657845 36 333051 954 989693 47 342757 1002 657843 37 333624 953 989665 47 34358 1000 656642 33 33478 952 989665 47 34358 1000 656642 33 334766 950 989609 47 344558 998 656042 33 335337 949 989582 47 345157 997 654843 33 335337 949 989582 47 345157 997 654843 33 337610 944 989169 47 347545 992 652455 23 338742 941 989413 47 348735 990 651265 23 338742 941 989413 47 349329 988 650671 23 339306 940 989384 47 349922 987 650078 23 339306 940 989384 47 349922 987 650078 23 339306 940 989384 47 349922 987 650078 23 340949 936 9389380 47 349439 989 40 989384 47 349922 987 650078 23 340949 936 936 9389300 47 351697 983 648303 24 989413 47 353465 980 646535 10.647713 14 434358 939 989326 47 353465 980 646535 10.647713 14 14 14 14 14 14 14	19	329021							41
22 330753 960 989804 46 340948 1006 659052 3823 23 331329 958 989777 46 341552 1004 658448 37 24 331903 957 989749 47 342155 1003 657845 36 25 333051 954 989693 47 342757 1002 657243 37 27 333624 953 989665 47 343958 999 656042 38 28 334766 950 989609 47 344558 998 655442 38 30 353537 949 989582 47 346755 996 654843 31 31 9.335906 948 9.989525 47 346949 993 653051 28 32 336475 946 989525 47 346949 993 652455 34 32 338761 944	20	329 599	962	989860	46	339739	1008	660261	40
22 330753 960 989804 46 340948 1006 659052 38 24 331903 957 989777 46 341552 1004 658448 35 25 332478 956 989721 47 342757 1002 657845 36 26 333051 954 989603 47 34358 1000 656642 33 27 333624 953 989605 47 343958 999 656042 36 28 334766 950 989609 47 344558 998 655442 33 30 335377 949 989585 47 345755 996 654245 36 31 9.335906 948 9.989525 47 346949 993 652455 23 34 337610 944 989469 47 348141 991 652455 23 36 338742 941 <t< td=""><td>21</td><td>9,330176</td><td>961</td><td>9.989832</td><td>$\overline{46}$</td><td>9.340344</td><td>1007</td><td>10.659656</td><td>39</td></t<>	21	9,330176	961	9.989832	$\overline{46}$	9.340344	1007	10.659656	39
23 331329 958 989771 46 341552 1004 658448 32 24 331903 957 989749 47 342155 1003 657845 36 25 332478 956 989721 47 342757 1002 657243 37 26 333051 954 989665 47 34358 1000 656642 38 28 334195 952 989665 47 344558 998 656424 32 380 33537 94 989582 47 345755 996 654245 33 31 9.335906 948 9.89585 47 346949 993 653061 22 3337043 945 989469 47 347545 992 652455 23 33377610 944 98947 47 347545 992 652455 23 37 339306 940 9898341 47	22		960	989804		340948	1006	659052	38
24 331903 957 989729 47 342155 1003 657845 36 26 333478 956 989721 47 342757 1002 657243 35 27 333624 953 989665 47 343958 999 656042 33 29 334766 950 989605 47 345157 997 654843 31 30 33537 949 989582 47 346353 994 6564245 33 31 9.335906 948 9.989582 47 346949 993 653051 26 33 337043 945 989497 47 346949 993 652455 27 34 337610 944 989469 47 348141 991 651859 26 33 337643 945 989441 47 349329 988 650671 22 34 39441 47 3	23	331329	958	989777	46		1004	658448	37
25 332478 956 989721 47 342757 1002 657243 3626 2333051 954 989693 47 343588 1000 656642 32 2333624 953 989665 47 343588 1000 656642 32 28 334766 950 989609 47 345157 997 654843 33 335337 949 989582 47 345755 996 654245 36 654245 33 335337 949 989582 47 346949 993 653051 28 652455 23 346949 993 653051 26 652455 23 346949 993 653051 26 652455 23 3473743 941 989419 47 3448141 991 651859 26 652455 23 33743 941 989413 47 349329 98 650671 22 37 339306 940 98938441 47 349922 987 <t< td=""><td>24</td><td>331903</td><td>957</td><td></td><td></td><td>342155</td><td>1003</td><td></td><td>36</td></t<>	24	331903	957			342155	1003		36
27 333624 953 989665 47 343958 999 656042 32 29 334766 950 989609 47 345157 997 654843 31 30 335337 949 989582 47 345755 996 654245 38 31 9.335906 948 989582 47 346949 993 653051 26 33 337043 945 989497 47 347545 992 652455 27 34 337610 944 989469 47 348141 991 651859 26 652455 27 36 338176 943 989441 47 348735 990 651859 28 650671 22 37 339306 940 989384 47 349922 987 650078 23 38 339871 939 989356 47 351697 983 648802 24 <	25					342757			35
28 334195 952 989637 47 344558 998 655442 35 29 334766 950 989609 47 345157 997 654843 31 30 353537 949 989582 47 346755 996 654843 33 31 9.335906 948 9.989525 47 346949 999 653051 28 32 336475 946 989525 47 347545 992 652455 27 34 337610 944 989469 47 347545 992 652455 22 35 338742 941 989413 47 349329 988 650671 22 37 339306 940 989384 47 349329 988 650671 22 38 339871 939 989356 47 351069 985 648804 24 40 340996 936 9	26								34
29 334766 950 989609 47 345157 997 654843 31 30 335337 949 989582 47 345755 996 10.653647 23 32 336475 946 989525 47 346353 994 653451 22 33 337610 944 989469 47 348141 991 651859 26 35 338176 943 989441 47 348141 991 651859 26 36 338742 941 989483 47 349329 988 650671 23 37 339306 940 989384 47 350514 986 649486 23 38 339871 939 989326 47 350514 986 649486 23 39 340434 937 989328 47 351069 985 648804 24 40 34996 989004	27								33
33 335337 949 989582 47 345755 996 654245 36 31 9.335906 948 9.89553 47 9.346353 994 10.653647 23 33 337043 945 989525 47 346949 993 653051 28 34 337610 944 989469 47 348141 991 651859 22 35 338176 943 989414 47 349329 988 650671 22 36 338742 941 989413 47 349922 987 650078 23 37 339306 940 989384 47 349922 987 650078 23 38 340434 937 989326 47 351697 983 648804 24 40 340996 936 989300 47 351697 983 648303 24 41 3.34158 935									
31 9.335906 948 9.989553 47 9.346353 994 10.653647 26 32 336475 946 989525 47 346949 993 653051 28 33 337043 945 989497 47 347545 992 652455 23 34 337610 944 989469 47 348141 991 651859 26 35 338742 941 989413 47 349329 98 650671 22 37 339306 940 989384 47 349329 98 650671 22 38 339871 939 989356 47 350514 986 649460 22 40 3409434 937 989328 47 351667 983 648804 24 42 342119 934 989243 47 3532876 981 647124 18 43 342679 932									
32 336475 946 989525 47 346949 993 653051 28 33 337043 945 989497 47 347545 992 652455 22 34 337610 944 989469 47 348735 990 651265 24 35 338742 941 989413 47 349329 988 650671 23 36 339871 939 989356 47 350514 986 649486 23 38 339871 939 989356 47 350514 986 649486 23 40 340996 936 989300 47 351069 985 648894 23 41 9.341558 935 9.989271 47 9.352287 982 10.647713 16 42 342119 934 989243 47 353659 980 6465351 17 43 342679 932		l ————————————————————————————————————							-
33 337043 945 989497 47 347545 992 652455 22 34 337610 944 989169 47 348141 991 651859 23 35 338176 943 989441 47 348735 990 651859 22 36 338742 941 989384 47 349329 988 650671 23 37 339306 940 989384 47 350514 986 649486 23 38 339871 939 989328 47 351106 985 648894 23 40 340996 936 989300 47 351697 983 648303 24 41 9.341558 935 9.989214 47 352876 981 647124 18 42 342119 934 989243 47 353465 980 646535 17 43 342797 930 9									
33 337610 944 989169 47 348141 991 651859 26 35 338176 943 989441 47 348735 990 651265 22 36 338742 941 989413 47 349329 988 650671 22 37 339306 940 989384 47 349922 987 650078 22 38 340431 937 989328 47 351697 983 648303 24 40 340996 936 989300 47 351697 983 648303 24 42 342119 934 989243 47 352876 981 647124 18 43 342679 932 989144 7 35465 980 646555 11 647124 18 44 343239 931 989186 47 354650 977 645947 14 46 344355 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
35 338176 943 989441 47 348735 990 651265 24 36 338742 941 989413 47 349329 988 650671 23 37 339306 940 989834 47 349922 987 650078 22 38 339871 939 989356 47 350514 986 649486 22 40 340996 936 989300 47 351069 985 648894 2 41 9.341558 935 9.989271 47 9.352287 982 10.647713 19 42 342119 934 989243 47 353659 981 647124 14 43 342279 932 989214 47 353465 980 6465947 16 44 343299 931 989187 47 354653 979 645947 16 45 34377 930 <									
36 338742 941 989413 47 349329 988 650671 24 37 339306 940 989384 47 349922 987 650078 23 38 339871 939 989356 47 351106 985 6484894 23 39 340434 937 989328 47 351106 985 648894 23 40 340996 936 989300 47 351697 983 648303 24 41 342119 934 989243 47 352876 981 647124 18 42 342119 934 989243 47 353465 980 646535 17 44 343239 931 989186 47 354053 979 6445947 14 45 343797 930 989157 47 354640 977 645360 14 48 345169 926 989									
37 339306 940 989384 47 349922 987 650078 22 38 339871 939 989356 47 350514 986 649486 22 39 340434 937 989328 47 351697 983 648303 24 40 340996 936 989300 47 351697 983 648303 24 42 342119 934 989243 47 352876 981 647124 18 43 342679 932 989214 47 359465 980 646535 17 44 343239 931 989186 47 354640 977 645947 14 45 343797 930 989157 47 354640 977 645947 14 46 344355 929 989187 48 355813 975 644187 14 48 365499 926 98907									24
38 339871 939 989356 47 350514 986 649486 22 40 340996 936 989300 47 351106 985 648894 2 41 9.341558 935 9.989271 47 9.352287 982 10.647713 19 42 342119 934 989243 47 353465 980 646535 17 43 342679 932 989214 47 353465 980 646535 17 44 343239 931 989186 47 354640 977 645547 14 45 343797 930 989127 47 354640 977 6445360 14 46 344355 929 989128 48 355227 976 644773 14 48 345469 926 989071 48 356982 973 643002 14 49 346024 925									23
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									22
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	39								21
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	40				47			648303	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			935	9 989271	47	9 352287	982	10.647713	19
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									18
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									17
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	44				47		979	645947	16
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	45								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	46								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	47								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	48								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	49								11
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	50					·			10
53 348240 920 988927 48 359313 968 640687 54 348792 919 988988 48 359893 967 640107 55 349343 917 988869 48 360474 966 639526 56 349893 916 988840 48 361053 965 638947 57 350443 915 988811 49 361632 963 638368 58 350992 914 988782 49 362210 962 637790 59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636	$\overline{51}$								9
54 348792 919 988898 48 359893 967 640107 55 349343 917 988869 48 360474 966 639526 56 349893 916 988840 48 361053 965 638947 57 350443 915 988811 49 361632 963 638368 58 350992 914 988782 49 362210 962 637790 59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636	52								8
55 349343 917 988669 48 360474 966 639526 48 56 349893 916 988840 48 361053 965 638947 638947 361632 963 638368 361632 963 638368 36268 362787 962 637790 362787 961 637213 36364 960 636636	53								
57 350443 915 988811 49 361632 963 638368 5 58 350992 914 988782 49 362210 962 637790 59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636	54								6
57 350443 915 988811 49 361632 963 638368 5 58 350992 914 988782 49 362210 962 637790 59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636	55								5
58 350992 914 988782 49 362210 962 637790 59 59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636									
59 351540 913 988753 49 362787 961 637213 60 352088 911 988724 49 363364 960 636636									
60 352088 911 988724 49 363364 960 636636									1
00. 00.000									
Cosine Sine Cotang. Tang M	00		. 311		-10		000		-
	_	Cosine		Sine	L_	Cotang.		Tang	M.

M.	Sine I	- D	Cosina	l n	Tour	D.	Cotong	1
_			Cosine	D.	Tang.		Cotang.	<u> </u>
0	9.352088 352635	911	9.988724	49 49	9.363364 363940	960 959	10.636636	
1	353181	909	988666	49	364515	958	635485	
3	353726	908	988636	49	365090	957	634910	
4	354271	907	988607	49	365664	955	634336	
5	354815	905	988578	49	366237	954	633763	
6	355358	904	988548	49	366810	953	633190	54
7	355901	903	988519	49	367382	352	632618	53
8	356443	902	988489	49	367953	951	632047	52
9	356984	901	988460	49	368524	950	631476	51
10	357524	899	988430	49	369094	949	630906	50
11	9.358064	898	9.988401	49	9.369663	948	10.630337	49
12	3 58603	897	988371	49	370232	946	629768	48
13	359141	896	988342	49	370799	945	629201	17
14	359678	895	988312	50	371367	944	628633	46
15 16	360215 360752	893 892	988282 988252	50 50	371933 372499	$\frac{943}{942}$	623067 627501	45 44
17	361287	891	988223	50	373064	941	626936	43
18	361822	890	988193	50	373629	940	626371	42
19	362356	889	988163	50	374193	939	625807	41
20	362889	888	988133	50	374756	938	625244	40
21	9.363422	887	9.988103	50	9.375319	937	10.624681	39
22	363954	885	988073	50	375881	935	624119	38
23	364485	884	988043	50	376442	934	623558	37
24	365016	883	988013	50	377003	933	622997	36
25	365546	882	987983	50	377563	932	622437	35
26	366975	881	987953	50	378122	931	621878	34
27	366604	880	987922	50	378681	930	621319	33
85	367131	879	987892	50	379239	929	620761	32
29 30	357659 368185	877 876	987862 987832	50	379797	928	620203 619646	31
31			$\frac{987832}{9.987801}$	$\frac{51}{51}$	380354	927		30
32	9.368711 369236	875 874	987771	51	9.380910 381466	926 925	10.619090 518534	29 28
33	369761	873	987740	51	382020	924	617980	27
14	370285	872	987710	51	382575	923	617425	26
35	370808	871	987679	51	383129	922	616871	25
36	371330	870	987649	51	383682	921	616318	24
17	371852	869	987618	51	384234	920	615766	23
38	372373	867	987588	51	384786	919	615214	22
19	372894	866	987557	51	385337	918	614663	21
10	373414	865	987526	51	385888	917	614112	20
	9 373933	864	9.987496	51	9.386438	915	10.613562	19
3	374452	863	987465	51	386937	914	613013	18
4	374970 375487	862 861	987434 987403	51 52	387536 388084	$\frac{913}{912}$	612464 611916	17 16
5	376003	860	987372	52	388631	912	611369	
6	376519	859	987341	52	389178	910	610822	14
7	377035	858	997310	52	389724	909	610276	
18	377549	857	987279	52	390270	908	609730	12
9	378063	856	987248	52	390815	907	609185	11
0	378577	854	987217	52	391360	906	608640	10
51	9.379089	853	9.987186	52	9.391903	905	10.608097	9
2	379601	852	987155	52	392447	904	607553	8
3	380113	851	987124	52	392989	903	607011	7
4	380624	850	987092	52	393531	902	606469	6
5	381134	849	987061	52	394073	901	605927	5 4
7	381643 382152	848 847	987030	52 52	394614	900	605386 604846	3
8	382661	847 846	986998 986967	52	395154 395694	899 898	604306	2
9	383168	845	986936	52	396233	897	603767	ĩ
ŏ	383675	814	986904	52	396771	896	603229	ñ
÷	Cosine 1		Sine	-	Cotang.	200		M.
	Cosme		l pine		Cotang.		Tang.	м.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
01	9.383675	844	9.986904	52	9.396771	896	10,603229	60
1	384182	843	986873	53	397309	896	602691	59
2	384687	842	986841	53	397846 398383	895	602154 601617	58 57
3 4	385192 385697	841	986809 986778	53 53	398919	894 893	601081	56
5	386201	839	986746	53	399455	892	600545	55
6	386704	838	986714	53	399990	891	600010	54
7	387207	837	986683	53	400524	890	599476	53
8	387709	836	986651	53	401058	889	598942 598409	52
10	388210 388711	835 834	986619 986587	53 53	401591 402124	888 887	597876	51 50
	$9.\overline{389211}$	833	$\frac{9.986555}{9.986555}$	53	9.402656	886	10.597344	$\frac{30}{49}$
11	389711	832	986523	53	403187	885	596813	48
13	390210	831	986491	53	403718	884	596282	47
14	390708	830	986459	53	401249	883	595751	46
15	391206	828	986427	53	404778	882	595222	45
16	391703	$\frac{827}{826}$	986395 986363	53	405308 405836	881 880	594692 594164	44
17	392199 392695	825	986331	54 54	406364	879	593636	42
19	393191	824	986299	54	406892	878	593108	41
20	393685	823	986266	54	407419	877	592581	40
21	9.394179	822	9.986234	$\overline{54}$	9.407945	876	10.592055	39
22	394673	821	986202	54	408471	875	591529	38
23	395166	820	986169	54	408997	874	591003	37
21	395658	819	986137	54	409521	874	590479	36
25	396150	818	$986104 \\ 986072$	54 54	410045 410569	873 872	589955 589431	35 34
26 27	396641 397132	817 817	986039	54	411092	871	588908	33
28	397621	816	986007	54	411615	870	588385	32
29	398111	815	985974	54	412137	869	587863	31
30	398600	814	985942	54	412658	868	587342	30
31	9.399088	813	9.985909	55	9.413179	867	10.586821	29
32	399575	812	985876	55	413699	866	586301	28
33	400062	811	985843	55	414219 414738	865 864	585781 585262	27 26
34	400549 401035	810 809	985811 985778	55 55	415257	864	584743	25
36	401520	808	985745	55	415775	863	584225	24
37	402005	807	985712	55	416293	862	583707	23
38	402489	806	985679	55	416810	861	583190	22
33	402972	805	985646	55	417326	860	582674	21
40	403455	804	985613	55	417842	859	582158	$\frac{20}{100}$
41	9.403938	803	9.985580	55	9.418358	858	10.581642	19
42	404420 404901	802 801	985547 985514	55	418873 419387	857 856	581127 580613	18
44	405382	800	985480	55	419901	855	580099	16
45	405862	799	985447	55	420415	855	579585	
46	406341	798	985414		420927	854	579073	
47	406820	797	985380		421440	853	578560	
48	407299	796	985347	56	421952	852	578048	
49 50	407777 408254	795 794	985314 985280	56 56	422463 422974	851 850	577537 577026	11 10
1	$\frac{408234}{9.408731}$	794	$\frac{365260}{9.985247}$	$\frac{56}{56}$	9.423484	849	10.576516	9
51 52	409207	794	985247		423993	849	576007	8
53	409682	792	985180		424503	848	575497	8
54	410157	791	985146	56	425011	847	574989	6
55	410632	790	985113		425519	846	574481	5
56	411106		985079		426027	845	573973	
57 58	411579 412052	788 787	985045 985011	56 56	426534 427041	844	573466 572959	
59	412524	786	984978	56	427547	843	572453	î
60	412996		984944		428052	842	571948	
	Cosine		Sine		Cotang.		Tang	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	T
0	9.412996		9.984944		9.428052		10.571948	60
	413467	784	984910		428557		571443	59
3	413938 414408	783 783	984876 984842		429062 429566		570938 570434	58
4	414878	782	984808		430070		569930	56
5	415347	781	984774		430573		569427	55
6	415815	780	984740		431075		568925	54
7	416283	779	994706		431577		568423	53
8	416751 417217	778 777	984672 984637		432079 432580	835 834	567921 567420	52 51
10	417684	776	984603		433080	833	566920	50
	9.418150	775	9.984569	4	9.433580	832	10.566420	49
12	418615	774	984535		434080	832	565920	48
13	419079	773	984500		434579	831	565421	47
14	419544	773	984466		435078	830	564922	46
15 16	420007 420470	772	984432 984397		435576 436073	829 828	564424 563927	45
17	420933	770	984363	58	436570	828	563430	43
18	421395	769	984328		437067	827	562933	42
19	421857	768	984294		437563	826	562437	41
20	422318	767	984259	58	438059	825	561941	40
21	9 422778	767	9.984224	58	9.438554	824	10.561446	39
22	423238	766	984190	58	439048	823	560952	38
23 -24	423697	765	984155		439543	823	560457	37 36
25	424156 424615	764 763	984120 984085	58	440036 440529	S22 821	559964 559471	35
26	425073	762	984050		441022	820	558978	34
27	425530	761	984015		441514	819	558486	33
28	425987	760	983981	58	442006	819	557994	32
29	426443	760	983946	58	442497	818	557503	31
30	426899	759	983911	58	442988	817	557012	30
31	9.427354	758	9.983875	58	9.443479	816	10.556521	29
32 33	427809 428263	757 756	983840 983805	59 59	443968 444458	816 815	556032 555542	28 27
34	428717	755	983770	59	444947	814	555053	26
35	429170	754	983735		445435	813	554565	25
36	429623	753	983700	59	445923	812	554077	24
37	430075	752	983664	59	446411	812	553589	23
38	430527 430978	752 751	983629 983594	59 59	446898 447384	811 810	553102 552616	22
40	431429	750	983558	59	447870	809	552130	20
41	9.431879	749	9.983523	$\frac{50}{59}$	$\overline{9.448356}$	809	10.551644	$\left \frac{\overline{19}}{19}\right $
42	432329	749	983487	59	448841	808	551159	iš
43	432778	748	983452	59	449326	807	550674	17
44	433226	747	983416	59	449810	806	550190	16
45	433675	746	983381	59	450294	806	549706	15
46	434122 434569	745 744	983345 983309	59 59	450777 451260	805	549223 548740	14
48	435016	744	983273		451743	804 803	548257	12
49	435462	743	983238	60	452225	802	547775	iil
50	435908	742	983202	60	452706	802	547294	10
51	9.436353	741	9.983166	60	9.453187	801	10.546813	- 5
52	436798	740	983130		453668	800	546332	8
53	437242	740	983094	60	454148	799	545852	7
54 55	437686 438129	739 738	983058 983022	60 60	454628 455107	799 798	545372 544893	6 5
56	438572	737	982986	60	455586	798	544693	4
57	439014	736	982950	60	456064	796	543936	3
58	439456	736	982914	60	456542	796	543458	3 2
59	439897	735	982878	60	457019	795	542981	1
60 1	440338	734	982842	60	457496	794	542504	0
1	Cosine		Sine		Cotang.		Tang.	M.

			10.					
M.	Sinc	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.440338	734	9.982842	60	9.457496	794	10.542504	60
1	440778	733	982805	60	457973	793	542027	59
2	441218	732	982769	61	458449	793	541551	58
3	441658	731	982733	61	458925	792	541075	57
4	442096	731	982696	61	459400	791	540600	56
5	442535	730	982660	61	459875	790	540125	55
6	442973	729	982624	61	460349	790	539651	54
8	443410	728	982587	61	460823	789	539177	53
9	443847 444284	727 727	982551 982514	61 61	461297	788	538703	52
10	444720	726	982477	61	461770 462242	788 787	538230 537758	51 50
1				_				
11 12	9.445155	725	9.982441	61	9.462714	786	10.537286	49
13	445590 446025	724 723	982404 982367	61 61	463186 463658	785 785	536814 536342	48 47
14	446459	723	982331	61	464129	784	535871	46
15	446893	722	982294	61	464599	783	535401	45
16	447326	721	982257	61	465069	783	534931	44
17	447759	720	982220	62	465539	782	534461	43
lis	448191	720	982183	62	466008	781	533992	42
19	448623	719	982146	62	466476	780	533524	41
20	449054	718	982109	62	466945	780	533055	40
21	9.449485	717	9.982072	$\overline{62}$	9.467413	779	10.532587	39
22	449915	716	982035	62	467880	778	532120	38
23	450345	716	981998	62	468347	778	531653	37
24	450775	715	981961	62	468814	777	531186	36.
25	451204	714	981924	62	469280	776	530720	35
26	451632	713	981886	62	469746	775	530254	34
27	452060	713	981849	62	470211	775	529789	33
28	452488	712	981812	62	470676	774	529324	32
29	452915	711	981774	62	471141	773	528859	31
30	453342	710	981737	62	471605	773	528395	30
31	9.453768	710	9.981699	63	9.472068	772	10.527932	29
32	454194	709	981662	63	472532	771	527468	28
33	454619	708	981625	63	472995	771	527005	27
34	4:.5044	707	981587	63	473457	770	. 526543	26
35	455469	707	981549	63	473919	769	526081	25
36 37	455893	706	981512	63	474381	769	525619	24
38	456316	705	981474 981436	63 63	474842	768	525158	23
139	456739 457162	704 704	981399	63	475303 475763	767 767	524697	22 21
40	457584	703	981361	63	476223	766	524237 523777	20
41	9.458006	702	$\frac{381301}{9.981323}$	$\frac{63}{63}$				
41	458427	702	981323	63	9.476683	765	10.523317	19
43	458848	701	981247	63	477142 477601	765 764	522858 522399	18
44	459268	700	981209	63	478059	763	521941	16
45	459688	699	981171	63	478517	763	521483	15
46	460108	698	981133	64	478975	762	521025	14
47	460527	698	981095	64	479432	761	520568	13
48	460946	697	981057	64	479889	761	520111	12
49	461364	696	981019	64	480345	760	519655	11
50	461782	695	980981	64	480801	759	519199	10
51	9.462199	695	9.980942	$\overline{64}$	9.481257	759	10.518743	9
52	462616	694	980904	64	481712	758	518288	8
53	463032	693	980866	64	482167	757	517833	7
54	463448	693	980827	64	482621	757	517379	6
55	463864	692	980789	64	483075	756	516925	5 4
56	464279	691	980750	64	483529	755	516471	4
57	464694	690	980712	64	483982	755	516018	3
58	465108	690	980673	64	484435	754	515565	2
59	465522	689	980635	64	484887	753	515113	1
60	465935	688	980596	64	485339	753	514661	0
; 7	Cosine		Sine		Cotang		Tang.	M

M.	Sire	D	Cosine	D.	Tang.	D.	Cotang.	
0	9.465935	688	9.980596	64	9.485339	755	10.514661	60
1	466348 466761	688 687	980558 980519	64 65	485791 486242	752 751	514209 513758	59
3	467173	686	980480	65	486693	751	513307	58
4	467585	685	980442	65	487143	750	512857	56
5	467996	685	980403	65	487593	749	512407	55
6	468407	684	980364	65	488043	749	511957	54
7	468817	683	980325	65	488492	748	511508	53
8	469227	683	980286	65	488941	747	511059	52
ğ	469637	682	980247	65	489390	747	510610	51
10	470046	681	980208	65	489838	746	510162	50
II	9.470455	680	9.980169	65	9.490286	746	10.509714	49
12	470863	680	980130	65	490733	745	509267	48
13	471271	679	980091	65	491180	744	508820	47
14	471679	678	980052	65	491627	744	508373	46
15	472086	678	980012	65	492073	743	507927	45
16	472492	677	979973	65	492519	743	507481	44
17	472898	676	979934	66	492965	742	507035	43
18	473304	676	979895	66	493410	741	506590	42
19	473710	675	979855	66	493854	740	506146	41
20	474115	674	979816	66	494299	740	505701	40
21	9.474519	674	9.979776	66	9.494743	740	10.505257	39
22	474923	673	979737	66	495186	739	504814	38
23	475327	672	979697	66	495630	738	504370	37
24	475730	672	979658	66	496073	737	503927	36
25	476133	671	979618	66	496515	737	503485	35
26	476536	670	979579	66	496957	736	503043	34
27	476938	669	979539	66	497399	736	502601	33
28	477340	669	979499	66	497841	735	502159	32
29	177741	668	979459	66	498282	734	501718	31
30	478142	667	979420	<u>66</u>	498722	734	501278	30
31	9.478542	667	9.979380	66	9.499163	733	10.500837	29
32	478942	666	979340	66	499603	733	500397	28
33	479342	665	979300	67	500042	732	499958	27
34	479741	665	979260	67	500481	731	499519	26
35	480140	664	979220	67	500920	731	499080	25
36	480539	663	979180	67	501359	730	498641	24
37	480937	663	979140	67	501797	730	498203	23
38	481334	662	979100	67	502235	729	497765	22
39 40	481731 482128	661 661	979059 979019	67	502672 503109	728 728	497328 496891	$\frac{21}{20}$
_				67			-	i —
41	9 482525	660	9.978979	67	9.503546	727	10.496454	19
42	482921	659	978939	67	503982	727	496018	18
43	483316	659	978898	67	504418	726	495582	17
44	483712	658	978858	67	504854	725	495146	16
45	484107	657	978817	67	505289	725 724	494711 494276	15
46	484501	657	978777	67	505724			13
47	484895	656	978736	67	506159	724	493841 493407	12
48	485289 485682	655	978696	68 68	506593	723 722	492973	11
49 50	486075	655 654	978655 978615	68	507027 507460	722	492540	10
_				_				
51	9.486467	653	9.978574	68	9.507893	721	10.492107	9
52	486860	653	978533	68	508326	721	491674	8
53	487251	652	978493	68	508759	720	491241	6
54	487643	651	978452	68	509191	719	490809	
55	488034	651	978411	68 68	509622	719 718	490378	5 4
56 57	488424 488814	650 650	978370 978329	68	510054 510485	718	489946 489515	3
58	488814	649	978288	68	510465	717	489084	2
59	489593	648	978247	68	511346	716	488654	! î
60	489982	648	978206		511776	716	488224	Ιô
-	Cosine				Cotang.			M.
	Cogne		Sine		COLETIEs.		'l ang	. 31.

М.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.489982	648	9.978206	68	9.511776	716	10.488224	60
1	490371	648	978165	68	512206	716	487794	59
2	490759	647	978124	68	512635	715	487365	58
3	491147	646	978083	69	513064	714	486936	57
4	491535	646	978042	69	513493	714	486507	56
5	491922	645	978001	69	513921	713	486079	55
6	492308	644	977959	69	514349	713	485651	54
7	492695	644	977918	69	514777	712	485223	53
8	493081	643	977877 977835	69	515204	712	484796	52
10	493466 493851	$\begin{array}{c} 642 \\ 642 \end{array}$	977794	69	515631	711	484369 483943	51
\				69	516057	710		50
11	9 494236	641	9.977752	69	9.516484	710	10.483516	19
12	494621	641	977711	69	516910	709	483090	48
13	495005	640	977669	69	517535	709	482665	47
14 15	495388 495772	639	977628 977586	69 69	517761 518185	708	482239 481815	46
16	496154	639	977544	70	518610	708	481390	45
17	496537	$\begin{array}{c} 638 \\ 637 \end{array}$	977503	70	519034	707 706	480966	43
18	496919	637	977461	70	519458	706	480542	42
19	497301	636	977419	70	519882	705	480118	41
20	497682	636	977377	70	520305	705	479695	40
$\frac{20}{21}$		635	9.977335	$\frac{70}{70}$	9.520728	704	$\overline{10.479272}$	$\frac{10}{39}$
21 22	9.498064		977293	70	521151		478849	
23	498444 498825	$634 \\ 634$	977251	70	521131	703 703	478427	38
24	499204	633	977209	70	521975	703	478005	36
25	499584	632	977167	70	522417	703	477583	35
26	499963	632	977125	70	522838	702	477162	34
27	500342	631	977083	70	523259	701	476741	33
28	500721	631	977041	70	523680	701	476320	32
29	501099	630	976999	70	524100	700	475900	31
30	501476	629	976957	70	524520	699	475480	30
31	9.501854	629	9.976914	70	9.524939	699	$\overline{10.475061}$	$\frac{1}{29}$
32	502231	628	976872	71	525359	698	474641	28
33	502607	628	976830	71	525778	698	474222	27
34	502984	627	976787	71	526197	697	473803	26
35	503360	626	976745	71	526615	697	473385	25
36	503735	626	976702	71	527033	696	472967	24
37	504110	625	976660	71	527451	696	472549	23
38	504485	625	976617	71	527868	695	472132	22
39	504860	624	976574	71	528285	695	471715	21
40	505234	623	976532	71	528702	694	471298	20
41	9.505608	623	9.976489	$\overline{71}$	9.529119	693	0.470881	19
12	505981	622	976446	71	529535	693	470465	18
43	506354	622	976404	71	529950	693	470050	17
44	506727	621	976361	71	530366	692	469634	16
45	507099	620	976318	71	530781	691	469219	15
46	507471	620	976275	71	531196	691	468804	14
47	507843	619	976232	72	531611	690	468389	13
48	508214	619	976189	72	532025	690	467975	12
49	508585	618	976146	72	532439	689	467561	11
50	508956	618	976103	72	532853	689	467147	10
51	9.509326	617	9.976060	72	9.533266	688	10.466734	9
52	509696	616	976017	72	533679	688	466321	8
53	510065	616	975974	72	534092	687	465908	7
54	510434	°615	975930	72	534504	687	465496	6
55	510803	615	975887		534916	686	465084	5
56	511172	614	975844	72	535328	686	464672	4
57	511540	613	975800	72	535739	685	464261	3
58	511907	613	975757	72 72	536150	685	463850	2
59 60	512275 512642	612 612	975714 975670		536561 536972	$\begin{array}{c} 684 \\ 684 \end{array}$	463439 463028	0
00		012		12		1104		
	Cosine 1		I Sine		Corang.		Tang.	M.

M.	Bine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9 512642	612	9.975670	73	9.536972	684	10.463028	60
1	513009	611	975627	73	537382	683	462618	59
2	513375	611	975583	73	537792	683	462208	58
3	513741 514107	610 609	975539 975496	73 73	538202 538611	$\begin{array}{c} 682 \\ 682 \end{array}$	$\begin{array}{c} 461798 \\ 461389 \end{array}$	57 56
5	514472	609	975452	73	539020	681	460980	55
6	514837	608	975408	73	539429	681	460571	54
7	515202	608	975365	73	539837	680	460163	53
8	515566	607	975321	73	540245	680	459755	52
9	515930	607	975277 975233	73	540653	679	459347	51
10	516294	606		73	541061	679	458939	50
11	9.516657 517020	605 60£	9.975189 975145	73	$9.541468 \\ 541875$	$\begin{array}{c} 678 \\ 678 \end{array}$	10.458532	49
13	517382	604	975101	73 73	542281	677	458125 457719	48
14	517745	604	975057	73	542688	677	4573' 2	46
15	518107	603	975013	73	543094	676	456906	45
16	518468	603	974969	74	543499	676	456501	44
17	518829	602	974925	74	543905	675	456095	43
18	519190 519551	601 601	974880 974836	74	544310	$\begin{array}{c} 675 \\ 674 \end{array}$	455690	42
20	519911	600	974792	74 74	544715 545119	674	455285 454881	41
21	$\frac{510371}{9.520271}$	600	9.974748	$\frac{74}{74}$	$\frac{545113}{9.545524}$	673	10.454476	$\frac{40}{39}$
22	520631	599	974703	74	545928	673	454072	38
23	520990	599	974659	74	546331	672	453669	37
24	521349	598	974614	74	546735	672	453265	36
25	521707	598	974570	74	547138	671	452862	35
26	522066	597	974525	74	547540	671	452460	34
27	522424	596	974481	74	547943	670	452057	33
28 29	522781 523138	596 595	974436 974391	74 74	548345 548747	670 669	451655 451253	32 31
30	523495	595	974347	75	549149	669	450851	30
31	9.523852	594	9.974302	75	9.549550	668	10.450450	$\frac{30}{29}$
32	524208	594	974257	75	549951	668	450049	28
33	524564	593	974212	75	550352	667	449648	27
34	524920	593	974167	75	550752	667	149248	26
35	525275	592	974122	75	551152	666	448848	25
36 37	525630 525984	591 591	974077 974032	75 75	551552 551952	$\begin{array}{c} 666 \\ 665 \end{array}$	448448 448048	$\begin{vmatrix} 24 \\ 23 \end{vmatrix}$
38	526339	590	973987	75	552351	665	447649	22
39	526693	590	973942	75	552750	665	447250	21
40	527046	589	973897	75	553149	664	446851	20
41	9.527400	589	9.973852	75	9.553548	664	10.446452	19
42	527753	588	973807	75	553946	663	446054	18
43	528105	588	973761	75	554344	663	445656	17
44	528458 528810	587 587	973716 973671	76 76	554741 555139	$\begin{array}{c} 662 \\ 662 \end{array}$	445259 444861	16
46	529161	586	973625	76	555536	661	444464	14
47	529513	586	973580	76	555933	661	444067	13
48	529864	585	973535	76	556329	660	443671	12
49	530215	585	973489	76	556725	660	443275	11
50	530565	584	973444	76	557121	659	442879	10
51	9.530915	584	9.973398	76	9.557517	659	10.442483	9
52	531265	583	973352	76	557913	659	442087	8 7
53	531614 531963	582 582	973307 973261	76 76	558308 558702	658 658	441692 441298	6
55	532312	581	973215	76	559097	657	440903	5
56	532661	581	973169	76	559491	657	440509	4
57	533009	580	973124	76	559885	656	440115	3
58	533357	580	973078	76	560279	656	439721	2
159	533704	579	973032	77	560673	655	439327	1 0
60	534052	578	972986	111	561066	655	438934	_
	Cosine	1	Sine		Cotang.	i	Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.534052	578	9.972986	77	9.561066	655	10.438934	60
1	534399	577	972940	77	561459	654	438541	59
2	534745	577	972894	77	561851	654	438149	58
3	535092	577	972848	77	562244	653	437756	56
4 5	535438 535783	576 576	972802 972755	77	562636 563028	653 653	437364 436972	55
6	536129	575	972709	77	563419	652	436581	54
7	536474	574	972663	77	563811	652	436189	53
8	536818	574	972617	77	564202	651	435798	52
9	537163	573	972570	77	564592	651	435408	51
10	537507	573	972524	77	564983	650	435017	50
II	9.537851	572	9.972478	77	9.565373	650	10.434627	49
12	538194	572	972431	78	565763	649	434237	48
13	538538	571	972385	78	566153	649	433847	47
14	538880	571	972338	78	566542	649	433458	46
15 16	539223	570	972291	78	566932	648	433068 432680	45
17	539565 539907	570	972245 972198	78 78	567320 567709	648 647	432291	43
18	540249	$\begin{array}{c} 569 \\ 569 \end{array}$	972151	78	568098	647	431902	42
19	540590	568	972105	79	568486	646	431514	41
20	540931	568	972058	78	568873	646	431127	40
21	9.541272	567	9.972011	78	9.569261	645	10.430739	39
22	541613	567	971964	78	569648	645	430352	38
23	541953	566	971917	78	570035	645	429965	37
24	542293	566	971870	78	570422	644	429578	36
25	542632	565	971823	78	570809	644	429191	35
26	542971	565	971776	78	571195	643	428805	34
27	543310	564	971729	79	571581	643	428419	33
28	543649	564	971682	79	571967	642	428033	32
29	543987	563	971635	79	572352	642	427648	31
30	544325	563	971588	79	572738	642	427262	$\frac{30}{29}$
31	9.544663	562	9.971540	79	9.573123	641	10.426877	29
32 33	545000 545338	562 561	971493 971446	79 79	573507	641 640	$\begin{array}{r} 426493 \\ 426108 \end{array}$	27
34	545674	561	971398	79	573892 574276	640	425724	26
35	546011	560	971351	79	574660	639	425340	25
36	546347	560	971303	79	575044	639	424956	24
37	546683	559	971256	79	575427	639	424573	23
38	547019	559	971208	79	575810	638	424190	22
39	547354	558	971161	79	576193	638	423807	21
40	547689	558	971113	79	576576	637	423424	20
41	9.548024	557	9.971066	80	9.576958	637	10.423041	19
42	548359	557	971018	80	577341	636	422659	18
43	548693	556	970970	80	577723	636	422277	17
44	549027	556	970922	80	578104	636	421896	16
46	549360 549693	555 555	970874 970827	80	578486 578867	635 635	421514 421133	14
47	550026	554	970779	80	579248	634	421133	13
48	550359	554	970731	80	579629	634	420371	12
49	550692	553	970683	80	580009	634	419991	11
50	551024	553	970635	80	580389	633	419611	10
51	9.551356	552	9.970586	80	9.580769	633	10.419231	9
52	551687	552	970538	80	581149	632	418851	8
53	552018	552	970490	80	581528	632	418472	
54	552349	551	970442	80	581907	632	418093	6
55	552680	551	970394	80	582286	631	417714	5
56	553010	550	970345	81	582665	631	417335	4
57	553341 553670	$\frac{550}{549}$	970297	81	583043	630	416957	9
59	554000	549 549	970249 970200	81	583422 583800	630 629	416578 416200	2
60	554329	548	970152		584177	629	415823	ò
=						0.40		M.
L	Cosine		Sine		Cotang,		Tang	IVE.

М.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.554329	548	9.970152	81	9.584177	629	10.415823	60
1	551658	548	970103	81	584555	629	415445	59
3	554987	547	970055 970006	81	584932 585309	628	415068	58
4	555315 555643	547 546	969957	81	585686	628 627	414691 414314	57 56
5	555971	546	969909	8i	586062	627	413938	55
6	556299	545	969860	8i	586439	627	413561	54
7	556626	545	969811	81	586815	626	413185	53
8	556953	544	969762	81	587190	626	412810	52
9	557280	544	969714	81	587566	625	412434	51
<u>10 ¦</u>	557606	543	969665	81	587941	625	412059	50
īī	9.557932	543	9.969616	82	9.588316	625	10.411684	49
12	558258	543	969567	82	588691	624	411309	48
13	558583	542	969518	82	589066	624	410934	47
14 15	558909 559234	542 541	969469 969420	82 82	589440 589814	623 623	410560 410186	46 45
16	559558	541	969370	82	590188	623	409812	44
17	559883	540	969321	82	590562	622	409438	43
18	560207	540	969272	82	590935	622	409065	42
19	560531	539	969223	82	591308	622	408692	41
20	560855	539	969173	82	591681	621	408319	40
$\overline{21}$	9.561178	538	9.969124	82	9.592054	621	10.407946	39
22	561501	538	969075	82	592426	620	407574	38
23	561824	537	969025	82	592798	620	407202	37
24	562146	537	968976	82	593170	619	406829	36
25	562468	536	968926	83	593542	619	406458.	35
26	562790	536	968877	83	593914	618	406086	34
27 28	563112 563433	536	968827 968777	83 83	594285	618	405715 405344	33 32
29	563755	535 535	968728	83	594656 595027	618 617	404973	31
30	564075	534	968678	83	595398	617	404602	30
31	9.564396	$-\frac{534}{534}$	9.968628	83	9.595768	617	10.404232	$\frac{30}{29}$
32	564716	533	968578	83	596138	616	403862	28
33	565036	533	968528	83	596508	616	403492	27
34	565356	532	968479	83	596878	616	403122	26
35	565676	532	968429	83	597247	615	402753	25
36	565995	531	968379	83	597616	615	402384	24
37	566314	531	968329	83	597985	615	402015	23
38	566632	531	968278	83	598354	614	401646	22
39 40	566951 567269	530 530	968228 968178	84	598722	614	401278	21
				84	599091	613	400909	20
41	9.567587	529	9.968128	84	9.599459	613	10.400541	19
42 43	567904 568222	529 528	968078 968027	84	599827 600194	613	400173	18
44	568539	528	967977	84	600194	612 612	399806 399438	17 16
45	568856	528	967927	84	600929	611	399071	15
46	569172	527	967876		601296	Gii	398704	14
47	569488	527	967826		601662	611	398338	l iā
17	569804	526	967775		602029	610	397971	12
49	570120	526	967725		602395	610	397605	11
50	570435	525	967674		602761	610	397239	10
51	9.570751	525	9.967624		9.603127	609	10.396873	9
52	571066	524	967573		603493	609	396507	8 7
53	571380	524	967522		603858		396142	1 3
54	571695	523	967471 967421		604223	608	395777	6
55 56	572003 572323		967370		604588 604953		395412 395047	5
57	572636		967319		605317	607	395047	3
58	572950		967268		605682		394318	1 2
59	573263	521	967217		606046		393954	l î
60	573575		967166		606410		393590	1 0
_	Cosine		1 Sine		Cotang.		J Tang.	1 M

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.573575	521	9.967166	85	9.606410	606	10.393590	60
1	573888	520	967115	85	606773	606	393227	59
2 3	574200	520	967064	85	607137	605	392863	58
4	574512 574824	519 519	967013 966961	85 85	607500 607863	605 604	392500 392137	57
5	575136	519	966910	85	608225	604	391775	56 55
6	575447	518	966859	85	608588	604	391412	54
7	575758	518	966808	85	608950	603	391050	53
8	576069	517	966756	86	609312	603	390688	52
9	576379	517	966705	86	609674	603	390326	51
10	576689	516	966653	86	610036	602	389964	50
11	9.576999	516	9.966602	86	9.610397	602	10.389603	49
12	577309	516 515	966550	86	610759 611120	602	389241	48
13 14	577618 577927	515	966499 966447	86 86	611480	601 601	388880 388520	47
15	578236	514	966395	86	611841	601	388159	45
16	578545	514	966344	86	612201	600	387799	44
i~	578853	513	966292	86	612561	600	387439	43
lo	579162	513	966240	86	612921	600	387079	42
19	579470	513	966188	86	613281	599	386719	41
20	579777	512	966136	86	613641	599	386359	40
21	9.580085	512	9.966085	87	9.614000	598	10.386000	39
22	580392	511	966033	87	614359	598	385641	38
23 24	580699 581005	511	965981 965928	87	614718 615077	598 597	385282	37
25	581312	511 510	965876	87 87	615435	597	384923 384565	35
26	581618	510	965824	87	615793	597	384207	34
27	581924	509	965772	87	616151	596	383849	33
28	582229	509	965720	87	616509	596	383491	32
29	582535	509	965668	87	616867	596	383133	31
30	582840	508	965615	87	617224	595	382776	30
31	9.583145	508	9.965563	87	9.617582	595	10.382418	29
32	583449	507	965511	87	617939	595	382061	28
33	583754	507	965458	87	618295	594	381795	27
34	584058 584361	506 506	965406 965353	87	618652 619008	594 594	381348 380992	26 25
36	584665	506	965301	88	619364	593	380636	24
37	584968	505	965248	88	619721	593	380279	23
38	585272	505	965195	88	620076	593	379924	22
39	585574	504	965143	88	620432	592	379568	21
40	585877	504	965090	88	620787	592	379213	20
41	9.586179	503	9.965037	88	9.621142	592	10.378858	19
42	586482	503	964984	88	621497	591	378503	18
43	586783	503	964931	88	621852	591	378148	17
44	587085 587386	$\begin{array}{c} 502 \\ 502 \end{array}$	$964879 \\ 964826$	88	$\begin{array}{c} 622207 \\ 622561 \end{array}$	590 590	377793 377439	16
46	587688	502 501	964826	88	622915	590 590	377085	14
47	587989	501	964719	88	623269	589	376731	13
48	588289	501	964666	89	623623	589	376377	12
49	588590	500	964613	89	623976	589	376024	11
50	588890	500	964560	89	624330	588	375670	10
51	9.589190	499	9.964507	$\overline{89}$	9.624683	588	10.375317	9
52	589489	499	964454	89	625036	588	374964	8
53	589789	499	964400	89	625388	587	374612	7
54	590088	498	964347	89	625741	587	374259	6
55 56	590387 590686	498 497	964294 964240	89 89	626093 626445	587 586	373907 373555	5 4
57	590984	497	964240	89	626797	586	373203	3
58	591282	497	964133	89	627149	586	372851	2
59	591580	496	964080	89	627501	585	372499	1
60	591878	496	964026	89	627852	585	372149	0
	Cosine		Sine		Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.591878	496	19.964026		9.627852		10.372148	60
1	592176	495	963972		628203	585	371797	59
3	592473 592770	495 495	963919 963865	89	628554 628905	585 584	371446	58
4	593067	494	963811	90	629255	584	371095 370745	56
5	593363	494	963757	90	629606	583	370394	55
6	593659	493	963704		629956	583	370044	54
7	593955	493	963650	90	630306	583	369694	53
8	594251 594547	493 492	963596 963542	90	630656 631005	583	369344 368995	52 51
10	594842	492	963488	90	631355	582 582	368645	50
11	$\frac{554542}{9.595137}$	491	9.963434	90	$\frac{001003}{9.631704}$	582	10.368296	49
12	595432	491	963379	90	632053	581	367947	48
13	59572~	491	963325	90	632401	581	367599	47
14	596021	490	963271	90	632750	581	367250	46
15	596315	490	963217	90	633098	580	366902	45
16 17	596609	489	963163	90	633447	580	366553	44
18	596903 597196	489 489	963108 963054	91 91	633795 634143	580 579	366205 365857	43 42
iğ	597490	488	962999	91	634490	579	365510	41
20	597783	488	962945	91	634838	579	365162	40
21	9.598075	487	9.962890	91	9.635185	578	10.364815	39
22	598368	487	962836	91	635532	578	364468	38
23	598660	487	962781	91	635879	578	364121	37
24	598952	486	962727	91	636226	577	363774	36
25 26	599244 599536	486 485	962672 962617	91 91	636572 636919	577	$363428 \\ 363081$	35
27	599827	485	962562	91	637265	577 577	362735	33
28	600118	485	962508	91	637611	576	362389	32
29	600409	484	962453	91	637956	576	362044	31
30	600700	484	962398	92	638302	576	361698	30
31	9.600990	484	9.962343	92	9.638647	575	10.361353	29
32 33	601280	483	962288	92	638992	575	361008	28
34	601570 601860	$\frac{483}{482}$	962233 962178	92 92	639337 639682	575 574	360663 360318	27 26
35	602150	482	962123	92	640027	574	359973	25
36	602439	482	962067	92	640371	574	359629	24
37	602728	481	962012	92	640716	573	359284	23
38 39	603017	481	961957	92	641060	573	358940	22
40	603305 603594	481 480	961902 961846	92 92	641404 641747	573	358596 358253	21 20
41	9.603882					572		_
42	604170	480 479	9.961791 961735	92 92	9.642091 642434	572 572	10.357909 357566	19 18
43	604457	479	961680	92	642777	572	357223	17
44	604745	479	961624	.93	643120	571	356880	16
45	605032	478	961569	93	643463	571	356537	15
46	605319	478	961513	93	643806	571	356194	14
47	605606 605892	478 477	961458 961402	93 93	644148 644490	570 570	355852 355510	13 12
49	606179	477	961346	93	644832	570	355168	11
50	606465	476	961290	93	645174	569	354826	10
51	9.606751	476	9.961235	$\overline{93}$	9.645516	569	10.354484	9
52	607036	476	961179	93	645857	569	354143	8
53	607322	475	961123	93	646199	569	353801	7
54	607607	475	961067	93	646540	568	353460	6
55 56	607892 608177	474 474	961011 960955	93 93	$\frac{646881}{647222}$	568 568	353119 352778	5 4
57	608461	474	960899	93	647562	567	352438	3
59	608745	473	960843	94	647903	567	352097	2
59	609029	473	960786	94	648243	567	351757	1
60	609313	473	960730		648583	566	351417	0
1	('osine		Sine		Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	1
0	9.609313	473	9.960730	94	9.648583	566	10.351417	60
1	609597	472	960674	94	648923	566	351077	59
2	609880	472	960618	94	649263	566	350737	58
3 4	610164 610447	472 471	960561 960505	94 94	649602 649942	566 565	350398 350058	57 56
5	610729	471	960448	94	650281	565	349719	55
6	611012	470	960392	94	650020	565	349380	54
7	611294	470	960335	94	650959	5R4	349041	53
8	611576	470	960279	94	651297	564	348703	52
10	611858	469	960222 960165	94	651636 651974	564 563	348364	51
$\frac{10}{11}$	612140	, 469		94			348026	50
12	$9.612421 \\ 612702$	469 468	9.960109 960052	95 95	9.652312 652650	563 563	10.347688 347350	49 48
13	612983	468	959995	95	652988	563	347012	47
14	613264	467	959938	95	653326	562	346674	46
15	613545	467	959882	95	653663	562	346337	45
16	613825	467	959825	95	654000	562	346000	44
17	614105	466	959768	95	654337	561	345663	43
18	614385 614665	466 466	959711 959654	95 95	654674 655011	561 561	345326 344989	42 41
20	614944	465	959596	95	655348	561	344652	40
21	$\frac{615223}{9.615223}$	465	9.959539	$\frac{55}{95}$	9.655684	560	10.344316	39
22	615502	465	959482	95	656020	560	343980	38
23	615781	464	959425	95	656356	560	343644	37
24	616060	464	959368	95	656692	559	343308	36
25	616338	464	959310	96	657028	559	342972	35
26 27	616616 616894	463 463	959253 959195	96 96	657364 657699	559 559	342636 342301	34 33
28	617172	462	959138	96	658034	558	341966	32
29	617450	462	959081	96	658369	558	341631	31
30	617727	462	959023	96	658704	558	341296	30
31	9.618004	461	9.958965	96	9.659039	558	10.340961	29
32	618281	461	958908	96	659373	557	340627	28
33	618558	461	958850	96	659708	557	340292	27
34	618834 619110	460 460	958792 958734	96 96	660042 660376	557 557	339958 339624	26 25
36	619386	460	958677	96	660710	556	339290	24
37	619662	459	958619	96	661043	556	338957	23
38	619938	459	958561	96	661377	556	338623	22
39	620213	459	958503	97	661710	555	338290	21
40	620488	458	958445	97	662043	555	337957	20
41	9.620763	458	9.958387	97	9 662376	555	10.337624	19
42	621038 621313	457 457	958329 958271	97 97	662709 663042	554 554	337291 336958	18
44	621587	457	958213	97	663375	554	336625	16
45	621861	456	958154	97	663707	554	336293	15
46	622135	456	958096	97	664039	553	335961	14
47	622409	456	958038	97	664371	553	335629	13
48	622682	455	957979	97	664703	553	335297	12
50	622956 623229	455 455	957921 957863	97 97	665035 665366	553 552	334965 334634	11 10
$\frac{50}{51}$	9.623502	454	9.957804	97	$\frac{005500}{9.665697}$	552	10.334303	9
52	623774	454	957746	98	666029	552	333971	
53	624047	454	957687	98	666360	551	333640	8 7 6
54	624319	453	957628	98	666691	551	333369	
55	624591	453	957570	98	667021	551	332979	5
56	624863	453	957511	98	667352	551	332648	4
58	625135 625406	452 452	957452 957393	98	667682	550 550	332318 331987	3 2
59	625677	452	957335	98	668343	550	331657	1
60	625948		957276		668672		331328	Û
	Cosine		Sine	Ī	Cotang.		Tang	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang	
0	9.625948	451	9.957276	98	9.668673	550	10.331327	
1	626219	451	957217	98	669002	549	330998	59
3	626490 626760	451 450	957158 957099	98 98	669332 669661	549 549	330668 330339	58
4	627030	450 450	957033	98	669991	549 548	330009	57 56
5	627300	450	956981	98	670320	548	329680	55
6	627570	449 1	956921	99	670649	548	329351	54
7	627840	449	956862	99	670977	548	329023	53
8	628109	449	956803	99	671306	547	328694	52
9	628378	448	956744	99	671634	547	328366	51
10	628647	448	956684	99	671963	547	328037	50
11	9.628916	447	9.956625	99	9.672291	547	10.327709	49
12	629185	447	956566	99	672619	546	327381	48
13	629453	447	956506	99	672947	546	327053	47
14	629721 629989	446	956447 956387	99 99	673274	546	326726	46
15 16	630257	446 446	956327	99	673602 673929	$\begin{array}{c} 546 \\ 545 \end{array}$	326398 326071	45
17	630524	446	956268	99	674257	545	325743	43
18	630792	445	956208	100	674584	545	325416	42
19	631059	445	956148	100	674910	544	325090	41
20	631326	445	956089	100	675237	544	324763	40
21	9.631593	444	9.956029	100	9.675564	544	10.324436	39
22	631859	444	955969	100	675890	544	324110	38
23	632125	444	955909	100	676216	543	323784	37
24	632392	443	955849	100	676543	543	323457	36
25	632658	443	955789	100	676869	543	323131	25
26	632923	443	955729	100	677194	543	322806	34
27	633189	442	955669	100	677520	542	322480	33
28	633454	442	955609	001	677846	542	322154	3:
29	633719	442	955548	100	678171	542	321829	31
30	633984	441	955488	100	678496	542	321504	30
31	9.634249	441	9.955428	101	9.678821	541	10.321179	29
32	634514	440	955368	101	679146	541	320854	28
33	634778	440	955307 955247	101	679471	541	320529	27
34 35	635042 635306	440 439	955247	101 101	679795 580120	541 540	320205 319880	25
36	635570	439	955126	101	680444	540	319556	24
37	635834	439	955065	lioi	680768	540	319232	23
38	636097	438	955005		681092	₹ 540	318908	22
39	636360	438	954944	101	681416	539	318584	21
40	636623	438	954883	101	681740	539	318260	20
41	9.636886	437	9 954823	101	9.682063	539	10.317937	19
42	637148	437	954762		682387	539	317613	18
43	637411	437	954701	101	682710	538	317290	17
44	637673	437	954640	101	683033	538	316967	16
15	637935	436	954579	101	683356	538	316644	15
46	638197	436	954518	102	683679	538	316321	14
47	638458	436 435	954457 954396	102	684001	537	315999	
48 49	638720 638981	435	954396		684324 684646	537 537	315676 315354	
50	639242	435	954274	102	684968	537	315032	
-			9.954213	-				1
51 52	9.639503 639764	434 434	954152	$\frac{102}{102}$	9.685290 685612	536 536	10.314710 314388	
53	640024	434	954090		685934	536	314066	
54	640284	433	954029		686255	536	313745	
55	640544	433	953968		686577	535	313423	
56	640804	433	953906			535	313102	
57	641064	432	953845			535	312781	
58	641324	432	953783		687540	535	312460	
59	641584	432	953722			534	312139	
60	641842	431	953660	103	688182	534	311818	1
	Cosine		Sine	1	Cotang.		Tang.	T N
	,		·	-				

M.	Sine	D.	Cosine	D.	Tang.	D	Cotang.	
0	9.641842	431	9.953660	103 103	9.688182	534	10.311818	60
1 2	642101' 642360	431 431	953599 953537	103	688502 688823	534 534	311498 311177	59
3	642618	430	953475	103	689143	533	310857	57
4	642877	430	953413	103	689463	533	310537	56
5	643135	430	953352	103	689783	533	310217	55
6	643393	430 429	953290 953228	103 103	690103	533	309897	54
8	643650 643908	429	953166	103	690423 690742	533 •532	309577 309258	53 52
9	644165	429	953104	103	691062	532	308938	51
10	644423	428	953042	103	691381	532	308619	50
11	9.644680	428	9.952980	104	9.691700	531	10.308300	49
12 13	644936 645193	428 427	$952918 \\ 952855$	104 104	692019 692338	531 531	307981 307662	48
14	645450	427	952793	104	692656	531	307344	16
15	645706	427	952731	104	692975	531	307025	45
16	645962	426	952669	104	693293	530	306707	44
17	646218	426	952606	104	693612	530	306388	43
18 19	646474	426 425	952544 952481	104 104	693930	530	306070	42
20	646729 646984	425 425	952481	104	694248 694566	530 529	305752 305434	41 40
21	$\frac{040304}{9.647240}$	425	9.952356	$\frac{104}{104}$	$\frac{634860}{9.694883}$	529	10.305117	39
22	547494	424	952294	104	695201	529	304799	38
23	647749	424	952231	104	695518	529	304482	37
24	648004	424	952168	105	695836	529	304164	36
25	648258	424	952106	105	696153	528	303847	35
26 27	648512 648766	423 423	952043 951980	$\frac{105}{105}$	696470 696787	$\frac{528}{528}$	303530 303213	34 33
28	649020	423	951917	105	697103	528	302897	32
29	649274	122	951854	105	697420	527	302580	31
30	649527	422	951791	105	697736	527	302264	30
31	9.649781	422	9.951728	105	9.698053	527	10.301947	29
32	650034	422	951665	105	698369	527	301631	28
33	650287 650539	421 421	951602 951539	105 105	698685 699001	526 526	301315 300999	27 26
35	650792	421	951476	105	699316	526	300684	25
36	651044	420	951412	105	699632	526	300368	24
37	651297	420	951349	106	699947	526	300053	23
38	651549	420	951286	106	700263	525	299737	22
39 40	651800 652052	419 419	951222 951159	106 106	700578 700893	525 525	299422 299107	21 20
41	$\frac{652032}{9.652304}$	419	$\frac{9.951135}{9.951096}$	106	$\frac{700893}{9.701208}$	$\frac{523}{524}$	10.298792	19
42	652555	418	951032	106	701523	524	298477	18
43	652806	418	950968	106	701837	524	298163	17
44	653057	418	950905	106	702152	524	297848	16
45	653308	418	950841	106	702466	524	297534	15
46	653558	417	950778	106	702780	523	297220	14
48	653808 654059	417 417	950714 950650	106 106	703095 703409	523 523	296905 296591	12
49	654309	416	950586	106	703723	523	296277	liĩ
5)	654558	416	950522	107	704036	522	295964	10
51	9. 354808	416	9.950458	107	9.704353	522	10.295650	9
52	655058	416	950394	107	704663	522	295337	8
53 54	655307 655556	415 415	950330 950266	107 107	704977 705290	522 522	295023 294710	6
55	655805	415	950200	107	705603	521	294397	5
96	656054	414	950138	107	705916	521	294084	4
57	656302	414	950074	107	706228	521	293772	3
58	656551	414	950010	107	706541	521	293459	2
59 60	656799 657047	413 413	949945 949881	107	706854 707166	521 520	293146 292834	0
30		419		107				_
	Cosine		Sire		Cotang.		Tang.	, M.

63°. ,

M	Sine	D	Cosine	r Di	Tang.	D.	Cotang.	Г
0	9.6570471	413	9.949881	107	9.707166	520	10.292834	60
lĭ	657295	413	949816	107	707478	520	292522	
2	657542	412	949752	107		520	292210	58
3	657790	412	949688	108	708102	520	291898	57
4	658037	412	949623	108	708414	519	291586	56
5	658284	412	949558	108	708726	519	291274	55
6	658531	411	949494	108	709037	519	290963	54
7	658778	411	949429	108	709349	519	290651	53
8	659025	411	949364	108	709660	519	290340	
9	659271	410	949300	108	709971	518	290029	
10	659517	410	949235	108	710282	518	289718	
11	9.659763	410	9.949170	108	9.710593	518	10.289407	49
12	C60009	409	949105	108		518	289096	48
13	660255	409	949040	108	711215	518	288785	47
14	660501	409	948975	108	711525	517	288475	
15	660746	409	948910	108	711836	517	288164	
16	660991 661236	408	948845 948780	108 109	712146 712456	517	287854 287544	44
17	661481	408 408	948715	109	712766	517 516	287234	43
19	661726	407	948650	109	713076	516	286924	41
20	661970	407	948584	109	713386	516	286614	40
21	9.662214	407	$\frac{948564}{9.948519}$	109	9.713696		10.286304	$\frac{40}{39}$
22	662459	407	9.948519	109	714005	516 516	10.286304 285995	38
23	662703	407	948388	109	714314		285686	37
24	662946	406	948323	103	714624	515	285376	36
25	663190	406	948257	109	714933	515	285067	35
26	663133	405	948192	109	715242	515	284758	34
27	663677	405	948126	109	715551	514	284449	33
28	663920	405	948060	109	715860	514	284140	32
29	664163	405	947995	110	716168	514	283832	3ĩ
30	664406	404	947929	110	716477	514	283523	30
31	9.664648	404	9.947863	110	9.716785	514	10.283215	$\frac{1}{29}$
32	664891	404	947797	110	717093	513	282907	28
33	665133	403	947731	110	717401	513	282599	27
34	665375	403	947665	110	717709	513	282291	26
35	665617	403	947600	110	718017	513	281983	25
36	665859	402	947533	110	718325	513	281675	24
37	666100	402	947467	110	718633	512	281367	23
38	666342	402	947401	110	718940	512	281060	22
39	666583	402	947335	110	719248	512	280752	21
40	666824	401	947269	110	719555	512	280445	20
41	9.667065	401	9.947203	110	9.719862	512	10.280138	19
42	667305	401	947136	111	720169	511	279831	18
43	667546	401	947070	111	720476	511	279524	17
44	667786	400	947004	111	720783	511	279217	16
45	668027	400	946937	111	721089	511	278911	15
46	668267	400	946871	111	721396	511	278604	14
48	668506 668746	399	946804 946738	111	721702	510	278298 277991	13 12
48	668986	399 399	946671	111	722009 722315	510 510	277991 277685	11
50	669225	399	946604	iii	722621	510	277379	10
51								_
52	9.669464	398	9.946538	111	9.722927	510	10 277073	9
53	669703 669942	398 398	946471 946404	111	723232 723538	509 509	276768 276462	8 7
54	670181	397	946337	111	723538	509 509	276462 276156	6
55	670419	397	946270	112	724149	509	275851	5
56	670658	397	946203	112	724454	509	275546	4
57	670896	397	946136	112	724759	508	275241	3
58	671134	396	946069	112	725065	508	274935	2
59	671372	396	946002	112	725369	508	274631	1
60	671609	396	945935	112	725674	508	274326	0
	Cosme		Sine		Cotang.		Tang.	M.
1								

46

28°. LOGARITHMIC

ul	-	,	20 .	LOG	Amiimi	,		
M.	Sine	. D.	Cosine	D	Tang.	D	Cotang.	
0	19.671609		9.945935				10.274326	60
1	671847		945868				274021	59
2	672084	395	945800			507	273716	58
3	672321	395	945733	112	726588	507	273412	57
4	672558	395	945666	112	726392	507	273108	56
5	672795	394	945598	112	727197	507	272863	55
6	673032	394	945531	1112	727501	507	272499	54
7	673268	394	945464	1113	727805	506	272195	53
8	673505	394	945396		728109	506	271891	52
9	673741	393	945328		728412	506	271588	51
10	673977	393	945261	113	728716	506	271284	50
111	9.674213	393	9,945193		9.729020	506	10.270980	$\overline{49}$
12	674448	392	945125		729323	505	270677	48
13	674684	392	945058		729626	_505	270374	47
14	674919	392	944990		729929	505	270071	16
15	675155	392	944922		730233	505	269767	15
16	675390	391	944854	113	730535	505		44
17	675624	391	944786	113	730838	504		43
18	675859	391	944718	113	731141	504		42
19	676094		944650	113	731444	504		41
20	676328	391 390	944582	114	731746	504		40
								1
21	9.676562	390	9.944514	114	9.732048	504		39
22	676796	390	944446	114	732351	503		38
23	677030	390	944377	114	732653	503		37
24	677264	389	944309	114	732955	503		36
25	677498	389	944241	114	733257	503		35
26	677731	389	944172	114	733558	503		34
27	677964	388	944104	114	733860	502		33
28	678197	388	944036	114	734162	502		32
29	678430	388	943967	114	734463	502		31
30	678663	388	943899	114	734764	502		30
31	9.678895	387	9.943830	114	9.735066	502	10.264931	29
32	679128	387	943761	114	735367	502		28
33	679360	387	943693	115	735668	501	264332	27
34	679592	387	943624	115	735969	501		26
35	679824	386	943555	115	736269	501	263731	25
36	680056	386	943486	115	736570	501		24
37	680288	386	943417	115	736871	501		23
38	680519	385	943348	115	737171	500		22
39	680750	385	943279	115	737471	500		21
40	680982	385	943210	115	737771	500		20
41	$\frac{681213}{9.681213}$	385	9,943'41	115	$\overline{9.738071}$	500		19
$\begin{vmatrix} 41\\42 \end{vmatrix}$	681443	389 384	943072	115		500 500		18
43	681674	$\frac{384}{384}$	943072	115	738371 738671	499		17
44	681905	384	942934		738971	499		16
45	682135	384	942864	$\frac{115}{115}$	739271	499		15
46	682365		942795					14
	682595	383		116	739570	499	260130	13
$\begin{vmatrix} 47 \\ 48 \end{vmatrix}$	682825	383	$\begin{array}{c} 942726 \\ 942656 \end{array}$	116	739870	499 499		12
49	683055	383 383		116	740169		259532	ii
			942587	116	740468	498		iò
50	683284	382	942517	116	740767	498		
51	9.683514	382	9.942448	116	9.741066	498	10.258934	91
52	683743	382	942378	116	741365	498	258635	8
53	683972	382	942308	116	741664	498	258336	6
54	684201	381	942239	116	741962	497	258038	6
55	684430	381	942169	116	742261	497	257739	5
56	684658	381	942099	116	742559	497	257441	4
57	684887	380	942029	116	742858	497	257142	3
58	685115	380	941959	116	743156	497	256844	
59	685343	380	941889	117	743454	497	256546	1
60	685571	380	941819	117	743752	496	256248	0
1	Cosine		Sine		Cotang.		Tang.	M.
			1 ~		Country.	1		

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.685571	380	9.941819		9.743752	496	10.256248	60
1	685799	379	941749	117	744050 744348	496 496	255950 255652	59 58
2 3	686027 686254	$\frac{379}{379}$	941679 941609	$\frac{117}{117}$	744645	496	255355 255355	57
4	686482	379	941539	117	744943	496	255057	56
5	686709	378	941469	117	745240	496	254760	55
6	686936	378	941398	117	745538	495	254462	54
7	687163	378	941328	117	745835	495	254165	53
8	697389	378	941258	117	746132	495	253868	52
10	687616	377 377	941187 941117	$\frac{117}{117}$	746429 746726	495 495	253571 253274	51 50
	687843				9.747023	494	$\frac{253274}{10.252977}$	49
11	9.688069 688295	377 377	9.941046 940975	118 118	747319	494	252681	48
13	688521	376	940975		747616	494	252384	47
14	688747	376	940834	118	747913	494	252087	46
15	688972	376	940763		748209	494	251791	45
16	689198	376	940693	118	748505	493	251495	44
17	689423	375	940622	118	748801	493	251199	43
18	689648	375	940551	118	749097	493	250903	42
19 20	689873 690098	375	940480 940409	$\frac{118}{118}$	749393 749689	493 493	250607 250311	40
$\frac{20}{21}$		375					$\frac{250311}{10.250015}$	39
22	9.690323 690548	374 374	$9.940338 \\940267$	$\frac{118}{118}$	9.749985 750281	493 492	249719	38
23	690772	374	940196	118	750576	492	249424	37
24	690996	374	940125	119	750872	492	249128	36
25	691220	373	940054	119	751167	492	248833	35
26	691444	373	939982	119	751462	492	248538	34
27	691668	373	939911	119	751757	492	248243	33
23	691892	373	939840	119	752052	491	247948	32
29 30	692115	372	939768	119	752347	491	247653	31
-	692339	$-\frac{372}{372}$	939697	113	752642	491	247358	_
31 32	9.692562	372	9.939625	119	9.752937	491	10.247063	29 28
33	692785 693008	$\frac{371}{371}$	939554 939482	119 119	753231 753526	491 491	246769 246474	27
34	693231	371	939410	119	753820	490	246180	26
35	693453	371	939339	119	754115	490	245885	25
36	693676	370	939267	120	754409	490	245591	24
37	693898	370	939195	120	754703	490	245297	23
38	694120	370	939123	120	754997	490	245003	22 21
40	694342 694564	$\frac{370}{369}$	939052 938980	120 120	755291 755585	490 489	244709 244415	20
41								$\frac{20}{19}$
41	9.694786 695007	369 369	9.938908 938836	120 120	9.755878 756172	489 489	10.244122 243828	18
43	695229	369	938763	120	756465	489	243535	17
44	695450	368	938691	120	756759	489	243241	16
45	695671	368	938619	120	757052	489	242948	15
46	695892	368	938547	120	757345	488	242655	14
47	696113	368	938475	120	757638	488	242362	13
48	696334	367	938402	121	757931	488 488	242069 241776	12
50	696554	367 367	938330 938258	121	758224 758517	488	241770	iò
51	9.696995	367	9.938185	-	9.758810	488	$\frac{241483}{10.241190}$	1 -9
52	697215	366	938113		759102	485	240898	8
53	697435	366	538040		759395	487	240605	7
54	697654	366	937967		759687	487	240313	6
55	697874		937895	121		487	240021	5
56	698094		937822				239728	4
57	698313		937749			487	239436	3 2
58	698532 698751	365 365	937676 937604				239144 238852	l î
60	698970		937531				238561	0
-	Cosine	1	i Sine	1				M
	Cosme	l	Sine	J	Cotang.	1	Tang.	1 101

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.698970	364	9.937531	121	9.761439	486	10.238561	00
1	699189	364	937458	122	761731	486	238269	59
2	699407	364	937385	122	762023	486	237977	58
3 4	699626 699844	$\frac{364}{363}$	937312	$\frac{122}{122}$	762314 762606	486	237686	57
5	700062	363	937238 937165	122	762897	485 485	237394 237103	56
6	700280	363	937092		763188	485	236812	55 54
7	700498	363	937019	122	763479	485	236521	53
8	700716	363	936946	122	763770	485	236230	52
9	700933	362	936872	122	764061	485	235939	51
10	701151	362	936799	122	764352	484	235648	50
11	9.701368	362	9.936725	122	9.764643	484	10.235357	49
12	701585	362	936652	123	764933	484	235067	48
13	701802	361	936578	123	765224	484	234776	47
14	702019	361	936505	123	765514	484	234486	46
15 16	702236 702452	$\frac{361}{361}$	936431 936357	$\frac{123}{123}$	765805 766095	484 484	234195 233905	45
17	702669	360	936284	123	766385	483	233615	44
is	702885	360	936210	123	766675	483	233325	42
19	703101	360	936136	123	766965	483	233035	41
20	703317	360	936062	123	767255	483	232745	40
$\overline{21}$	9.703533	359	9.935988	123	9.767545	483	10.232455	39
22	703749	359	935914	123	767834	483	232166	38
23	703964	359	935840	123	768124	482	231876	37
24	704179	359	935766	124	768413	482	231587	36
25	704395	359	935692	124	768703	482	231297	35
26	704610	358	935618	124	768992	482	231008	34
27 28	704825 705040	358 358	935543 935469	$\frac{124}{124}$	769281 769570	482 482	230719	33
29	705254	358	935395	124	769860	481	230430 230140	32 31
30	705469	357	935320	124	770148	481	229852	30
31	9.705683	357	$\frac{9.935246}{1}$	124	$\frac{1}{9.770437}$	481	$\frac{223632}{10.229563}$	$\frac{30}{29}$
32	705898	357	935171	124	770726	481	229274	28
33	706112	357	935097	124	771015	481	228985	27
34	706326	356	935022	124	771303	481	228697	26
35	706539	356	934948	124	771592	481	228408	25
36	706753	356	934873	124	771880	480	228120	24
37	706967	356	934798	125	772168	480	227832	23
38	707180	355	934723	125	772457	480	227543	22
39 40	707393 707606	355 355	934649 934574	$\frac{125}{125}$	772745 773033	480 480	227255	21
_	$9.\overline{707819}$						226967	20
41 42	708032	355 354	9.934499 934424	125	9.773321	480	10.226679	19
43	708032	354	934424	125 125	773608 773896	479 479	$226392 \\ 226104$	18
44	708458	354	934274	125	774184	479	225816	16
45	708670	354	934199	125	774471	479	225529	15
46	708882	353	934123	125	774759	479	225241	14
47	709094	353	934048	125	775046	479	224954	13
48	709306	353	933973	125	775333	479	224667	12
49	709518	353	933898	126	775621	478	224379	11
50	709730	353	933822	126	775908	478	224092	10
51	9.709941	352	9.933747	126	9.776195	478	10.223805	9
52	710153	352	933671	126	776482	478	223518	8
53	710364	352	933596	126	776769	478	223231	
54 55	710575 710786	$\frac{352}{351}$	933520 933445	$ 126 \\ 126$	777055	478	222945	6
56	710997	351	933445	126	$777342 \\ 777628$	478	222658 222372	5 4
57	711208	351	933293	126	777915	477	222085	3
58	711419	351	933217	126	778201	477	221799	2
59	711629	350	933141	126	778487	477	221512	1
60	711839	350	933066	126	778774	477	221226	0
	Cosine		Sine		Cotang.		Tang.	M.

9º

M.	Sine	Q.	Cosine	D.	Tang.	D.	Cotang.	
0	9 711839	350	9.933066	126		477	10.221226	60
1	712050	350	932990	127	779060	477	220940	59
3	712260	350	932914	127 127	779346	176	220654 220368	58 57
4	712469 712679	$\frac{349}{349}$	932838 932762	127	779632 779918	476 476	220082	56
5	712889	349	932685	127	780203	476	219797	55
6	713098	349	932609		780489	476	219511	54
7	713308	349	932533	127	780775	476	219225	53
8	713517	348	932457	127	781060	476	218940	52
9 10	713726 713935	348 348	932380 932304	127	781346 781631	475 475	218654 218369	51 50
11	$\overline{9.714144}$	348	$\frac{332304}{9.932228}$	127	$\frac{781031}{9.781916}$	475	10,218084	$\frac{30}{49}$
12	714352	347	932151	127	782201	475	217799	48
13	714561	347	932075	128	782486	475	217514	47
14	714769	347	931998	128	782771	475	217229	46
15	714978	347	931921	128	783056	475	216944	45
16	715186	347	931845	128	783341	475	216659	44
17 18	715394 715602	346 346	931768 931691	128 128	783626 783910	474	216374 216090	43
19	715809	346	931614	128	784195	474	215805	41
20	716017	346	931537	128	784479	474	215521	40
21	9.716224	345	9.931460	128	9.784764	474	10.215236	39
22	716432	345	931383	128	785048	474	214952	38
23	716639	345	931306	128	785332	473	214668	37
24	716846	345	931229	129	785616	473	214384	36
25 26	717053 717259	345	931152	129	785900	473	214100 213816	35 34
27	717466	344 344	931075 930998	$\frac{129}{129}$	786184 786468	473 473	213532	33
28	717673	344	930921	129	786752	473	213248	32
29	717879	344	930843	129	787036	473	212964	31
30	718085	343	930766	129	787319	472	212681	30
31	9.718291	343	9.930688	129	9.787603	472	10.212397	29
32	718497	343	930611	129	787886	472	212114	28
33	718703	343	930533	129	788170	472	211830	27 26
34 35	718909 719114	343 342	930456 930378	129 129	788453 788736	$\begin{array}{c} 472 \\ 472 \end{array}$	211547 211264	25
36	719320	342	930300	130	789019	472	210981	24
37	719525	342	930223	130	789302	471	210698	23
38	719730	342	930145	130	789585	471	210415	22
39	719935	341	930067	130	789868	471	210132	21
40	720140	341	929989	130	790151	471	209849	20
41	9.720345	341	9.929911	130	9.790433	471	10.209567	19
42	720549 720754	341 340	929833 929755	130 130	790716 790999	471 471	209284 209001	18 17
44	720958	340	929677	130	791281	471	208719	16
45	721162	340	929599	130	791563	470	208437	15
46	721366	340	929521	130	791846	470	208154	14
47	721570	340	929442	130	792128	470	207872	13 12
48 49	721774 721978	339 339	929364 929286	131 131	792410 792692	470 470	207590 207308	11
50	722181	339	929207	131	792092	470	207026	iô
51	$\overline{9.722385}$	339	$\frac{9.929129}{9.929129}$	131	9.793256	470	10,206744	9
52	722588	339	929050	131	793538	469	206462	8
53	722791	338	928972	131	793819	469	206181	7
54	722994	338	928893	131	794101	469	205899	6.
55	723197	338	928815	131	794383	469	205617	5
56 57	723400 723603	338 337	928736 928657	131 131	794664 794945	469 469	205336 205055	3
58	723805	337	928578	131	795227	469	204773	2
59	724007	337	928499	131	795508	468	204492	1
60	724210	337	928420	131	795789	468	204211	0
1 1	Cosine		Sine		Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	"D.	Corang.	
0	9.724210	337	9.928420	132	9.795789	468	10.204211	60
1	724412 724614	337 336	928342 928263	$\frac{132}{132}$	796070 796351	468 468	203930 .203649	59 58
3	724816	336	928183	132	796632	468	203368	57
4	725017	335	928104	132	796913	468	203087	56
5	725219	336	928025	132	797194	468	202806	55
6	725420	335	927946	132	797475	468	202525	54
7	725622 725823	335 335	$\begin{array}{c} 927867 \\ 927787 \end{array}$	$\frac{132}{132}$	797755 798036	468 467	202245 201964	53 52
8 9	726024	335	927708	132	798316	467	201684	51
10	726225	335	927629	132	798596	467	201404	50
111	9.726426	334	9.927549	$\overline{132}$	9.798877	467	.0.201123	49
12	726626	334	927470	133	799157	467	200843	48
13	726827	334	927390	133	799437	467	200563	47
14 15	727027 727228	334 334	927310 927231	133 133	799717 799997	467 466	200283 200003	46 45
16	727428	333	927151	133	800277	466	199723	44
17	727628	333	927071	133	800557	466	199443	43
18	727828	333	926991	133	800836	466	199164	42
19	728027	333	926911	133	801116	466	198884	41
20	728227	333	926831	133	801396	466	198604	40
21	9.728427 728626	332 332	$9.926751 \\ 926671$	$\frac{133}{133}$	$9.801675 \\ 801955$	466 466	10.198325 198045	39 38
22 23	728825	332	926591	133	802234	465	197766	37
24	729024	332	926511	134	802513	465	197487	36
25	729223	331	926431	134	802792	465	197208	35
26	729422	331	926351	134	803072	465	196928	34
27	729621 729820	331 331	$926270 \\ 926190$	134 134	803351 803630	465 465	196649 196370	33 32
28 29	730018	330	926110	134	803908	465	196092	31
30	730216	330	926029	134	804187	465	195813	30
31	9.730415	330	9.925949	134	9.804466	464	10.195534	29
32	730613	330	925868	134	804745	464	195255	28
33	730811	330	925788	134	805023	464	194977	27
34	731009	329	925707	134	805302	464	194698	26 25
35	731206 731404	$\frac{329}{329}$	925626 925545	134 135	805580 805859	464 464	194420 194141	24
37	731602	329	925465	135	806137	464	193863	23
38	731799	329	925384	135	806415	463	193585	22
39	731996	328	925303	135	806693	463	193307	
40	732193	328	925222	135	806971	463	193029	20
41	9.732390	328	9.925141	135	9.807249	463	1092751	19
42	732587 732784	$\frac{328}{328}$	925060 924979	135 135	807527 807805	463 463	192473 192195	18 17
44	732980	327	924897	135	808083	463	191917	16
45	733177	327	924816	135	808361	463	191639	15
46	733373	327	924735	136	808638	462	191362	14
47	733569	327	924654	136	808916	462	191084	13
48	733765 733961	$\begin{array}{c} 327 \\ 326 \end{array}$	$924572 \\ 924491$	136 136	809193 809471	$\begin{array}{c} 462 \\ 462 \end{array}$	$\begin{array}{c} 190807 \\ 190529 \end{array}$	
49 50	733961	326	924491	136	809748	462	190329	10
51	9.734353	326	$\frac{324103}{9.924328}$	$\frac{136}{136}$	9.810025	462	10.189975	9
52	734549	326	924246	136	810302	462	189698	
53	734744	325	924164	136	810580	462	189420	8
54	734939	325	924083	136	810857	462	189143	ť
55	735135	325	924001	136	811134 811410	461 461	188866 188590	5
56	735330 735525	325 325	923919 923837	136 136	811687	461	188313	3
58	735719	321	923755	137	811964	461	188036	2
59	735914	324	923673	137	812241	461	187759	-1
60	736109	324	923591	137	812517	461	187483	0
	Cosine		Sine		Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.736109	324	9.923591	137	9.812517	461	10.187482	60
ĭ	736303	324	923509	137	812794	461	187206	59
2	736498	324	923427	137	813070	461	186930	58
3	736692	323	923345	137	813347	460	186653	57
4	736880	323	923263	137	813623	460	186377	56
5	737080	323	923,81	137	813899	460	186101	55
6	737274	323	923098	137	814175	460	185825	54
7	737467	323	923016	137	814452	460	185548	53
8	737661	322	922933	$\frac{137}{137}$	814728 815004	460 460	185272 184996	52
10	737855 738048	$\begin{array}{c} 322 \\ 322 \end{array}$	922851 922768	138	815279	460	184721	51 50
11				138	9.815555		10.184445	$\frac{30}{49}$
12	9.738241 738434	$\frac{322}{322}$	9.922686 922603	138	815831	459 459	184169	48
13	738627	321	922520	138	816107	459	183893	47
14	738820	321	922438	138	816382	459	183618	46
15	739013	321	922355	138	816658	459	183342	45
16	739206	321	922272	138	816933	459	183067	44
17	739398	321	922189	138	817209	459	182791	43
18	739590	320	922106	138	817484	459	182516	42
19	739783	320	922023	138	817759	459	182241	41
20	739975	320	921940	138	818035	458	181965	40
21	9.740167	320	9.921857	139	9.818310	458	10.181690	39
22	740359	320	921774	139	818585	458	181415	38
23	740550	319	921691	139	818860	458	181140	37
24 25	740742	319	921607	139	819135	458	180865 180590	36
26	740934 741125	319 319	921524 .921441	$\frac{139}{139}$	819410 819684	458 458	180316	34
27	741316	319	921357	139	819959	458	180041	33
28	741508	318	921274	139	820234	458	179766	32
29	741699	318	921190	139	820508	457	179492	31
30	741889	318	921107	139	820783	457	179217	30
31	9.742080	318	9.921023	139	9.821057	457	10.178943	29
32	742271	318	920939	140	821332	457	178668	28
33	. 742462	317	920856	140	821606	457	178394	27
34	742652	317	920772	140	821880	457	178120	26
35	742842	317	920688	140	822154	457	177846	25
36	743033	317	920604	140	822429	457	177571	24
37 38	743223 743413	317	920520 920436	140 140	822705 822977	457 456	177297 177023	23 22
39	743413	$\frac{316}{316}$	920352	140	823250	456	176750	21
40	743792	316	920268	140	823524	456	176476	20
41	9.743982	316	9.920184	140	9.823798	456	10.176202	19
42	744171	316	920099	140	824072	456	175928	18
43	744361	315	920015	140	824345	456	175655	17
44	744550	315	919931	141	824619	456	175381	16
45	744739	315	919846	141	824893	456	175107	15
46	744928	315	919762	141	825166	456	174834	14
47	745117	315	919677	141	825439	455	174561	13
48	745306	314	919593	141	825713	455	174287	12
49 50	745494 745683	314	919508 919424	141	825986 826259	455 455	174014 173741	11
		314						$\frac{10}{9}$
51 52	9.745871 746059	314 314	9.919339 919254	141 141	9.826532 826805	455 455	173468	8
53	746248	313	919169	141	827078	455	172922	7
54	746436	313	919085	141	827351	455	172649	6
55	746624	313	919000	141	827624	455	172376	5
56	746812	313	918915	142	827897	454	172103	4
57	746999	313	918830	142	828170	454	171830	3
58	747187	312	918745	142	828442	454	171558	2
59 60	747374 747562	$\frac{312}{312}$	918659 918574	$\begin{array}{c c} 142 \\ 142 \end{array}$	828715 828987	454 454	171285 171013	1 0
1=		014		144		494		_
<u> </u>	Cosine		Sine		Coling.	l	Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.747562	312	9.918574	142	9.828987	454	10.171013	60
i	747749	312	918489	142	829260	454	170740	59
2	747936	312	918404	142	829532	454	170468	58
3	748123	311	918318	142	829805	454	170195	57
1	748310	311	918233	142	830077	454	169923	56
5	748497	311	918147	142	830349	453	169651	55
-6	748683	311	918062	142	830621	453	169379	54
1	748870	311	917976	143	830893	453	169107	53
8	749056	310	917891	143	831165	453	168835	52
9	749243	310	917805	143	831437	453	168563	51
10	749429	310	917719	143	831709	453	168291	50
11	9.749615	310	9.917634	143	9.831981	453	10.168019	49
12	749801	310	917548	143	832253	453	167747	48
13	749987	309	917462	143	832525	453	167475	47
14	750172 750358	309 309	917376 917290	$\frac{143}{143}$	832796 833068	$\begin{array}{c} 453 \\ 452 \end{array}$	167204 166932	46
16	750543	309	917204	143	833339	452	166661	44
17	750729	309	917118	144	833611	452	166389	43
18	750914	308	917032	144	833882	452	166118	42
19	751099	308	916946	144	834154	452	165846	41
20	751284	308	916859	144	834425	452	165575	40
21	9.751469	308	9.916773	144	9.834696	452	10,165304	39
22	751654	308	916687	144	834967	452	165033	38
23	751839	308	916600	144	835238	452	164762	37
24	752023	307	916514	144	835509	452	164491	36
25	752208	307	916427	144	835780	451	164220	35
26	752392	207	916341	144	836051	451	163949	34
27	752576	307	916254	144	836322	451	163678	33
28	752760	307	916167	145	836593	451	163407	32
29	752944	306	916081	145	836864	451	163136	31
30	753128	306	915994	145	837134	451	162866	30
31	9.753312	306	9.915907	145	9.837405	451	10.162595	29
32	753495	306	915820	145	837675	451	162325	28
33	753679	306	915733	145	837946	451	162054	27
34	753862	305	915646	145	838216	451	161784	26
35	754046	305	915559	145 145	838487	450	161513	25 24
36	754229 754412	$\frac{305}{305}$	915472 915385	145	839757 839027	450 450	161243 160973	23
38	754595	305	915297	145	839297	450	160703	22
39	754778	304	915210	145	839568	450	160432	21
40	754960	304	915123	146	839838	450	260162	20
41	9.755143	304	9.915035	146	9.840108	450	10.159892	19
42	755326	304	914948	146	840378	450	159622	18
13	755508	304	914860	1.16	840647	450	159353	17
14	755690	304	914773	146	840917	449	159083	16
15	755872	303	914685	146	841187	449	158813	15
16	756054	303	914598	146	841457	449	158543	14
47	756236	303	914510	146	841726	449	158274	13
48	756418	303	914422	146	841996	449	158004	12
49	756600	303	914334	146	842266	449	157734	11
50	756782	302	914246	147	842535	449	157465	10
51	9.756963	302	9.914158	147	9.842805	449	10.157195	9
52	757144	302	914070	147	843074	449	156926	8
53	757326	302	913982	147	843343	449	156657	7
54	757507	302	913894	147	843612	449	156388	6 5
55	757688	301	913806	147	843882	448	156118 155849	4
56	757869	301	913718	147 147	844151 844420	448 448	155580	3
57 58	758050 758230	$\frac{301}{301}$	913630 913541	147	844689	448	155311	2
59	758411	301	913453	147	844958	448	155042	ĩ
60	758591	301	913365		845227	448	154773	Ô
-								M.
1	Cosine		Sine		Cotang.		Tang.	TAY.

M.	Sine	D.	Cosine	D.	Tang.	p.	Cotang.	
0	9.758591	301	9.913365	147	9.845227	448	10 154773	60
1	758772	300	913276	147	845496	448	154504	59
2 3	758952	300	913187	148	845764	448	154236	58
4	759132 759312	300 300	913099 913010	148	846033 846302	448 448	$\frac{153967}{153698}$	57 56
5	759492	300	912922	148	846570	447	153430	55
6	759672	299	912833	148	846839	447	153161	54
7	759852	299	912744	148	847107	447	152893	53
8	760031	299	912655	148	847376	447	152624	52
9	760211	299	912566	148	847644	447	152356	51
10	760390	299	912477	148	847913	447	152087	50
11	9.760569	298	3.912388	148	9.848181	447	10.151819	49
12	760748	298	912299	149	848449	447	151551	48
13	760927	298	912210	149	848717	447	151283	47
14	761106 761285	298 298	912121 912031	$\frac{149}{149}$	848986 849254	$\begin{array}{c} 447 \\ 447 \end{array}$	151014 150746	46 45
15 16	761464	298	911942	149	849522	447	150448	44
17	761642	297	911853	149	849790	446	150210	43
lis l	761821	297	911763	149	850058	446	149942	42
19	761999	297	911674	149	850325	446	149675	41
20	762177	297	911584	149	850593	446	149407	40
21	9.762356	297	9.911495	149	9.850861	446	10.149139	39
22	762534	296	911405	149	851129	446	148871	38
23	762712	296	911315	150	851396	446	148604	37
24	762889	296	911226	150	851664	446	148336	36
25	763067	296	911136	150	851931	446	148069	35
26	763245	296	911046	150	852199	446	147801	34
27	763422 763600	296 295	910956 910866	150 150	852466 852733	$\frac{446}{445}$	147534 147267	$\frac{33}{32}$
29	763777	295	910776	150	853001	445	146999	31
30	763954	295	910686	150	853268	445	146732	30
31	9.764131	295	9.910596	$\overline{150}$	9.853535	445	10.146465	$\frac{1}{29}$
32	764308	295	910506	150	853802	445	146198	28
33	764485	294	910415	150	854069	445	145931	27
34	764662	294	910325	151	854336	445	145661	26
35	764838	294	910235	151	854603	445	145397	25
36	765015	294	910144	151	854870	445	145130	24
37 38	765191	294	910054 909963	151 151	855137 855404	445 445	144863 144596	23 22
39	765367 765544	294 293	909903		855671	444	144329	
40	765720	293	909782	151	855938	444	144062	
41	9.765896	293	9.909691	151	9.856204	444	10.143796	19
42	766072	293	909601	151	856471	444	143529	18
43	766247	233	909510	151	856737	444	143263	17
44	766423	293	909419	151	857004	444	142996	16
15	766598	292	909328	152	857270	444	142730	15
46	766774	292	909237	152	857537	444	142463	14
147	766949	292	909146	152	857803	444	142197	13
48	767124	292	909055	152	858069	444	141931 141664	12 11
49	767300	292 291	908964	$ 152 \\ 152$	858336 858602	444	141398	lió
50	767475			-				9
51	9.767649	291 291	9.908781	152 152	9.858868 859134	443 443	140866	
52	767824 767999	291	908599	152	859400	443	140600	8
54	768173	291	908507	152	859666	443	140334	6
55	768348	290	908416	153	859932	443	140068	5
56	768522	290	908324	153	860198	443	139802	4
57	768697	290	908233	153	860464	443	139536	
58	768871	290	908141	153	860730	443	139270	2
59	769045	290	908049			443	139005 138739	
60	769219	290	907958	153		44.1		<u>-</u>
	Cosine		Sine		Cotang.		Tang.	M

M.	Sine	D.	Cosine	D.	Tang.	<u> </u>	Cotang.	
0	9.769219	290	9.907958	153	9.861261	443	10.138739	60
1	769393	289	907866	153	861527	443	138473	59
2	769566	289	907774	153	861792	442	138208	58
3	769740	289	907682	153	862058	442	137942	57
4	769913	289	907590	153	862323	442	137677	56
5 6	770087 770260	289 288	907498 907406	153 153	862589 862854	442 442	137411 137146	55 54
7	770433	288	907314	154	863119	442	136881	53
8	770606	288	907222	154	863385	442	136615	52
9	770779	288	907129	154	863650	442	136350	51
10	• 770952	288	907037	154	863915	442	136985	50
III	9.771125	288	9 906945	154	9.864180	442	10.135820	49
12	771298	287	906852	154	864445	442	135555	48
13	771470	287	906760	154	864710	442	135290	47
14	771643	287	906667	154	864975	441	135025	46
15	771815	287	906575	154	865240	441	134760	45 44
16 17	771987 772159	287 287	906482 906389	154 155	865505 865770	441 441	134495 134230	43
18	7,72331	286	906296	155	866035	441	133965	42
19	772503	286	906204	155	866300	441	133700	41
20	772675	286	906111	155	866564	441	133436	40
$ \overline{21} $	9.772847	286	9.906018	155	9.866829	441	10.133171	39
22	773018	286	905925	155	867094	441	132906	38
23	773190	286	905832	155	867358	441	132642	37
24	773351	285	905739	155	867623	441	132377	36
25	773533	285	905645	155	867887	441	132113	35
26	773704	285	905552	155	868152	440	131848	34
27	773875	285	905459	155	868416	440	131584	33
28	774046	285	905366	156	868680	440	131320	32
29 30	774217 774388	285 284	$905272 \\ 905179$	156	868945 869209	440 440	131055 130791	31 30
$\left \frac{30}{31} \right $				156			$\frac{130731}{10.130527}$	$\frac{30}{29}$
32	9.774558 774729	284 284	9.905085 904992	156 156	9.869473 869737	$\frac{440}{440}$	130263	28
33	774899	284	904898	156	870001	440	129999	27
34	775070	284	904804	156	870265	440	129735	26
35	775240	284	904711	156	870529	440	129471	25
36	775410	283	904617	156	870793	440	129207	24
37	775580	283	904523	156	871057	440	128943	23
38	775750	283	904429	157	871321	440	128679	22
39	775920	283	904335	157	871585	440	128415	21
40	776090	283	904241	157	871849	439	129151	20
41	9.776259	283	9.904147	157	9.872112	439	10.127888	19
42	776429	282	904053	157	872376 872640	439 439	127624 127360	18 17
44	776598 776768	282 282	903959 903864	157 157	872903	439	27097	16
45	776937	282	903770	.157	873167	439	126833	15
46	777106	282	903676	157	873430	439	126570	14
47	777275	281	903581	157	873694	439	126306	13
48	777444	281	903487	157	873957	439	126043	12
49	777613	281	903392	158	874220	439	125780	11
50	777781	281	903298	158	874484	439	125516	10
51	9.777950	281	9.903203	158	9.874747	439	10.125253	9
52	778119	281	903108	158	875010	439	124990	8
53 54	778287	280	903014	158	875273	438 438	124727 124464	6
55	778455 778624	280 280	902919 902824	158 158	875536 875800	438	124200	5
56	778792	280	902824	158	876063	438	123937	4
57	778960	280	902634	158	876326	438	123674	3
58	779128	280	902539	159	876589	438	123411	2
59	779295	279	902444	159	876851	438	123149	1
60	779463		902349		877114	438	122886	0
	Cosine		Sine		Cotang.	:	Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9. 7794631	279	9.902349	159	9.877114	438	10.122836	60
1	779631	279	902253	159	877377	438	122623	59
2	779798	279	902158	159	877640	438	122360	58
3	779966	279	962063	159	877903	438	122097	57
4	780133	279	901967	159	878165	438	121835	56
5	733300	278	901872	159	878428	438	121572	55
6	780437	278	901776	159	878691	438	121309	54
7	780033	279	901681	159	878953	437	121047	53 52
8	780801	278	901585	159 159	879216 879478	437 437	120784	51
10	780968 781134	278 278	901490 901394	160	879741	437	$\frac{120522}{120259}$	50
								$\frac{30}{49}$
11 12	9.781301	277	9.901298	160 160	9.880003	437	10.119997	48
13	781468	277	901202		880265	437		47
14	781634 781800	277 277	901106 901010	160 160	880528 880790	437 437	$119472 \\ 119210$	46
15	781966	277	900914	160	881052	437	118948	45
16	782132	277	900818	167	881314	437	118686	44
17	782298	276	900722	160	881576	437	118424	43
18	782464	276	900626	160	881839	437	118161	42
19	782630	276	900529	160	882101	437	117899	41
20	782796	276	900433	161	882363	436	117637	40
$\overline{21}$	9.782961	276	9.900337	161	9.882625	436	10.117375	39
22	783127	276	900240	161	882887	436	117113	38
23	783292	275	900144	161	883148	436	116852	37
24	783458	275	900047	161	883410	436	116590	36
25	783623	275	899951	161	883672	436	116328	35
26	783788	275	899854	161	883934	436	116066	34
27	783953	275	899757	161	884196	436	115804	33
28	784118	275	899660	161	884457	436	115543	32
29	784282	274	899564	161	884719	436	115281	31
30	784447	274	899467	162	884980	436	115020	30
31	9.784612	274	9.899370	162	9.885242	436	10.114758	29
32	784776	274	899273	162	885503	436	114497	28
33	784941	274	899176	162	885765	436	114235	27
34	785105	274	899078	162	886026	436	113974	26
35	785269	273	898981	162	886288	436	113712	25
36	785433	273	898884	162	886549	435	113451	24 23
37	785597	273	898787	162	886810	435	113190	22
39	785761 785925	273 273	898689 898592	$ 162 \\ 162$	887072 887333	435 435	112928 112667	21
40	786089	273	898494	163	887594	435	112406	20
41		272	9.898397	$\frac{163}{163}$			10.112145	$\frac{3}{19}$
42	9.786252	272		163	9.887855	435		18
143	786416 786579	272	898299 898202	163	888116 888377	435 435	$111884 \\ 111623$	17
44	786742	272	898104	163	888639	435	111361	16
45	786906	272	898006	163	888900	435	111100	15
46	787069	272	897908	163	889160	435	110840	14
47	787232	271	897810	163	889421	435	110579	13
48	787395	271	897712	163	889682	435	110318	12
49	787557	271	897614	163	889943	435	110057	11
50	787720	271	897516	163	890204	434	109796	10
51	9.787883	271	9.897418	164	9.890465	434	10.109535	9
52	788045	271	897320	164	890725	434	109275	8
53	788208	271	897222		890986	434	109014	
54	788370	270	897123		891247	434	108753	6
55	788532	270	897025		891507	434	108493	5
56	788694	270	896926		891768	434	108232	3
57	788856	270	896828	164	892028	431	107972	2
58	789018	270	896729	164	892289	434	107711	1
59 60	789180 789342	270 269	896631 896532	164 164	892549 892810	434 434	107451	
12		. 209		104		404		
1	Cosine		Sine	ł	Cotang.	1	Tang.	1

1	M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
2 789665 269 896335 165 893331 434 106669 106609 5 4 789887 269 896137 165 893591 434 106149 5 5 790149 269 896031 165 894311 434 105629 5 7 790471 268 895840 165 894371 434 105629 5 7 790471 268 895641 165 894822 433 105368 5 9 790793 268 895641 165 894822 433 105108 5 10 790954 268 895542 165 895142 433 104588 5 11 9.79115 267 895343 166 895032 433 104684 4 12 7.79175 267 895454 166 896124 433 103388 4 14 79157 267 <td>- 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>60</td>	- 1								60
3 789827 269 896236 165 893591 434 106409 5 790149 269 896137 165 893511 434 106149 5 790149 269 896038 165 894111 434 105899 5 790471 268 895634 165 894632 433 105688 5 9790793 268 895641 165 894632 433 105108 5 9790793 268 895541 165 894512 433 105108 5 9790793 268 895542 165 895152 433 105108 5 104848 5 1079191 267 895343 166 985072 433 100104388 4 1014588 5 104484 79157 267 895443 166 896192 433 100104328 4 79157 267 895445 166 896192 433 100468 4 1014083 4 79157 267 894945									59
4 789989 269 896137 165 893851 434 106149 56 790310 268 895939 165 894371 434 105689 5. 6 790310 268 895939 165 894371 434 105689 5. 77790471 268 895840 165 894632 433 105368 5. 105889 5. 8790632 268 895741 165 894892 433 105368 5. 10589 5. 10790954 268 895641 165 895162 433 104848 5. 10790954 268 895641 165 895412 433 104848 5. 10790954 268 895641 165 895412 433 104848 5. 10790954 268 895544 166 895162 433 104848 5. 10790954 268 895544 166 895162 433 104848 5. 10790954 268 895544 166 895032 433 104068 4. 10791715 267 895343 166 895932 433 104068 4. 10791715 267 895345 166 896192 433 103808 4. 107917 267 89544 166 896192 433 103808 4. 107917 267 89545 166 896712 433 1033029 4. 107917 267 894846 166 897231 433 1023029 4. 1079277 267 894846 166 897231 433 1023029 4. 1079277 267 894846 166 897231 433 1023029 4. 1079277 267 894846 166 897231 433 102769 4. 1079277 266 894646 166 897231 433 102769 4. 1079277 266 894646 166 897231 433 102769 4. 1079277 266 894464 166 897751 433 102909 4. 1079277 266 894464 167 898530 433 101470 3. 101470 3. 107928 3. 1079297 266 894464 167 899530 433 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3. 101470 3.	2								
6 790149 269 896038 165 894111 434 105689 5 7 790471 268 895939 165 894632 433 105689 5 8 790632 268 895641 165 894632 433 105108 5 9 790793 268 895641 165 894892 433 106108 5 10 790954 268 895542 165 895162 433 10488 5 11 791436 267 895343 166 8950932 433 104068 4 14 791506 267 895145 166 896452 433 10348 4 15 79177 267 894845 166 896712 433 103084 4 16 79177 267 894846 166 897231 433 103284 4 17 792077 266 894466									56
6 790310 268 895939 165 894632 433 105685 5 8 790632 268 895741 165 894892 433 105108 5 790793 268 895641 165 895162 433 105108 5 10 790954 268 895542 165 895412 433 105108 5 11 9.791115 268 895542 165 895412 433 105108 5 11 9.791115 267 895343 166 895032 433 104068 4 12 791275 267 895343 166 895032 433 104068 4 14 791596 267 895244 166 896192 433 103808 4 15 791777 267 895045 166 896712 433 103288 4 16 791917 267 894945 166 896712 433 103288 4 16 791917 267 894846 166 897791 433 103289 4 17 792077 267 894846 166 897791 433 103289 4 18 792337 266 894746 166 897791 433 103289 4 19 792397 266 894646 166 897791 433 102509 4 20 79257 266 894646 166 897791 433 102509 4 21 9.792716 266 894846 167 898500 433 101470 3 22 79303 266 894446 167 898500 433 101470 3 23 79303 266 894446 167 89850 433 101470 3 24 793195 265 894146 167 89858 433 101111 3 25 793314 265 893946 167 89958 432 100692 3 27 793673 265 893446 167 89958 432 100692 3 28 793931 265 89346 167 89958 432 100692 3 29 79391 265 893446 167 899879 432 100692 3 29 79391 265 893446 167 899879 432 100951 3 20 794150 264 893341 168 901124 432 099854 2 27 793673 265 893446 167 899879 432 100173 3 28 793812 265 893444 168 90184 432 099654 3 29 79391 265 89344 168 90184 432 099654 3 30 794150 264 893341 168 901124 432 099876 2 38 79353 265 89344 168 90184 432 099859 2 39 794308 264 89343 168 90184 432 099856 134 794784 264 89341 168 901901 432 099856 134 794784 264 89341 168 901901 432 099856 144 796364 268 89233 168 902419 432 099860 124 796049 263 89233 168 902419 432 099856 14 796049 263 89233 169 903714 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 796049 263 89233 169 90374 431 096655 14 7960									55
7 790471 268 895840 165 894632 433 105368 5 8 9706032 268 895541 165 894892 433 105108 5 104588 5 1045									54
8 790632 268 895641 165 894892 433 104518 5 10 790954 268 895542 165 895412 433 104848 5 11 9.791115 268 9.895443 166 895412 433 104668 431 791436 267 895343 166 895632 433 104668 4431 791596 267 895343 166 896192 433 103688 44 14 791596 267 895345 166 896452 433 103688 44 15 791977 267 895345 166 896712 433 103288 44 167 791917 267 895345 166 896712 433 103288 44 166 791917 267 894945 166 89731 433 103289 44 167 791917 267 894945 166 897491 433 103289 44 167 791917 267 894945 166 897491 433 102269 44 19 792397 266 894646 166 897491 433 102269 44 19 792397 266 894646 166 897491 433 102269 44 19 792397 266 894646 166 897491 433 102249 44 19 792397 266 894646 166 897491 433 102249 44 10250									53
10		790632	268	895741	165	894892	433	105108	52
11									
12	10	790954	268	895542					50
13	11								49
14	12								48
15									
16 791917 267 894945 166 896971 433 103029 4 17 792077 267 894846 166 897231 433 102769 4 18 792397 266 894746 166 897751 433 102269 4 19 792377 266 894646 166 897751 433 102249 4 20 792876 266 9.89446 167 8985010 433 1011730 3 22 792876 266 894346 167 8985789 433 101211 3 23 793035 266 894246 167 8993789 433 101211 3 24 793195 265 89346 167 899308 432 100692 3 26 793514 265 89346 167 899327 432 100432 3 27 793673 265 89									
17									44
18 792337 266 894746 166 897491 433 102509 421 19 792397 266 894646 166 897731 433 102249 4 20 792557 266 894446 166 898010 433 101990 4 21 9.792716 266 894346 167 898530 433 101190 4 22 793035 266 894246 167 898789 433 101211 3 24 793195 265 894146 167 899308 432 100692 3 25 79354 265 89346 167 899308 432 100692 3 26 793514 265 89346 167 899588 432 100432 3 27 793673 265 893745 167 90086 432 099914 3 29 793991 263 89354									43
19									42
21 9.792716 266	19				166			102249	41
22 792876 266 894346 167 898530 433 101470 3 23 793035 266 894246 167 899789 433 101211 3 24 793195 265 894146 167 899308 432 100692 3 25 793514 265 89346 167 899587 432 100492 3 26 793673 265 89346 167 899587 432 100173 3 28 793891 265 893451 167 900366 432 099914 3 30 794150 264 893541 167 900366 432 099935 3 31 9.794308 264 9.89344 168 9010605 432 0998561 3 32 794626 264 893343 168 901124 432 0986612 2 098358 2 34 794	20				166	898010		101990	40
22 792876 266 894346 167 898789 433 101470 24 793035 266 894246 167 899789 433 101211 3 25 793354 265 894046 167 899308 432 100692 3 26 793574 265 893946 167 899368 432 100432 3 27 793673 265 893346 167 8995827 432 100173 3 28 793832 265 893745 167 900366 432 099654 3 30 794150 264 893541 167 900364 432 099654 3 31 9.794308 264 9.89343 168 901333 432 0998765 23 32 794662 264 893343 168 901333 432 098676 23 33 794626 264 89341	$\overline{21}$	9,792716	266	9.894446	167	9.898270	433	10.101730	39
24 793195 265 894146 167 899049 432 100951 3 25 793514 265 894046 167 899568 432 100692 3 26 793613 265 893846 167 899568 432 100173 3 28 793832 265 893745 167 900346 432 0999654 3 099914 33 30 794150 264 893544 167 900346 432 099654 3 099935 3 31 9.794308 264 893343 168 901333 432 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 098617 2 09861	22		266	894346	167	898530	433		38
25 793354 265 894046 167 899308 432 100692 3 26 793514 265 893946 167 899587 432 100173 3 27 793673 265 89346 167 899827 432 100173 3 28 793891 265 893745 167 900866 432 099914 3 30 794150 264 893541 167 900605 432 099395 3 31 9.794308 264 893343 168 901124 432 098876 2 32 794626 264 893343 168 901124 432 098876 2 34 794784 264 893142 168 901343 432 098358 2 35 794942 264 893041 168 901642 432 0976617 2 36 795101 264 892	23								37
26 793514 265 893946 167 899568 432 100432 3 27 793673 265 893846 167 899827 432 100173 3 28 793832 265 893745 167 900086 432 099914 3 30 794150 264 893344 167 900605 432 099395 3 31 9.794308 264 9.89344 168 901042 432 099395 3 32 794626 264 893343 168 901124 432 0993876 2 33 794626 264 893243 168 901642 432 098376 2 34 794784 264 893141 168 901642 432 098378 2 35 794942 264 893041 168 902160 432 098399 2 2 366 795101 264	24								36
27 793673 265 893846 167 899827 432 100173 328 793832 265 893745 167 900086 432 099914 330 99914 328 099914 328 099654 320 099664 322 099664 322 099664 432 099395 33 099467 264 893344 167 900605 432 099395 32 099395 33 10,099136 264 893343 168 901124 432 098876 234 7948467 264 893243 168 901642 432 098358 2984 298940 168 901642 432 098358 2983 298940 168 902160 432 098617 297840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840 2977840	25								35
28 793832 265 893745 167 900086 432 099914 29 793991 265 893645 167 900366 432 099654 3 30 794150 264 893544 167 900605 432 099395 3 31 9.794308 264 893343 168 901124 432 098876 2 32 794626 264 893343 168 901383 432 098617 2 34 794784 264 893142 168 901383 432 098617 2 35 794942 264 893141 168 901901 432 098617 2 36 795101 264 892940 168 902160 432 097840 2 37 795259 263 892539 168 902419 432 097841 2 097841 2 097841 2 097821									
29 793991 265 893645 167 900346 432 099654 3 30 794150 264 893544 167 900605 432 099395 3 31 9.794308 264 9.893444 168 9.900864 432 10.099136 2 32 794626 264 893343 168 901124 432 098876 2 33 794826 264 893412 168 901642 432 098378 2 34 794784 264 893041 168 901612 432 098355 2 35 794942 264 893041 168 90160 432 098399 2 36 795101 264 892940 168 902460 432 097581 2 37 795259 263 892839 168 902934 432 097581 2 097581 2 097581 2									
30 794150 264 893544 167 900605 432 093935 3 31 9.794308 264 9.893444 168 9.900864 432 10.099136 2 32 794467 264 893343 168 901124 432 098876 2 33 794626 264 893243 168 901333 432 0988617 2 34 794784 264 893142 168 901612 432 098358 2 36 795101 264 892940 168 902160 432 097840 2 37 795259 263 892839 168 902419 432 097581 2 38 795757 263 892638 168 902938 432 097062 2 40 795733 263 892334 169 903197 431 096803 2 41 9.795391 263									
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									30
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					_				29
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									28
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33								27
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	34								26
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35	794942	264	893041	168	901901	432	098099	25
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	36								24
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									23
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$									-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$								006006	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$									16
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									15
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	46								14
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	47	796836	262	891827	169	905008	431		13
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18								12
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	19								11
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									9
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									8
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									6
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	57								3
60 798872 260 890503 170 908369 430 091631	58	798560	260	890707	170	907852	431	092148	2
	59								
Cosine Sine Cotang. Tang. M	60	798872	260	890503	170	908369	430	091631	0
		Cosine		Sine	1	Cotang.		Tang.	M.

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	T
0	9.798872	260	9.890503	170		430	10.091631	60
2	799028 799184	260 260	890400 890298	171	908628 908886	430	091372	
3	799339	259	890195	171	909144	430 430	091114 090856	58 57
4	799495	259	890093	171	909402	430	090598	56
5	799651	259	889990	171	909660	430	090340	55
6	799806	259	889888	171	909918	430	090082	54
7	799962	259	889785	171	910177	430	089823	53
8	800117	259	889692	171	910435	430	089565	52
9	800272	258	889579	171	910693	430	089307	51
10	800427	258	889477	171	910951	430	089049	50
11	9.800582	258	9.889374	172	9.911209	430	10.088791	49
12	800737	258	889271	172	911467	430	088533	48
13 14	800892 801047	258 258	889168 889064	$\frac{172}{172}$	911724 911982	430	088276 088018	47
15	801201	258 258	888961	172	911982	430 430	087760	46 45
16	801356	257	888858	172	912498	430	087502	44
17	801511	257	888755	172	912756	430	087244	43
is	801665	257	888651	172	913014	429	086986	42
iğ	801819	257	888548	172	913271	429	086729	41
20	801973	257	888444	173	913529	429	086471	40
21	9.802128	257	9.888341	173	9.913787	429	10.086213	39
22	802282	256	888237	173	914044	429	085956	38
23	802436	256	888134	173	914302	429	085698	37
24	802589	256	888030	173	914560	429	085440	36
25	802743	256	887926	173	914817	429	085183	35
26	802897	256	887822	173	915075	429	084925	34
27	803050	256	887718	173	915332	429	084668	33
28 29	803204 803357	256	887614 887510	$\frac{173}{173}$	915590	429	084410	$\frac{32}{31}$
30	803511	255 255	887406	174	915847 916104	429 429	084153 083896	30
$\frac{3}{31}$	9.803664	255	9.887302	174	9.916362	429	10.083638	$\frac{50}{29}$
32	803817	255	887198	174	916619	429	083381	28
33	803970	255	887093	174	916877	429	083123	27
34	804123	255	886989	174	917134	429	082866	26
35	804276	254	886885	174	917391	429	082609	25
36	804428	254	886780	174	917648	429	082352	24
37 38	804581	254	886676	174	917905	429	082095	23
39	804734 804886	254 254	886571 886466	174 174	918163 918420	428	081837	$\frac{22}{21}$
40	805039	254	886362	175	918677	$\begin{array}{c} 428 \\ 428 \end{array}$	081580 081323	20
1	9.805191	254	9.886257	175	9.918934	428	10.081066	19
42	805343	253	886152	175	919191	428	080809	18
43	805495	253	886017	175	919448	428	080552	17
44	805647	253	885942	175	919705	428	080295	16
45	805799	253	885837	175	919962	428	080038	15
46	805951	253	885732	175	920219	428	079781	14
47	806103	253	885627	175	920476	428	079524	13
48	806254	253	885522	175	920733	428	079267	12
49	806406	252	885416	175	920990	428	079010	11
50	806557	252	885311	176	921247	428	078753	10
51 52	9.806709 806860	252 252	9.885205	176	9.921503	428 428	10.078497	9
53 53	807011	252 252	885100 884994	176 176	921760 922017	428 428	078240 077983	8
54	807163	252	884889	176	922274	428	077726	6
55	807314	252	884783	176	922530	428	077470	
56	807465	251	884677	176	922787	428	077213	4
57	807615	251	884572	176	923044	428	076956	3
58	807766	251	884466	176	923300	428	0767 00	2
59	807917	251	884360	176	923557	427	076443	1
60	8080671	251	884254	177	923813	427	076187	0
- 1	Cosine		Sine		Cotang.	• 7	Tang.	M.

SOP


M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	
0	9.808067	251	9.884254	177	9.923813	427	10.076187	60
il	808218	251	884148	177	924070	427	075930	59
2	808368	251	884042	177	924327	427	075673	
3	808519	250	883936	177	924583	427	075417	5
4	808669	250	883829	177	924840	427	075160	5
5	808819	250	883723	177	925096	427	074904	5.
6	808969	250	883617	177	925352	427	074648	5
ž,	809119	250	883510	177	925609	427	074391	5
81		250	883404	177	925865	427	074135	5
9	809419	249	883297	178	926122	427	073878	5
ŏ i	809569	249	883191	178	926378	427	073622	5
Ť								4
	9.809718	249	9.883084	178	9.926634	427	10.073366	
2	809868	249	882977	178	923390	427	073110	4
3	810017	249	882871	178	927147	427	072853	4
4	810167	249	882764	178	927403	427	072597	
5	810316	248	882657	178	927659	427	072341	4
6	810465	248	882550	178	927915	427	072085	4
7	810614	248	882443	178	928171	427	071829	4
18	810763	248	882336	179	928427	427	071573	
9	810912	248	882229	179	928683	427	071317	4
20	811061	248	882121	179	928940	427	071060	4
15	9.811210	248	9.882014	179	9.929196	427	10.070804	3
22	811358	247	881907	179	929452	427	070548	3
3	811507	247	881799	179	929708	427	070292	3
24	811655	247	881692	179	929964	426	070036	3
5	811804	247	881584	179	930220	426	069780	3
26	811952	247	881477	179	930475	426	069525	3
27	812100	247	881369	179	930731	426	069269	3
8	812248	247	881261	180	930987	426	069013	3
29	812396	246	881261 881153	180	931243	426	068757	3
30	812544	246	881046	180	931499	426	068501	3
_								2
3i	9.812692	246	9.880038	180	9.931755	426	10.068245	
32	812840	246	880830	180	932010	426	067990	2
33	/812988	246	880722	180	932266	426	. 067734	2
34	/ 813135	246	884613	180	932522	426	067478	2
35	813283	246	880505	180	932778	426	067222	2
36	813430	245	-880397	180	933033	426	066967	2
37	813578	245	880289	181	933289	426	066711	2
38	813725	245	880180	181	933545	426	066455	2:
39	813872	245	880072	181	933800	426	066200	2
10	814019	245	879963	181	934056	426	065944	2
11	9.814166	245	9.879355	181	9.934311	426	10,065689	1
12	814313	245	879746	181	934567	426	065433	18
13	814460	244	879637	181	934823	426	065177	1
14	814607	244		181	935078	426	064922	1
15	814753	244	879529 879420	181	935333	4.6	064667	1
16	814000	244	879311	181	935589	426	064411	1
7	815046	244	879202	182	935844	426	064156	1:
18	815046 815193	244	879093	182	936100	426	063900	. 1
19	815339	244	878984	182	936355	426	063645	1
50	815485	243	878875	182	936610	426	063390	10
51			-				10.063134	-
	9.815631	243	9.878766	182	9.936866	425		
52	815778	243	878656	182	937121	425	062879	
53	815924	243	870.147 878488	182	937376	425	062624	
54	910009	243	878488	182	937632	425	062368	-
55	816215	243	878328	182	937887	425	062113	1
56	816361	243	8/8219	183	938142	425	061858	
57	816507	242	878109	183	938398	425	061602	
58	816652	242	877999	183	938653	425	061347	5
		242	877890	183	938908	425	061092	
59	816798						000000	
59 60	816943		877780	183	939163	425	060837	M.

M.	Sine	D.	Cosine	D.	Tang.	5 0.	Cotang.	1
-	- 11							1
0	9 816943	242	9 877780	183		425	10.060837	60
1	817088	242 242	877670 8775 6 0	183 183	939418	425	060582	59
23	817233 817379	242	877450	183	939673 939928	425 425	060327	58
4	817524	241	877340	183	940183	425	060972 059817	57 56
5	817668	241	7 877230	184	940438	425	059562	55
6		241	877120	184	940694	425	059306	54
1	N 817813 817958	241	877010	184	940949	425	059051	53
8	818103	241	876899	184	_941204	425	058796	52
9	818247	241	876789	184	941458	425	058542	51
10	818392	241	876678	184	941714	425	058286	50
11	9 818536	240	9.876568	184	9.941968	425	10.058032	$\overline{49}$
12	818681	240	876457	184	942223	425	057777	48
1	818825	240	876347	184	942478	425	057522	47
14	818969	240	876236	185	942733	425	057267	46
15	819113	240	876125	185	942988	425	057012	45
16	819257 819401	240	876014	\$5	943243	425	056757	44
17		240	75904	185	943498	425	056502	43
18:	819545	239	875793	185	943752	425	056248	42
19	819689	239	875682	185	944007	425	055993	41
20	* 819832	239	875571	185	944262	425	055738	40
21	9.819976 820120	239	9.875459	185	9.944517	425	10.055483	39
3		239	875348	185 185	944771	424	055229	38
23	820263	232	875237		945026	424	054974	37
24	20406	239	875126 875014	186 186	945281	424	054719	36
25 26	820550 820693	238 238	874903	186	945635 945790	424	054465	35 34
27	820836	238	874791	186	946045	424	054210 053955	33
28	820979	238	844680	186	946299	424	053701	32
29	821122	238	814568	186	946554	424	053446	31
30	821265	238	874456	186	946808	424	053192	30
31	9.821407	238	9.874344	186	9.947063	424	10.052937	$\frac{1}{29}$
32	821550	238	874232	187	947318	424	052682	28
33		237	874121	187	947572	424	052428	27
34	821693 821835	2:3	874009		947826	424	052174	26
35	821977	237	838896	187	948081	424	051919	25
36	822120	237	873784	187	948336	424	051664	24
37	822262	237	873672	187	948590	424	051410	23
38	822404	237	873560	187	948844	424	051156	22
39	822546	\237	873448	187	949099	424	050901	21
40	822688	236	873335	187	949353	424	050647	20
41	9.822830	236	9.873223	187	9.949607	424	10.050393	19
42	822972	236	873110	188	949862	424	050138	18
43	823114	236	872998	188	950116	424	049884	17
44	823255	236	872885	188	950370	424	049630	16
45	823397 823539	236	872772 872659	188	950625	424 424	049375 049121	15
47	823539	235	872507	188	950879 951133	424	049121	13
48	823821		872434	188	951388	424	048612	12
49	823963	235 235	872321	188	951642	424	048358	iĩ
50	824104	285	872208	188	951896	424	048104	io
51	9.824245	$\frac{-235}{235}$	5.872095	189	9.952150	424	10.047850	9
52	824386	235	871981	189	952405	424	047595	8
53	824527	235	1871868	189	050650	424	047341	7
54	824668	234	871755	189	952913	424	04708	6
55	824808	234	871641	189	953167	423	046833	5
56	824949	234	871528	189	953421	423	046579	4
57	825090	234	871414	189	953675	423	046325	3
58	825230	234	871301	189	953929	423	046071	2
59	825371	234	871187	189	954183	423	045817	0
60	825511	234	871073	190	954437	423	045563	U
	Corine		Sine		Cotang.		Tang.	M.
L		,			-			

M.	Sine	D.	Cosine	D.	Tang.	D.	Cotang.	T
0	9.825511	234	9.871073	190		423	10.045563	60
1	825651	233	870960	190	954691	423	045309	59
3	825791 825931	233 233	870846 870732	190 190	954945	423 423	045055	5
4	826071	233	870618	190	955200 955454	423	044800 044546	57
5	826211	233	870504	190	955707	423	044000	56 55
6	826351	233	870390	190	955961	423	044133 044139 043185 043531	54
7	826491	233	870276	190	956215	423	043185	53
8	826631	233	870161	190	956469	423	043531	52
9	826770	232	870047	191	956723	423	043377	16
10	826910	232	869933	191	956977	423	043023	50
11	9.827049	232	9.869818	191	9.957231	423	10,042769	49
12	827189	232	869704	191	957485	423	042515	48
13	827328	232	869589	191	957739	423	(42261	47
14	827467	232	869474	191	957993	423	042007	46
15 16	827606 827745	232 232	869360 869245	191 191	958246 958500	423 423	041754	45
17	827884	231	869130	191	958754	423	041246	43
18	828923	231	869015	192	959008	423	040992	42
19	828162	231	868900	192	959262	423	040738	41
20	828301	231	868785	192	959516	423	040484	40
21	9.828439	231	9.868670	192	9.959769	423	10.040231	39
22	828578	231	868555	192	960023	423	039977	38
23	828716	231	- 868440	192	960277	.5 423	039723	37
24	828855	230	868324	192	960531	423	039469	36
25	828993	230	868209	192	960784	423	039216	35
26	829131	230	868093	192	961038	423	038962	34
27 28	829269	230	867978 867862	193	961291	423	038709	33
29	829407 829545	230 230	867747	193 193	961545 961799	423	038455 038201	31
30	829683	230	867631	193	962052	423	037948	30
$\frac{33}{31}$	9.829821	229	9.867515	$\frac{133}{193}$	9.962306	423	10.837694	29
32	829959	229	867399	193	962560	423	037440	28
33	830097	229_	867283	193	962813	423	037187	27
34	834234	229	867167	193	963067	423	036933	26
35	830372	229	867051	193	963320	423	930680	25
36	830509	229	866935	194	963574	423	036426 036 73	24
37	830646	229	_866819	194	963827	423	036173	23
38	830784	229	866703	194	964081	423	035919	22
39 40	830921 831058	228 228	866586 866470	194 194	964335 964588	$\begin{array}{c} 423 \\ 422 \end{array}$	035665 035412	21
								-
41	9.831135	228	9.866353	194	9.964842	422	10.035158	19 18
43	831332 831469	228 228	4866237 866120	194 194	965095	422	034905 034651	17
44	831606	228	866004	195	965602	122	034898	10
45	831742	228	865887	195	965855	422		15
41	831879	228	865770	195	966109	422	034145 033891	14
47	832015	227	865653	195	966362	422	033638	13
48	832152	227	865336	195	966616	422	023384	15
49	832288	227	865419	195	966869	422	033131	11
50	832425	227	865302	195	967123	422	032377	10
51	9.832561	227	9.865185	195	9,967376	422	10 032624	9
52	832697	227	865068	195	967629	422	032371	8
53	832833	227	864950	195	967883	422	032 17	6
54 55	832969 833105	226 226	864833 864716	196 196	968136 968389	422 422	031864 031611	5
56	833241	226	864698		968643	422	031357	4
57	833377	226	864481	196	968896	422	031104	3
58	833512	226	864363	196	969149	422	030851	2
59	833648	226	864245	196	969403	422	0305	bl
60	833783	200	864127	196	969656	422	0303	-0
	Cosine		Sine		Cotang.		Tang.	M.

`.		1 1 2							
	M.	• Fine	D,	Cosine	D.	Tang.	D.	Cotang.	
- [01	9.833783	226	9.864127	196	9.969656	422	10.030344	60
-	-1	833919	225	864010	196	969909	422	030091	59
-		834054	225	863892	197	970162	422	029838	58
4	3	· 834189	225	863774	197	970416	422	029584	57
	4	834325	225	8,63656	197	970669	422	029331	56
]	5	834460	225	863538	197	970922	422	, 029078	55
١	6	834565	225	863419	197	971175	422	(028825	54
- 1	7	1834730	225	863301	197	971429	422	028571	53
	-8	834865	225	863183		971682	422	028318	52
1	9	'834999	224	863064	197	971935	422	028065	51
	10	835134	224	862946	198	972188	422	027812	50
-	11	9.835269	224	9.862827	198	9,972441	422	10.027559	49
1	12	83540	224	862709	198	972694	422	027306	48
-	13	835538	224	862590	198	972948	422	027052	47
	14	83567	224	862471	198	973201	422	026799	
-	15	83580	224	862353	198	973454	422	026546	46 15
-	16	83594	224	862234	198	973707	422	026546 026293	44
- 1	17	83607	223	862115	198	973960	422	026040	43
-	18	1 836209	223	861996	198	974213	422	025787	42
-	19	836343	223	861877	198	974466	422		41
1	20	836477	223	861758	199	974719	422	0.25281	40
.	_		223			$\frac{374113}{9.974973}$			1
	21	9.836611		9.861638	199		422	10.025027	39
- 1	22	836745	223	861519	199	975226	422	024774	38
- 1	23	836878	223	861400	199	975479	422	024521	37
- 1	24	837012	222	861280	199	975732	422	024268	36
-	25	837146	222	861161	199	975985	422	024015	35
	26	837279	222	861041	199	976238	422	023762	34
	77 28	837412	222	860922	199	976491	422	023509	33
		837546	222	860802	199	976744	422	023256	32
¥	29	37679	222	860682	200	976997	422	023003	31.
	30	837812	222	860562	200	977250	422	022750	30.
4	31	9.837945	222	9.860442	200	9.977503	422	10.022497	29
4	3	838078	221	860322	200	977756	422	022244	28
1	43	838211	221	860202	200	978009	422	021991	27
	34.35	83834	221	860082	200	978262	422	021738	26
1	35	83847	221	859962	200	978515	422	021485	25
1	36	8/38610	221	859842	200	978768	422	021232	24
ı	37	838742	221	859721	201	979021	422	020979	23
١	3.94	838875	221	859601	201	979274	422	020726	22
1	39	839007	221	859480	201	979527	422	020473	21
	40	839140	220	859360	201	979780	422	020220	20
	1	9.839272	220	9.859239	201	9.980033	422	10.019967	19
-	42	839404	220	859119	201	980286	422	019714	18
١	43	839536	220	858998	201	980538	422	019462	17
	44	839668	220	858877	201	980791	421	019209	16
		839890	220	858756	202	981044	421	018956	15
	45	839932	220	858635	202	981297	421	018703	14
	47	840064	219	858514	202	981550	421	018450	13
	48	840196	219	858393	202	981803	421	018197	
	49	840328	219	858272	202	982056	421	017944	11
	50	840459	219	858151	202	982309	421	017691	10
	57	9.840591	219	9.858029	202	9.982562	421	10.017438	9
	52	840722	219	857908	202	982814	421	017186	8
	52 53	840854	219	857786	202	983067	421	016933	7
	54	840985	210	857665	203		421	016680	6
	55	841116	218	857543	203		421	016427	5
	56	841247	218	857422	203	983826	421	016174	4
	57	841378	218	857300	203	984079	421	015921	3
	58	844509	218	857178	203	984331	421	015669	2
	59	41640	218	857056	203			015416	
	60	11771	218	8: 934	203			015163	
		Coline	1	, 300		Cotang.	7.	Tang.	M

M.	-Sine	D.	Cosine	D:	Tang.	D.	Cotang.		
0	9.841771	218	9.856934	203	9.934837	421	10.015163	60	
1	841902	218	856812	203	985090	421	014910	59	10.5
2	842033	218	856690	204	985343	421	-014657	.58.	~
3	842163 842294	217	856568	204	985596	421	014404	.57	
5	842424	217	856446 856323	204 204	985848 986101	421 421	014152 013899	56	-
6	842555	217	856201	201	986354	421	013646	55	
7	842685	217	856078	204	986607	421	013393	53	1
8	842815	217	855956	204	986860	421	013140	52	1
9	842946	217	855833	204	987112	421	012888	51	
10	843076	217	85571.1	205	987365	421	012635	50	ı
11	9.843206	216	9.855588	205	9.987618	421	10.012382	49	
12	843336	216	855465	205	987871	421	012129	48	ı
13	843466	216	855342	205	988123	421	- 011877	47	ı
14	843595	216	855219 855096	205	988376	421	011624	46	
15 16	843725 843855	216 216	854973	205 205	988629 988882	421 421	011371	45	
17	843984	216	854850	205	989134	421	010866	44	1
18	844114	215	854727	206	989387	421	010613	42	9
19	844243	215	854603	206	989640	421	010360	41	
20	844372	215	854480	206	989893	421	010107	40	Г
$\overline{21}$	9.844502	215	9.854356	206	9.990145	421	10.009855	39	ı
22	844631	215	854233	206	990398	421	009602	38	ı
23	844760	215	854109	206	990651	421	009349	37	ı
24	. 844889	215	853986	206	990903	421	009097	36	ı
25	845018	215	853862	206	991156	421	008844	35	ı
26	845147	215	853738	206	991409	421	008591	34	١.
27 28	845276 845405	214 214	853614 853490	207 207	991662 991914	421	008338	33	1
29	815533	214	853366	207	992167	421.	007833	31	L
30	845662	214	853242	207	992420	421	007580	30	
$\frac{33}{31}$	9.845790	214	9.853118	207	9.992672	421	10.007328	$\frac{3}{29}$	1
32	845919	214	852994	207	992925	421	007075	28	1
33	846047	214	852869	207	993178	421	096823	27	
34	846175	214	852745	207	993430	421	006570	26	
35	846304	214	852620	207	993683	421	006317	25	ı
36	846432	213	852496		993936	421	006064	24	١,
37	846560	213	852371	208	994189	421:	005811	23	ı
39 3.	846688 846816	213 213	852247 852122	$\begin{array}{c} 208 \\ 208 \end{array}$	994441 994694	421 421	005559 005306	22 21	1
40	846944	213	851997	208	994947	421	005053	20	1
$\frac{10}{41}$	9.847071	213	$\frac{9.851872}{9.851872}$	208	9.995199	421	10.004801	19	2
42	847199	213	851747	208	995452	421	004548	18	1
43	847327	213	851622	208	995705	421	004295	17	ľ
44	847454	212	851497	209	995957	421	004043	16	l.
45	847582	212	851372	209	996210	421	003790	15	١
46	847709	212	851246	209	996463	421	003537	14	ı
47	847836	212	851121	209	996715	421	003285	13	l
48	847964	212	850996	209	996968	421	003032	12	L
49 50	818091 848218	212	850870 850745	209 209	997221 997473	421	002779 002527	11	
	-							9	ı
51	9.848345	212	9.850619	209	9.997726	421	10.0022/4	8	ı
52 53	848472 848599	211 211	850493 850368	210 210	997979 998231	421 421	002021 001769	~7	1
54	848726	211	850242	210	998484	421	001516	6	1
55	848852	211	850116	210	998737	421	001263	5	۱
56	848979	211	849990	210	998989	421	001011	-4	1
57	849106	211	849864	210	999242	421	- 000758	3	f
58	849232	211	849738	210	999495	421	000505	2	1
59	849359	211	849611	210	999748	421	000253	1	1.
60	819185	211	849485	210	10.000000	421	000000	0	Ľ
	Cosine		Sine		Co.ang.	1	Tang.	M.	1



14 DAY USE RETURN TO DESK FROM WHICH BORROWED

LOAN DEPT.

This book is due on the last date stamped below, or on the date to which renewed.

Renewed books are subject to immediate recall.

10Scale	30c4,23X8
SEP 11'61 K	REC'D LD
REC'D LL	SEP 2 5'63-1 PM
SEP 1 2 1961	
REC'D LD SEP 2 6 1961	
3Nov'618F	
Facility	
OCT 23 757	
TD 014 70 0101	General Library

LD 21A-50m-8,'61 (C1795s10)476B General Library University of California Berkeley 911398 452 B79

THE UNIVERSITY OF CALIFORNIA LIBRARY

